



EASTERN ATHABASCA REGIONAL MONITORING PROGRAM

2023/2024 COMMUNITY REPORT

FINAL REPORT

September 2024



Acknowledgments

The Eastern Athabasca Regional Monitoring Program (EARMP) is conducted in partnership with the Government of Saskatchewan, the Canadian Nuclear Safety Commission, and industry partners Cameco Corporation (Cameco) and Orano Canada Inc. (Orano).

The Executive Summary Dene translation was provided by Rosalie Tsannie-Burseth.


The EARMP steering committee would like to thank the Athabasca residents and communities who have donated their time and traditional foods over the years and for their continued support for the program. Community member participation and local knowledge are essential to the success of the program.

For more information on the program and additional reports please visit us at www.earmp.ca



TABLE OF CONTENTS

INTRODUCTION	1
Background.....	1
Uranium Mining and Milling Operations in the Region.....	3
Communities in the Region	3
Community Monitoring Program Objectives	4
Summary of EARMP Community Monitoring Program Framework.....	5
Community Involvement.....	5
Study Design and Objectives of the 2023/2024 Program.....	6
Results.....	6
WATER (TUÎTÅEDI) CHEMISTRY.....	7
FISH (ŁUE) CHEMISTRY	9
MAMMAL (CH’ADI) CHEMISTRY	11
SUMMARY.....	13
LITERATURE CITED	15
 APPENDIX A COMMUNITY MONITORING PROGRAM FRAMEWORK	
APPENDIX B DETAILED DATA ANALYSIS	
APPENDIX C DETAILED DATA	



Above: Sunset in Stony Rapids, Saskatchewan

Executive Summary

The Eastern Athabasca Regional Monitoring Program was established in 2011 under the Province of Saskatchewan's Boreal Watershed Initiative. The community component of the program partners with communities within the Athabasca Basin to monitor the safety of traditionally harvested country foods by collecting and testing representative water, fish, berry, bird, and mammal tissue samples from the seven communities located in the region. Harvesting and consuming traditional foods are an important part of the culture in northern Saskatchewan which contributes to an overall healthy lifestyle through physical activity and healthy eating. Community members collected and submitted 60 fish samples, 7 moose meat samples, 8 moose organ samples, 6 barren-ground caribou meat samples, and 6 water samples for testing in late 2023. The current year's program results show that country foods are safe for consumption with chemical profiles for water, fish, and mammal samples generally similar to previous monitoring years and natural background.

Yati nedhe hots'ı ꞑedırı yatı hılchú sı

Dirı 2011 nene k'e Yatthe Nene chu dirı Boreal Watershed t'a ghq nade sı erıt'is selyanı nı. Yatthe ts'ën jlaisdıghı kqé hola sı ꞑıhıa t'a-u Dene nokorélde sı bër-u, tu, łué-u, jíé-u, dët'anı-u, ës's'ërë ts'ı asi nałtsı nı. Yatthe nene t'a-u Dene dana sı nıh hots'ı shelyı de naratsër, hızyı shelyı sı hotié dágghëna. Dirı jlaisdıghı kqé holq sı nuha asi kodoꞑıı nı: jláısdıghı denié t'sı bër hıłchu nı, ıłk'edıghı denié bıyıé ts'ı-u, ıłk'etaghë edttthen ts'ı bër hıłchu-u, ıłke'etaghë tu net'ı ha nałtsı nı 2023 nıh nultá k'e. Horëlyı net'ı-u, bër-u, tu, t'a bet'a daghıda sı, bëghq shıłts'elyı asqııle henı. Eyı t'a hotié nıh chu, tu ttı'ı, ës's'ëre bëghqshıts'elyı ha boghedı.

INTRODUCTION

Background

The EARMF is a collaborative industry-government partnership long-term environmental monitoring program established in 2011 under the Province of Saskatchewan's Boreal Watershed Initiative. The program is supported by contributions from several stakeholders including the Saskatchewan Ministry of Environment, the Canadian Nuclear Safety Commission, Cameco Corporation, and Orano Canada Inc. One of the primary goals of the Boreal Watershed Initiative was to assess the ecological integrity of Saskatchewan's northern watersheds to address potential environmental concerns, and to identify sustainable management practices in the region. The EARMF was designed to identify potential cumulative effects downstream of uranium mining and milling operations in the Eastern Athabasca region of northern Saskatchewan (Figure 1).

Cumulative effects are defined as impacts on the environment that result from the impact of an action when added to other past, present, and foreseeable future actions (Joint Panel 1992). Cumulative effects might occur when projects overlap in an area (spatially), such as when two watersheds (rivers and streams), exposed to uranium mining and milling activities, converge. Cumulative effects may also occur over time (temporally) if contaminants are emitted into the environment

Figure 1 Study location.



over extended periods. The EARMF was developed to establish baseline conditions and facilitate the examination of spatial and temporal changes over the long term.

This program is intended to supplement the extensive environmental monitoring completed



near each uranium mining and milling operation in northern Saskatchewan, which are regulated by federal and provincial agencies including the Canadian Nuclear Safety Commission, the Saskatchewan Ministry of Environment, and Environment and Climate Change Canada. In addition, community sampling has occurred through the Athabasca Working Group Environmental Monitoring Program for 18 years (2000-2017) and continues today as the Community-Based Environmental Monitoring Program (CBEMP) under the Ya'Thi Néné Collaboration Agreement. The EARMMP is designed to complement these monitoring programs and allows a more comprehensive evaluation of potential cumulative effects from industry in northern Saskatchewan. A full description of the EARMMP study design is provided in Appendix A.

The EARMMP framework includes two programs: a technical program and a community program. The technical monitoring program was established to monitor potential long-term changes in the aquatic environment far-downstream of uranium mining and milling operations in the Eastern Athabasca region. Sampling was last completed by CanNorth in 2015 and information from the technical monitoring program is presented in a separate report which can be viewed on the EARMMP web-

site (www.earmp.ca). The community program monitors the safety of traditionally harvested country foods by collecting and testing water, fish, berry, mammal, and avian tissue samples from the seven communities located in the Athabasca region. The community program results for the last 13 years (2011-2023) can be viewed on the EARMMP website (www.earmp.ca). A 10-year summary report that summarizes the results from 2011 to 2021 is also available on the website. The objective of this document is to present a summary of the results of the community program conducted in 2023/2024.

"EARMMP provides important data to people in northern Saskatchewan, especially because mining up here has caused damage to our lands in the past. We need to know that when we are harvesting traditional foods, picking berries for example, they are safe to eat. It's important for future generations to understand the need for this monitoring program as mining developments continue in our area."

Margaret Powder – Uranium City Resident

There are four active uranium mines in the Eastern Athabasca region. These include Key Lake, McArthur River, McClean Lake, and Cigar Lake. In addition, other closed, decommissioned, and/or abandoned uranium mine sites are located in the region and near the community of Uranium City. The locations of these uranium mining and milling operations are presented in *Figure 2*.

There are seven communities in the region, including Black Lake Denesuline First Nation, Fond du Lac Denesuline First Nation, Stony Rapids, Wollaston Lake, Hatchet Lake

Wollaston Lake and Hatchet Lake Denesuline First Nation were assessed together for a total of six study areas.

Community Monitoring Program Objectives

The community monitoring program was developed to address potential concerns about the safety of traditional foods that community members routinely consume.



Above: George St. Pierre of Hatchet Lake First Nation fishing on Wollaston Lake, Saskatchewan.

A number of traditional food studies have been completed in communities across northern Saskatchewan including Hatchet Lake Denesuline First Nation, Uranium City, the Lac La Ronge Indian Band, and English River First Nation, and have established that fish, berries, and wild game are extremely important food sources for these northern communities (CanNorth 1999, 2011, 2014, 2017).

In 2018, a human health risk assessment was completed using all the available chemistry data collected from 2011 to 2017. The assessment determined that the level of chemicals of interest in the traditional foods were safe and do not pose health risks to members of the Athabasca Basin communities. The risk assessment is available in the 2017/2018 community monitoring report (CanNorth 2018b); www.earmp.ca/reports)

The community monitoring program objectives are to:



Determine the safety of traditionally harvested food for local consumption.



Establish long-term monitoring at community harvesting areas to assess changes over time.



Foster confidence in the consumption of traditional foods as well as engage and involve community members in the gathering of information.



Communicate monitoring results through reporting, meetings, and public media.

Summary of EARMMP Community Monitoring Program Framework

Community Involvement



Above: Wayne Powder retrieving a gill net on Milliken Lake, near Uranium City, Saskatchewan.

The community monitoring program relies on the participation of community members for the selection of sampling locations and for sample collection.

Community members play a role in every step of the process:

Community Representatives

In 2011, community members selected representatives from each community to carry out the annual country food sample collection. The selected representatives were provided training in sample collection, storage, and shipping.

When new community representatives are brought into working with EARMMP, they are provided in field training by CanNorth community coordinator.

Sample Locations

One water sample location was selected for each community for consistency. Fish, berry, bird, and mammal samples are collected from locations where community members routinely fish, gather, and hunt.

Sample Collection

Each year, community representatives aim to collect five samples of each food type from each community.

Sample Testing

Collected samples are shipped to CanNorth for laboratory testing by the Saskatchewan Research council. Results are analyzed by CanNorth and compared to available guidelines, other data collected in the region, and the most recent human health risk assessment.

Sharing Results

Results are shared with communities and are available to the public at www.earmp.com.

Coordination of the sampling program occurs with the involvement of the CanNorth community coordinator. CanNorth is also responsible for sample submission, data QA/QC, data analysis, and reporting.

Sharing the monitoring results is one of the primary goals of the community program. To accomplish this, communication and engagement strategies are implemented and are summarized below:



WWW.EARMP.CA

In 2020 the EARMMP website was updated to improve the ease at which communities can access information and encourage community engagement.

SOCIAL MEDIA

Social media will be used as a promotional tool starting in 2020 through:
@CanNorthEnviroServices
[linkedin.com/company/cannorth](https://www.linkedin.com/company/cannorth)



CALENDARS

Free EARMMP calendars in English, Cree, and Dene are distributed to the Athabasca communities and other northern communities and circulated through the band offices, community health centers, post offices, and schools annually.

OUTREACH EVENTS

Results are presented at different outreach events when the opportunity arises. Past events include the Northern Saskatchewan Environmental Quality Committee and the Canadian Ecotoxicity Workshop



Study Design and Objectives of the 2023/2024 Program

The community monitoring program continues to follow the study design and objectives outlined in the EARMP Community Program Framework (Appendix A), and consists of comparison to baseline data, regional reference data, and the most recent human health risk assessment (CanNorth 2018b). The study focuses on key chemicals of interest including the metals; aluminum, arsenic, cadmium, cobalt, copper, iron, lead, molybdenum, nickel, selenium, uranium, vanadium, and zinc. Radionuclides including lead-210, polonium-210, radium-226, and thorium-230 are also a primary focus. Ammonia in water and mercury in fish are also addressed. Note, all of these are present naturally in the environment but can become elevated due to mining and other industrial development activities.

The program is completed annually with the core components of water and fish sampled each year. A traditional food item is also selected each year as an additional sampling component. This year's additional focal item was ungulates (hooved animals). A portion of the budget is also set aside to support chemical analyses of opportunistic samples submitted by the community. These community-requested samples can range from additional core samples or may be uniquely harvested species or specimens not historically part of the program (berries or animals hunted) or involve samples which have generated some community concern or interest.

The 2023/2024 program collected the core elements (water and fish), with mammals (both organs and muscle) being the additional focal food for the year.



Results

The community monitoring report is subdivided into three sections:

-  Water (Tuîtaedi) Chemistry
-  Fish (Łue) Chemistry
-  Mammal (Ch'adi) Chemistry


Appendix A provides a description of the community monitoring program framework, Appendix B presents a summary of the chemistry results, and detailed results from all sampling years are provided in Appendix C.

WATER (TUÎTÅEDI) CHEMISTRY

Surface water samples have been collected by hand at one waterbody of interest near each community, by community members and CanNorth field staff, annually in late August or early September since 2011 (baseline), with the exception of Camsell Portage in 2018 and 2020. Camsell Portage could not be sampled in 2018 due to scheduling conflicts and in 2020 due to the small population size and COVID-19 restrictions. Waterbodies assessed included Black Lake, Ellis Bay of Lake Athabasca near Camsell Portage, the Fond du Lac River near

Fond du Lac, the Fond du Lac River near Stony Rapids, the Fredette River near Uranium City, and Welcome Bay of Wollaston Lake (Figure 3). All samples were preserved as required and kept refrigerated until chemical analysis was completed. All water samples were submitted to the Saskatchewan Research Council analytical laboratory for chemical analysis. The summary water quality data is presented in Appendix B, Figure 1; Table 1 and summarized below. The raw water quality data are presented in Appendix C, Table 1.

Figure 3 Water quality sampling areas, 2011 to 2023





Concentrations of chemicals in the water over the years are very low, with most chemicals at levels so low the laboratory could not measure them even with the use of laboratory techniques known for their ability to measure low levels of chemicals. Chemicals that were at measurable levels were all lower than the Canadian Drinking Water Quality guidelines (Health Canada 2022) and the Saskatchewan Environmental Quality Guidelines for the protection of freshwater aquatic life (GS 2024). In addition, the pH levels at all locations were within the guideline ranges. Most of the chemical levels were within the range of concentrations expected for the region and the baseline assessment.

Summary of Water



Within Guidelines?




Similar to Baseline?



Similar to Regional Reference Range?



Safe to Drink?



Overall, the concentrations of the chemicals assessed in the community water samples since the EARMP baseline sampling years (2011-2012) are very low and are not considered a concern to the environment or human health. Community members should note that drinking raw water from any source does carry a risk of ingesting natural parasites that can result in gastro-intestinal infections.


FISH (ŁUE) CHEMISTRY


Fish chemistry samples were collected by community members using gill nets set or angling at waterbodies near their communities. Fish collection in the past has included lake trout (Łuezané) and lake whitefish (Łú), and northern pike (oulday) (

Figure 4). In 2023, lake trout and lake whitefish were collected from all communities. Ageing

structures (fish scales and ear bones) were removed and submitted to a specialized laboratory to determine the age of the fish. The fish flesh was submitted to the Saskatchewan Research Council for chemical analysis. The data are summarized in detail in Appendix B, Table 2 and raw data are provided in Appendix C, Table 2 to Table 7.

Figure 4 Fish chemistry sampling areas, 2011 to 2023





Similar to the water chemistry results, the general levels of the chemicals in fish continued to be very low in 2023, with most chemicals at levels so low the laboratory could not measure them even with the use of laboratory techniques known for their ability to measure low levels of chemicals. Chemicals that were measurable in 2023 were within the regional reference range and comparable to concentrations measured during previous monitoring years with few exceptions. Chemicals that were noted as higher in 2022 (mercury in lake trout from Black Lake and arsenic in lake whitefish from Camsell Portage and Uranium City) returned to levels similar to past results from other EARMP communities in 2023. Mean lake whitefish concentrations of arsenic from Fond du Lac and selenium from Uranium City were the only chemicals measured outside of the reference range and past results from other EARMP communities; however, values remained below applicable guidelines and are considered safe for consumption. All metals in lake whitefish and lake trout will be monitored again in the 2024 sampling program.



Summary of Fish



Similar to Baseline?



Similar to Regional Reference Range?



Safe to Eat?



Overall, the levels of chemicals assessed in the fish collected from the communities since 2011 are considered low and similar to levels assessed in the 2018 human health risk assessment that determined fish do not present health risks to Athabasca Basin residents. Mercury levels were low in fish sampled in 2023; however, it is recommended that community members consult the Saskatchewan Mercury in Fish Guidelines for additional information:

<https://publications.saskatchewan.ca/#/products/68781>


MAMMAL (CH'ADI) CHEMISTRY

The additional focal items of the 2023/2024 community monitoring program was mammal tissue, specifically hooved mammals. Two main species that are commonly hunted and consumed in northern Saskatchewan are targeted; barren-ground caribou (petthénthén) and moose (deníthén). Samples of both species were generally collected from routine hunting activities at locations depicted in (Figure 5).

In 2023/2024, barren-ground caribou muscle samples were sent in by community members

from Black Lake, Fond du Lac and Hatchet Lake/Wollaston Lake. Moose muscle samples were sent in by community members from Camsell Portage, Fond du Lac, Stony Rapids, Uranium City, and Hatchet Lake/Wollaston Lake. Moose organ meat samples were sent in by community members from Camsell Portage, Stony Rapids, and Uranium City. The data are summarized in detail in Appendix B, Tables 3 and 4, while raw data are provided in Appendix C, Table 10 to Table 12.

Figure 5 Ungulate sampling areas, 2011 to 2023





Similar to the water and fish chemistry results, the levels of the chemicals in the barren-ground caribou and moose continued to be very low in samples from 2023, with most chemicals at levels so low the laboratory could not measure them even with the use of laboratory techniques known for their ability to measure low levels of chemicals. Chemicals that were measurable were within the regional reference range and comparable to concentrations measured during previous monitoring years.

Overall, the levels of chemicals assessed in ungulate muscle and organ meat collected from the communities are considered low, and based on the 2018 human health risk assessment, the consumption of this meat by Athabasca Basin residents is considered safe.



Summary of Mammals



Similar to Baseline?



Similar to Regional Reference Range?



Safe to Eat?



However, of note was the elevated level of lead in the moose meat sample from Wollaston Lake/Hatchet Lake and to a lesser extent Fond du Lac. These samples are suspected of being contaminated by lead shot. Lead ammunition continues to be used commonly for hunting large game in Saskatchewan. Consumers should be aware of the potential risk of eating game killed by lead shot. Studies have shown that lead gunshot undergoes fragmentation on impact with game and can contaminate the meat and increased exposure of lead to those eating it. It is recommended that hunters use ammunition alternatives that are not prone to fragment including steel or other high-weight retention ammunition alternatives.

SUMMARY

The results indicate that the measured concentrations of chemicals of interest in water, fish, and mammal samples collected and tested in 2023-2024 community monitoring program were similar to the EARMP baseline sampling years and regionally measured levels. The measured concentrations were also similar to those incorporated into the last human health risk assessment completed in 2018 and to concentrations discussed in the 10-year summary report and are therefore considered safe for consumption. Since the EARMP community monitoring program began, over 1,000 samples have been collected and have continued to show that community traditional foods are a safe and a healthy dietary choice for residents of the Athabasca basin.

The presence of lead shot in some of the moose meat samples from 2023 is of note as consumers should be aware of the potential risk of meat that becomes contaminated by lead through lead shot. It is recommended that hunters use ammunition alternatives that are not prone to fragment including steel or other high-weight retention ammunition alternatives.



Safe to Drink?



Safe to Eat?



Safe to Eat?



WE WANT TO HEAR FROM YOU!

Please contact us at info@earmp.com

Tell us . . .

your view
of the
program

if there is
anything
missing from
the program

how you
want to hear
about the
program

If you have any comments or questions on the Eastern Athabasca Regional Monitoring Program, please contact us info@earmp.com or visit our website at www.earmp.ca



"We, the people of the north rely on the animals, birds, fish, and berries to provide us with traditional foods.

That's why it's good to have EARMP to monitor everything from animals, air, plants, fish, and birds. It is important for us to keep our traditional ways alive, but at the same time respecting the land, water, and the wildlife."

Dennis Larocque

Camsell Portage Resident

LITERATURE CITED

- AREVA. 2016. McClean Lake Operation Technical Information Document, Environmental Performance, Volume 2 of 2 - Environmental Risk Assessment. Version 3, Revision 0, September.
- CanNorth. 1999. Hatchet Lake dietary study. Prepared for the Atomic Energy Control Board, Ottawa, ON.
- CanNorth. 2011. Traditional foods study Uranium City, Saskatchewan. Year 1. Prepared for Cameco Corporation, Saskatoon, SK.
- CanNorth. 2014. Lac La Ronge Indian Band wild foods study. Prepared for the Lac La Ronge Indian Band, La Ronge SK.
- CanNorth. 2016. Cigar Lake Operation Environmental Performance Report 2011 to 2015. Prepared for Cameco Corporation, Saskatoon, SK.
- CanNorth. 2017. English River First Nation Traditional Food Analyses. Prepared for the English River First Nation, Patuanak, SK.
- CanNorth. 2018a. Decommissioned Beaverlodge Mine Site Environmental Performance Report, 2013 to 2017. September.
- CanNorth. 2018b. Human Health Risk Assessment for the Eastern Athabasca Basin. Prepared for Government of Saskatchewan and CNSC, October.
- CanNorth. 2020a. Rabbit Lake Operation Environmental Performance Report. Project No. 3490, Prepared for Cameco.
- CanNorth. 2020b. McArthur River Operation Environmental Performance Report. Project No. 3493, Prepared for Cameco.
- CanNorth. 2020c. Key Lake Operation Environmental Performance Report. Project No. 3492, Prepared for Cameco Corporation, December.
- GS. 2023. Saskatchewan environmental quality guidelines. <https://environment-quality-guides.saskatchewan.ca/> (accessed October 1, 2023).
- GS. 2024. Saskatchewan environmental quality guidelines. Website: <https://environment-quality-guides.saskatchewan.ca/seqg-search.html>.
- Health Canada. 2022. Guidelines for Canadian drinking water quality - Summary table. Water and Air Quality Bureau, Healthy Environments and Consumer Safety Branch, Health Canada, Ottawa, Ontario.

Joint Panel. 1992. Assessing cumulative effects of Saskatchewan uranium mines development.
Prepared for Joint Federal/Provincial Panel on uranium mining in northern Saskatchewan.

The report was prepared by:



CanNorth

Canada North Environmental Services (CanNorth) is a 100% Indigenous owned environmental consulting company based in Saskatoon, Saskatchewan. CanNorth has been providing environmental services to Canadian industry, government agencies, and First Nations and communities for over 30 years. For additional information visit us at www.cannorth.com

CERTIFIED
Aboriginal Business

Canadian Council for
Aboriginal Business 



APPENDICES

LIST OF APPENDICES

Appendix A Community Monitoring Program Framework

Appendix B Detailed Data Analysis

Appendix C Detailed Data

APPENDIX A

EARMP COMMUNITY PROGRAM FRAMEWORK

APPENDIX A: COMMUNITY MONITORING PROGRAM FRAMEWORK

1.0 INTRODUCTION

The Eastern Athabasca Regional Monitoring Program (EARMP) is a collaborative industry-government partnership, long-term environmental monitoring program established in 2011 under the Province of Saskatchewan's Boreal Watershed Initiative. The EARMP was designed to identify potential cumulative effects downstream of uranium mining and milling operations in the Eastern Athabasca region of northern Saskatchewan. It consists of two programs: a technical monitoring program and a community monitoring program. The technical program was established to monitor long-term changes in the aquatic environment far downstream of uranium mining and milling operations in the Eastern Athabasca region. The community program was established to monitor the safety of traditionally harvested country foods from the communities located in the Eastern Athabasca region.

The following document focuses entirely on the EARMP community program. The objective of the EARMP community program framework document is to provide detailed information related to the communities and mine sites located in the Eastern Athabasca region of northern Saskatchewan, the rationale for studying country foods, detailed information and rationale on the EARMP community program study design, and details of the data analyses and communication of the results.

2.0 STUDY AREA

2.1 Communities

There are seven communities in the region including Black Lake, Camsell Portage, Fond du Lac Denesuline First Nation, Hatchet Lake Denesuline First Nation/Wollaston Lake, Stony Rapids, and Uranium City. For the EARMP community program, the communities of Wollaston Lake and Hatchet Lake Denesuline First Nation were assessed together due to their close proximity to each other, creating a total of six community study areas. Provided below are brief descriptions of each community.

2.1.1 Black Lake

The Black Lake Denesuline First Nation is situated in northern Saskatchewan's Athabasca region approximately 1,180 km northwest of Prince Albert. Access to the community is by air to Stony Rapids and then by all-weather road approximately 20 km to Black Lake. Access to the Athabasca Seasonal Road (provincial highway 905) also lies between the two communities. The community currently maintains a total registered membership of 2,283 members, with an estimated 1900 of those members residing on reserve (BLFN 2024).

The people of Black Lake initially settled at Stony Lake prior to relocating to the area currently occupied by the fishing camp on the banks of the Black Lake River. The current Black Lake community was settled in the early 1950s after a new Roman Catholic church was constructed. The Dene language is still very strong and continues to be taught by the Elders to children and youth, both at home and within the school system. The people continue to maintain their traditional lifestyle of hunting, fishing, and trapping on a year-round basis as both commercial and private pursuits (PAGC 2008, 2012).

2.1.2 Camsell Portage

Camsell Portage is a small community located on the northern shoreline of Lake Athabasca, approximately 35 km from the community of Uranium City. It remains the most northern and isolated community in the province and is only accessible by boat in the open-water season and by air year-round.

Camsell Portage was settled by trappers who arrived during the 1900s from Lac La Biche, Alberta, the Northwest Territories, and Fort Fitzgerald, Alberta and who used it as a historical portage route to the north. During peak activities near Uranium City, Camsell Portage had a population of over 300 people (P. Steene pers. comm.). The population of Camsell Portage is currently 5 people and increases to approximately 20 to 30 people in the summer months (C. Larocque pers. comm. June 19, 2024). No mining activity has taken place in the area; however, currently there are operating hydroelectricity generating stations near the community on the Waterloo, Wellington, and Charlot river systems.

2.1.3 Fond du Lac

The Fond du Lac Denesuline First Nation is situated on the northeast shore of Lake Athabasca in the Athabasca region of northern Saskatchewan, approximately 60 km south of the Northwest

Territories border and 1,275 km northwest of Prince Albert. It currently maintains a total registered membership of 2,300 members, with more than 900 members residing on reserve and 1,300 to 1,400 members residing at locations off reserve (FDFN 2024). Members are primarily of Dene and Cree decent. Access to the community is by seasonal ice road in the winter and by boat during the summer. Two airline companies also provide year-round access to the community.

Founded over 150 years ago, Fond du Lac is one of the oldest and most remote northern communities in Saskatchewan. During Cultural Camp, the Elders share their cultural and traditional knowledge with the youth, including demonstrations in setting traps, tent raising, fire building, snowshoe racing, and preparing and smoking dry meat (PAGC 2008, 2012).

2.1.4 Hatchet Lake/Wollaston Lake

The Hatchet Lake Denesuline First Nation and the community of Wollaston Lake are situated on the south-eastern shoreline of Wollaston Lake (known in Dene as "Axe" Lake) in the Athabasca region of northern Saskatchewan, approximately 724 km northwest of Prince Albert (PAGC 2008). The Hatchet Lake Denesuline First Nation has total of 1,659 registered members, with 1,276 residing on the reserve and 377 members residing at locations off reserve (AANDC 2012). The northern settlement of Wollaston Lake has a population of 96 (SC 2021). Access to Hatchet Lake and Wollaston Lake is by ice road in the winter and by boat or barge during the open-water season. Year-round access is provided by two airline companies that operate scheduled flights between the surrounding communities and southern Saskatchewan.

Traditionally, the people lived as a hunting and gathering society with barren-ground caribou being an important food source. They still follow the seasonal caribou hunting patterns today. The majority of residents are Dene; however, during the 1950s some people of Cree-Metis ancestry moved to the northern settlement of Wollaston Lake (PAGC 2012).

2.1.5 Stony Rapids

Stony Rapids is a northern hamlet in Saskatchewan with a total population of 219 residents (SC 2021). The community is located on the shoreline of the Fond du Lac River, approximately 80 km south of the border with the Northwest Territories. The Fond du Lac River connects the community of Stony Rapids to the Fond du Lac Denesuline First Nation, Uranium City, and Camsell Portage. An all-weather road also connects the community to the Black Lake Denesuline First Nation.

2.1.6 Uranium City

The history of the Uranium City area dates back to the late 1930s when uranium ore was first discovered in the area. It was not until 1952 that the town of Uranium City was established as a base for uranium mining in the Beaverlodge area. Operations at Saskatchewan's first uranium mine began in May of 1953 and continued until June of 1982, by which time rising costs and failing ore grade made it unprofitable. Within a year following the closure of the mine, Uranium City changed from a resource town of almost 2,500 inhabitants to a northern settlement with approximately 150 residents (Bone 1998). Uranium City continued to serve as the regional base for a number of services including education, health care, and the RCMP headquarters for a number of years following the mine closure. Many public institutions closed in 1983 and the hospital closed in 2003. The current population is approximately 91 residents (SC 2021).

2.2 Uranium Operations

There are currently five uranium mines/mills in the Eastern Athabasca region. These include Key Lake, McArthur River, McClean Lake, Rabbit Lake, and Cigar Lake. In addition, the decommissioned Gunnar and Beaverlodge uranium mine and mill sites are located within the region and near the community of Uranium City.

2.2.1 Key Lake

Cameco Corporation's (Cameco) Key Lake Operation is located in north-central Saskatchewan approximately 570 km north of Saskatoon. Mining at the Key Lake Operation began in 1982 with open pit mining of the Gaertner orebody followed by open pit mining of the Deilmann orebody beginning in 1986. Mining activities ceased in 1997 with stockpiles from the Deilmann orebody lasting until late 1999. At this time, the mill began processing ore trucked approximately 80 km from the McArthur River Operation and shifted from subaerial to subaqueous tailings management at the Deilmann Tailings Management Facility.

2.2.2 McArthur River

The McArthur River Operation is located approximately 270 km north of La Ronge and 80 km north of the Key Lake Operation. It is currently the world's largest, high-grade uranium deposit. McArthur River has been operational since 1999 and is managed and operated by Cameco. The operation includes underground mining, processing systems, an ore handling system, and camp infrastructure. Specialized mining equipment is used to extract the high-grade uranium ore and

mineralized wastes are blended with high-grade ore to produce a slurry, which is trucked to the Key Lake Operation for processing and resulting tailings management.

2.2.3 McClean Lake

The McClean Lake Operation is located approximately 15 km west of Wollaston Lake in northern Saskatchewan. Orano Canada Inc. (formerly AREVA) is the majority owner (77.5%) and operator of the McClean Lake Operation. Exploration activities started in the late 1970s, environmental assessment in the early 1990s, and the initiation of mining and mill operations in 1996 and 1999, respectively. The McClean Lake Operation currently comprises of three main areas: the JEB area, which includes the permanent camp and the McClean Lake mill and JEB tailing management facility; the Sue mining area, which includes the mined-out Sue A/C, Sue B, and Sue E pits; and the Sink/Vulture Treated Effluent Management System (S/V TEMS).

2.2.4 Rabbit Lake

The Rabbit Lake Operation, owned and operated by Cameco, is the longest-operating uranium production facility in Saskatchewan (since 1975). It is located in northeastern Saskatchewan, on the west side of Wollaston Lake approximately 350 km north of La Ronge. The Rabbit Lake Operation includes the Eagle Point underground mine, Rabbit Lake mill, four mined-out open pit mines, of which the original Rabbit Lake pit is being used as the Rabbit Lake In-Pit Tailings Management Facility (RLTMF), the Rabbit Lake Above Ground Tailings Management Facility (AGTMF), overburden stockpiles, waste rock stockpiles, effluent treatment facilities, and camp infrastructure. Rabbit Lake was transitioned into care and maintenance in 2016.

2.2.5 Cigar Lake

The Cigar Lake Operation is located approximately 80 km west of Wollaston Lake and 40 km inside the eastern margin of the Athabasca Basin region of northern Saskatchewan. The Operation involves the construction, mining operation, and eventual decommissioning of what is currently the world's highest-grade and second largest known uranium deposit. The Operation is currently managed and operated by Cameco. The initial discovery of the Cigar Lake uranium deposit occurred in May 1981. Following the acquisition of the construction license in December 2004, underground construction activities commenced. Site construction activities were expected to take 24 months to 36 months; however, in 2006 and 2008 the mine experienced two inflow events that caused flooding of all underground workings of the Cigar Lake Project. Cigar Lake became operational in July 2014.

2.2.6 Other Properties

The decommissioned Eldorado uranium mining and milling operation is located approximately 8 km east of Uranium City and north-east of Beaverlodge Lake in northern Saskatchewan. The mine operated for almost 30 years between 1953 and 1982. Decommissioning of the site occurred from 1983 to 1985 and transition phase monitoring continues today. Upon its inception as a publicly traded company, Cameco was assigned responsibility for the management and reclamation of the decommissioned site. Post-decommissioning activities include the ongoing monitoring and maintenance of the site, regular water quality monitoring at stations within the area, and a variety of special investigations to assess specific environmental concerns.

In addition, Beaverlodge Lake is the receiving environment for the discharges from at least nine other abandoned uranium mine sites and one former uranium mill tailings area (the Lorado Uranium Mining Ltd. mill site), which are managed by the Saskatchewan Research Council (SRC). SRC is managing Project CLEANS (Cleanup of Abandoned Northern Sites), which is also responsible for the assessment and reclamation of the Gunnar uranium mine and mill site and over 30 abandoned satellite mines in the Uranium City area.

The Cluff Lake Project is a decommissioned uranium mine and mill site located approximately 75 km south of Lake Athabasca. The Cluff Lake ore deposits were first discovered in the mid-1960s. Uranium mining and milling operations commenced in 1980 and ceased in 2002. Detailed planning for the decommissioning of the Cluff Lake Project began in 1998 and the majority of the physical decommissioning was completed in 2006. The Cluff Lake site moved into post-decommissioning monitoring in 2006 with a transition to campaign monitoring in 2013. Following the Canadian Nuclear Safety Commission's (CNSC) public hearing on March 1, 2023, the CNSC approved Orano's application to revoke the Cluff Lake Project's mine and mill operating licence to allow for the site to be transferred to the Province of Saskatchewan under its Institutional Control Program.

3.0 RATIONALE FOR STUDYING COUNTRY FOODS

The uranium mining and milling operations in northern Saskatchewan complete extensive environmental monitoring that routinely test the air, soil, vegetation, water, sediment, benthic invertebrates, and fish in their local study areas. However, these monitoring programs do not

answer the question of whether country foods that are fished, hunted, or gathered near communities located downstream of multiple uranium operations are safe to eat. Since country foods, such as fish, berries, and wild game are important food sources in northern communities, the EARMP community program was developed to conduct an extensive and long-term regional sampling program testing these foods. The following section further discusses some of the uses and benefits of traditional country foods by northern residents.

3.1 Traditional Use of Country Foods

Studies conducted across Canada have documented that harvesting, sharing, and preparing traditional country foods is an important part of the Indigenous lifestyle (Wein et al. 1991; Wein and Freeman 1995; Kuhnlein and Receveur 1996; Receveur et al. 1997; AFN 2007). Traditional country food studies conducted in Hatchet Lake and Uranium City established that fish, berries, and wild game are important food sources for communities located in northern Saskatchewan (CanNorth 1999, 2011).

While fish is important to all of the communities, the relative importance of other meat sources varies. Studies have indicated that Hatchet Lake residents have a strong dependence on barren-ground caribou meat (especially during the winter months) whereas Uranium City residents rely more on moose and birds (CanNorth 1999, 2011). Uranium City residents have comparable meat/bird (grams per day) consumption values to the residents from similar regions such as Fort Smith, Northwest Territories and Fort Chipewyan, Alberta (CanNorth 2011). The more frequent caribou meat consumption in Hatchet Lake may be explained by availability, cultural differences, and/or preference of Hatchet Lake residents for caribou. A number of factors play a role in the differences in consumption patterns such as population size, road access, proximity to animal migration routes, presence of hunters, trappers, or fishermen, age and gender, costs and availability of market foods, and access to transportation with the southern part of the province (Wein et al. 1991; Blanchet et al. 2000; Batal et al. 2005).

3.2 Health Benefits of Traditional Country Foods

Harvesting and consuming traditional foods are integral components of good health among Indigenous people, influencing both physical health and social well-being. The act of hunting and gathering traditional foods is an important aspect of physical activity. Hunting, fishing, and berry picking also provides socio-cultural benefits to community members including mental health, cultural identity, and morale (AFN 2007). Gathering and eating traditional country foods can help

reduce the risk of diabetes, heart disease, and obesity, especially when the foods are cooked in traditional ways (PHU AHA 2005).

Several health benefits of consuming traditional country foods have been documented across northern Canada. Fish are an important part of a healthy diet containing high-quality protein, vitamin B, vitamin D, omega-3 fatty acids, and other essential nutrients (NWT 2011; PHU AHA 2014). Fatty fish, such as lake trout, are especially high in omega-3 fatty acids and are considered important for heart health and brain and eye development. Compared to store-bought chicken breast and ground beef (0.10 g-0.31 g/100 g), northern Saskatchewan freshwater fish have much higher contents of omega-3 fatty acids (0.31 g-1.19 g/100 g). Northern Saskatchewan fish have substantially lower levels of saturated fat, compared to store-bought chicken and ground beef (PHU AHA 2014). Fish eggs are also an excellent source of protein, vitamin C, B vitamins, and iron (NWT 2002; NWT 2011). The skin of the fish and soups cooked with fish heads and bones are good sources of calcium (Receveur et al. 1997; NWT 2011).

Wild game meats such as moose and caribou are an important source of vitamins, minerals, and protein and have less saturated fat than store-bought meats (PHU AHA 2005; 2014). The fat content of barren-ground caribou meat is very low (1%) compared to beef, pork, or poultry (12% to 40%) (NWT 2002). Wild game are also high in essential nutrients such as iron, zinc, copper, magnesium, and phosphorous (Kuhnlein et al 1995; Receveur et al. 1997).

Compared to store-bought chicken breast and ground beef, northern game meats have similar amounts of protein (21.4 g-25.6 g/100 g), between 2- and 7-times higher levels of iron (3.08 mg-4.1 mg/100 g) and fewer calories (98 kcal-123 kcal/100 g). Overall, this indicates that northern Saskatchewan caribou, moose, and rabbit are low-calorie, nutrient dense, healthy servings of meat and meat alternatives (PHU AHA, 2014). Soups and/or stews cooked with bones for broth are high in calcium (Receveur et al. 1997), while many organs including liver contain high levels of iron needed for healthy blood and vitamin A needed for healthy bones, skin, and teeth (HWC 1987; NWT 2002).

Traditional plants such as cranberries, blueberries, and Labrador tea are often used in both food and medicine (CanNorth 1999, 2011) and potentially offer additional health benefits. Wild plants are excellent sources of vitamin C, fibre, and carbohydrates (Johnson et al. 1995; NWT 2002). For example, rose hips, consumed by many First Nations in a variety of medicinal and food preparations, are high in vitamin C and demonstrate antibacterial and antioxidant properties (Yi et al. 2007).

3.3 Canada Food Guide – First Nations, Inuit, and Métis

In 2007, Health Canada introduced a newly tailored Canada Food Guide *“Eating Well with Canada's Food Guide - First Nations, Inuit and Métis”* (HC 2007) that includes both traditional country foods and store-bought foods that are generally available and accessible across Canada. This tailored food guide has recommendations for healthy eating based on science and recognizes the importance of traditional/country and store-bought foods for First Nations, Inuit, and Métis today. In addition, the government of Northwest Territories (NWT 2005) has also established a food guide that is tailored towards traditional country foods. Both the Canada Food Guide and the Northwest Territories Food Guide contain recommendations on the number of servings¹ (grams per day) of wild meats, birds, plants, fish, and other staples such as bannock, wild rice, and traditional fats. Choosing the amount and type of food recommended in Canada's Food Guide will help:

- children and teens grow and thrive;
- meet needs for vitamins, minerals, and other nutrients; and,
- lower risk of obesity, type 2 diabetes, heart disease, certain types of cancer, and osteoporosis (weak and brittle bones).

For more information on Canada's Food Guide please visit www.healthcanada.gc.ca/foodguide or *“Eating Well with Canada's Food Guide - First Nations, Inuit and Métis”* <http://www.hc-sc.gc.ca/fn-an/pubs/fnim-pnim/index-eng.php>. For more information on the Northwest Territories Food guide please visit <https://www.hss.gov.nt.ca/en/services/nutritional-food-fact-sheet-series>.

4.0 STUDY DESIGN AND OBJECTIVES

The EARMP community monitoring program objectives are to:

1. determine the safety of traditionally harvested food for local consumption;

¹ It should be noted that the food guide serving size for meat and alternatives has decreased over time and each serving size recommended is 75 g, which is likely less than what most people consider a serving size. For this study, actual intake amounts were used from the area to complete the Human Health Risk Assessment.


2. establish long-term monitoring at community sampling areas to assess variability and potential changes over time;
3. build mutually beneficial relationships and engage and involve community members in the gathering of information for the program; and
4. communicate monitoring results to community members and other stakeholders through reporting, public media, and meetings.

The 2011/2012 and 2012/2013 data were used to establish baseline/current conditions for each species sampled in each community area. Each subsequent monitoring year's data will be compared to this baseline in order to assess potential changes over time or temporal trends in chemical concentrations of country foods routinely eaten by residents of the Eastern Athabasca region.

The study design for the EARMP community program will remain consistent over time, to the extent possible, in order to collect a consistent long-term data set. However, the program is also adaptive and may be refined in response to new information or changes associated with the development in the region. Some things to consider moving forward include:

- Community concerns: the EARMP community program monitors endpoints of highest concern to the communities. Sampling components may be refined or expanded based on the needs of the community members.
- Regional development: the development of additional uranium mining and milling operations in the region may also influence the overall design of the program.
- EARMP Community Program results: changes to the design of the EARMP community program may occur based on results and conclusions from each monitoring year.

A key aspect of a successful community monitoring program is that the sampling locations and media are selected based on their importance to the communities and that sampling is completed by, or with, local residents. It also helps to build trust between the residents of communities and industrial operators in the region. Traditional Ecological Knowledge (TEK) is an essential part of the program. The approach of the program is summarized in Appendix A, Figure 1.



Appendix A, Figure 1.

Summary of the EARMP community monitoring program approach.

In addition to community input, chemicals of interest are selected based on those identified through the environmental assessment process and monitoring requirements in the region. Uranium mining and milling operations are subject to the *Canadian Environmental Assessment Act* and the *Impact Assessment Act* and regulated by the CNSC, the Saskatchewan Ministry of Environment (ENV), and Environment and Climate Change Canada (ECCC).

4.1 Sampling Components

The program is completed annually with the core of the program involving annual sampling of water and fish along with a selected focus traditional food each year. A portion of the budget is set aside to support chemical analyses of additional samples beyond the core samples targeted

for that sampling year. The country foods were selected in consultation with community members and currently include water and fish (lake trout and lake whitefish). Berries (blueberry and bog cranberry), mammals (moose, barren-ground caribou, and snowshoe hare), and birds (spruce grouse) served as additional samples in years when they were abundant. Sampling components are meant to be representative of what community members are consuming; therefore, they vary from time to time throughout the long-term monitoring program to include other components (e.g., game birds, snowshoe hare, and more).

Two dietary surveys were completed for communities within the region at the time of baseline initiation for EARMP: The Hatchet Lake Dietary Survey (CanNorth 1999) and the Uranium City Country Foods Study (CanNorth 2011). Country foods currently selected for the EARMP community program formed a large percentage of foods identified in these surveys.

4.2 Sampling Locations

Near each community, one station was established from which a water quality sample was obtained. The station locations were decided upon by the CanNorth staff member and the community members conducting the sampling. These locations were determined by accessibility, water depth, and proximity to the community. Fish, berry, mammal, and bird samples were obtained from locations where community members routinely fish, hunt, and gather their traditional country foods. This ensures the sampling program is testing the study areas most relevant to the communities.

4.3 Sampling Frequency

The EARMP community program is intended to be an annual sampling campaign (every fall/winter) for the first five years, after which the sampling frequency was re-evaluated as planned. Annual sampling has continued since the program began to maintain the community relationship. To manage long-term costs, not all media continued to be sampled every year. Each year, the standardized program collects water and fish with an extra focal component (e.g., berries, moose/caribou, snowshoe hare, spruce grouse, additional fish). This approach has proven to be the most efficient means of ensuring the collection of traditional foods across all communities with adequate replication within a single sample year for the primary media of interest (water, fish, berries, meat). The target sample size is generally five samples from each community of each media type. However, certain sampling components are more difficult to obtain, such as moose and barren-ground caribou; thus, sample sizes may be smaller from some communities in different years.

Additionally, each year a portion of the budget allows the program to respond to a limited amount of “community request” samples. Community request samples can range from additional core samples from an overabundant harvest, or may include uniquely harvested species or specimens not historically a part of the program, or may involve samples which have generated some community concern or interest (e.g., visible abnormalities or indicators of poor health).

4.4 Laboratory Analysis

All samples are analyzed by SRC laboratory in Saskatoon. The SRC Environmental Analytical Laboratories are certified and accredited by the Canadian Association for Laboratory Accreditation Inc. (CALA). Accreditation ensures that procedures, facilities, and methods conform to ISO/IEC 17025, which is an internationally recognized standard. SRC has an extensive Quality Assurance/Quality Control (QA/QC) program to ensure reliable analytical results. With each set of samples run, SRC tests reference materials, duplicates, and spiked samples. Data results provided by SRC include full QA/QC reports for each sample submission.

Sample analyses completed by SRC included a full suite of parameters for each media type and are described Appendix A, Table 1.

Metals and trace elements analysis are completed by ICP-MS because it is a fast, multi-elemental technique similar to ICP-AES, but with better detection limits. For most elements, ICP-MS is able to achieve detection limits similar to or lower than Graphite Furnace AAS (Wolf 2005). The analysis of metals and trace elements with ICP-MS also meets Metal and Diamond Mining Effluent Regulations (MDMER) requirements (EC 2012). It should be noted that even with the use of ICP-MS, concentrations of many metals and trace elements in the EARMP sampling media are at levels below the reporting detection limit (RDL). In addition, RDLs for radionuclides tend to vary based on the mass of the sample. For values that were below the RDL, it is not possible to determine the actual concentration; therefore, all values were set equal to the RDL for computing averages and standard deviations. This is a conservative approach as the actual concentrations could be substantially lower than the RDL.

Appendix A, Table 1

List of chemicals and supportive parameters measured in traditional foods for the EARMP community program.

Parameter		Water	Berries	Fish	Mammals	Birds
Inorganic Ions	Bicarbonate, Calcium, Carbonate, Chloride, Hydroxide, Magnesium, Potassium, Sodium, Sulphate	x				
Metals and Trace Elements	Aluminum, Antimony, Arsenic, Barium, Beryllium, Boron, Cadmium, Chromium,	x	x	x	x	x

Parameter		Water	Berries	Fish	Mammals	Birds
	Cobalt, Copper, Fluoride Iron, Lead, Manganese, Mercury*, Molybdenum, Nickel, Selenium, Silver, Strontium, Thallium, Tin, Titanium, Uranium, Vanadium, Zinc					
Nutrients	Ammonia as N**, Nitrate, Nitrate + Nitrite, Organic Carbon, Phosphorus, Total Kjeldahl Nitrogen, Total Nitrogen	x				
Radionuclides	Lead-210, Polonium-210, Radium-226, Thorium-230	x	x	x	x	x
Physical Properties	Phenolphthalein Alkalinity, pH, Specific Conductivity, Sum of Ions, Total Alkalinity, Total Dissolved Solids, Total Hardness, Total Suspended Solids, Turbidity	x				
	% Moisture		x	x	x	x

*Water and fish only.

**Water only.

4.5 Data Assessment Approach

4.5.1 Endpoints

Although a full suite of chemical parameters were measured for each sample, this report focuses on a smaller list of chemicals, which have been identified as chemicals of most interest for uranium operations by regulatory agencies, environmental assessments, as well as other monitoring programs. Appendix A, Table 2 summarizes the endpoints assessed for the EARMF Community Program. Supporting endpoints for the water quality assessment also included organic carbon, specific conductivity, total hardness, and pH.

While mercury is included in Appendix A, Table 2, it is not associated with uranium mining and milling operations. Monitoring programs completed at each mine site's local study area have repeatedly shown that mercury concentrations in the treated effluent are below the MDMER criteria for monitoring² (EcoMetrix 2010a, 2010b; SENES 2010, 2012; AREVA 2012). Mercury occurs naturally in the environment and can be found at low levels in most soils and rocks. In northern Saskatchewan, natural deposits associated with lead, zinc, copper, silver, and gold are likely the cause of higher levels of mercury in fish in some lakes (SE 2011). Since mercury has been identified as a concern to community members in the Athabasca Region, it has been included in the assessment.

² If the concentrations of total mercury is less than 0.1 µg/L in 12 consecutive treated effluent samples, monitoring is not required (MDMER, Schedule 5, subsection 4(3)).

Appendix A, Table 2

Chemical endpoints selected for the EARMP.

Reduced List of Chemicals	
Aluminum	Molybdenum
Ammonia as N*	Nickel
Arsenic	Polonium-210
Cadmium	Radium-226
Cobalt	Selenium
Copper	Thorium-230
Iron	Uranium
Lead	Vanadium
Lead-210	Zinc
Mercury**	

*For water only.

**Mercury is not associated with the uranium mining and milling process. It is included herein nonetheless because it can naturally vary in the environment.

4.5.2 Comparison Criteria

To evaluate the community data, concentrations of the reduced list of chemicals are compared to:

- available guidelines;
- available regional reference data; and
- available literature and/or Human Health Risk Assessments.

The above comparison criteria are used for each media type to determine if the country foods sampled in specific communities are within the expected background concentrations for that particular region, are below guidelines, and are considered safe to eat based on a Human Health Risk Assessment. As monitoring continues, assessing any changes in chemical concentrations over time will be an important component of the program. Data sources used for comparison criteria are described below.

4.5.3 Data Sources**4.5.3.1 Guidelines**

Federal and provincial guidelines are available for some media types assessed in the EARMP community program. These include the Canadian Drinking Water Quality Guidelines (CDWQGs; HC 2024), the Canadian Water Quality Guidelines (CWQGs) for the protection of freshwater

aquatic life (CCME 2024), the Federal Environmental Quality Guidelines (FEQGs; ECCC 2021), and the Saskatchewan Environmental Quality Guidelines (SEQG) for the protection of freshwater aquatic life (GS 2024). For chemistry guidelines based on total hardness, hardness concentrations from each location were used to establish the guideline. Drinking water guidelines are considered the most relevant guidelines for the communities; however, when none exist, other guidelines may be cited. Appendix A, Table 3 summarizes the guidelines used in water for the comparison to the EARMF community data.

Appendix A, Table 3

Chemistry guidelines used for comparison to EARMF community data.

Chemical	Guideline			
	CDWQG (Drinking Water)	CEQG (Environmental)	FEQG (Environmental)	SEQG (Environmental)
Aluminum	0.1 mg/L	0.1 ¹ mg/L	0.15-1.2 ⁴ mg/L	0.05 ¹ mg/L
Ammonia as nitrogen	-	0.86 to 84 ² mg/L	-	0.86 to 84 ² mg/L
Arsenic	10 µg/L	5 µg/L	-	5 µg/L
Cadmium	0.007 mg/L	0.00004-0.0001 ³ mg/L	-	0.00004-0.0001 ³ mg/L
Cobalt	-	-	0.00078-0.0018 ³ mg/L	-
Copper	2.0 mg/L	0.002 ³ mg/L	-	0.007 mg/L
Iron	0.3 mg/L	0.3 mg/L	1.8-4.5 ⁵ mg/L	0.3 mg/L
Lead	0.005 mg/L	0.001 ³ mg/L	0.004-0.012 ⁶ mg/L	0.001 ³ mg/L
Mercury	1 µg/L	0.026 µg/L	-	0.005 µg/L
Molybdenum	-	0.073 mg/L	-	31 mg/L
Nickel	-	0.025 ³ mg/L	-	0.025 ³ mg/L
Selenium	0.05 mg/L	0.001 mg/L	-	0.002 mg/L
Uranium	20 µg/L	15 µg/L	-	15 µg/L
Vanadium	-	-	0.120 mg/L	-
Zinc	5.0 mg/L	0.01-.023 ⁴ mg/L	-	0.03 mg/L
pH	7.0 to 10.5	6.5 to 9.0	-	6.5 to 9.0
Thorium-230	0.6 Bq/L	-	-	-
Radium-226	0.5 Bq/L	-	-	0.11 Bq/L
Lead-210	0.2 Bq/L	-	-	-
Polonium-210	0.1 Bq/L	-	-	-

¹Adjusted to a pH > 6.5.

²Adjusted according to water temperature and pH of each waterbody.

³Adjusted to water hardness in each waterbody.

⁴Adjusted to water hardness, dissolved organic carbon, and pH in each waterbody.

⁵Adjusted to dissolved organic carbon and pH in each waterbody.

⁶Adjusted to water hardness and dissolved organic carbon in each waterbody.

4.5.3.2 Regional Reference Data

Regional reference data are available from a number of sources. Reference water and fish chemistry data are available from CanNorth's database. Water and fish chemistry data obtained

between 2005 and 2014 from several lakes north of Points North sampled were used to generate the regional reference values (Appendix A, Table 4). This included 249 water samples, 69 lake whitefish samples, and 35 lake trout samples. In 2015, 24 additional lake trout samples were collected from reference areas (Cree Lake, McKenzie Lake, Henday Lake, and Riou Lake) to increase the regional reference data set to 59 samples for this species. Water samples spanned a total of 39 lakes, while lake trout and lake whitefish data spanned 6 lakes and 12 lakes, respectively. As more data become available, the regional reference data set will become more robust, particularly for the lake trout data set.

Historical data (2008 to 2011) available from the Athabasca Working Group (AWG) Environment Monitoring Program and the Uranium City Country Foods Program (CanNorth and SENES 2012) were used to generate the regional reference values for berry data. Data from the AWG program were also used to establish regional reference ranges for moose and barren-ground caribou data. In most cases, data from 2000 to 2010 were included in order to have adequate samples sizes; however, there were some situations where obvious and consistent changes in reporting detection limits (RDLs) precluded earlier data from being included (Appendix A, Table 5).

Appendix A, Table 4

EARMP regional reference range data sources for water and fish chemistry.

Factor	Water		Lake Trout Flesh	Lake Whitefish Flesh
Years ¹	2006 to 2014		2005 ² , 2010 to 2012 and 2015 ³	2006 to 2014
Areas ¹	Agent Lake Alsask Lake Bobby's Lake Brayden Lake Carys Lake Colette Lake Cree Lake David Lake East Spur Lake Fredette Lake Kapesin Lake Kazz Lake Lac Philip Lake B Lake C2 Lake C3 Lake C4 Lake C5 Lake C6 Lake C7	Lower Read Lake Mad Dog Lake McGowan Lake Milliken Lake Moon Lake Pasfield Lake Read Lake Reference 2 Reference 3 Reference 4 Reference 5 Riou Lake Ryan Lake Shallow Lake Slush Lake Wapata Lake West Spur Lake White Lake Yeoung Lake	Cree Lake Henday Lake Milliken Lake McKenzie Lake Pasfield Lake Riou Lake	Alsask Lake Cree Lake Fredette Lake Henday Lake Lac Philip Mallen Lake Milliken Lake Pasfield Lake Riou Lake Ryan Lake Wapata Lake West Spur Lake

¹Not all areas were sampled all years.

²Five additional lake trout from 2005 from Henday Lake were added to improve sample sizes (n) for parameters that were less than the reporting detection limit (<RDL), namely arsenic, copper, iron, selenium, and zinc. These additional lake trout samples could not be used for other parameters because of large differences in RDLs in 2005 compared to later years.

³An additional 24 samples from Cree Lake, Henday Lake, McKenzie Lake, and Riou Lake were later included in 2015.

Appendix A, Table 5

EARMP regional reference range data sources for berry and mammal chemistry.

Factor	Blueberries	Cranberries	Caribou Flesh	Moose Flesh	Snowshoe Hare Flesh
Years ¹	2000 to 2011	2000 to 2011	2000 to 2011	2000 to 2011	2011
Areas ¹	Black Lake Camsell Portage Fond Du Lac Stony Lake Stony Rapids Uranium City Wollaston Lake	Black Lake Bushell Bay Camsell Portage Fond Du Lac Stony Lake Stony Rapids Uranium City Wollaston Lake	Black Lake Camsell Portage Fond Du Lac Stony Rapids Uranium City Wollaston Lake	Black Lake Camsell Portage Fond Du Lac Stony Rapids Uranium City Wollaston Lake	Camsell Portage

¹Not all areas were sampled all years.

4.5.3.4 Human Health Risk Assessment


Human Health Risk Assessment is a scientific procedure that is used to assess the potential for adverse health effects to humans caused by a selected group of chemicals that are a concern. Risk assessments involve the application of a staged, formal, and reproducible process that incorporates procedures accepted by regulatory authorities. Through the completion of a Human Health Risk Assessment, it is possible to answer one of the primary questions of the EARMP community program: are country foods safe to eat?

The most recent Human Health Risk Assessment was completed in 2018 utilizing the 2011 to 2018 EARMP data and determined that the country foods were safe to eat in all communities assessed. In subsequent monitoring phases, if the levels of chemicals remain within the range of those measured during the baseline conditions, the Human Health Risk Assessment can be used as a basis for concluding if the country foods remain safe to eat. As more data become available, and potentially new types of country foods are assessed, it may be necessary to complete a new Human Health Risk Assessment.

4.5.4 Data Presentation

The EARMP community data are presented using both summary tables and figures. Descriptive statistics (averages and standard deviations) are calculated and reported for each chemical, media, and study area. A graphical presentation of the data is used to compare chemical concentrations to guidelines, the regional reference range, and baseline levels. Data are only graphed if >50% of the values are above the RDL.

The regional reference range has been re-assessed as the range between the 2.5% to 97.5% of the regional reference distribution (where 95% of the regional reference data are expected to fall), since it was determined the majority of the chemistry data are not normally distributed. The highest and lowest 2.5% of the reference data were identified using regression analysis of the cumulative percent frequencies of the observed reference concentrations. After identification, the highest and lowest 2.5% of the data were excluded and the remainder were used as the reference ranges representative of natural conditions. As more regional reference data becomes available, the ranges will be further refined.



Appendix A, Figure 2.

Example of how the EARMP community program results will be presented graphically during future monitoring campaigns.

Appendix A, Figure 2 shows a hypothetical figure that will be used to assess levels of chemicals in country foods. This figure provides information on guideline values, the regional reference range, and temporal changes in a single image for each chemical in each sampling component. The blue dotted line represents a guideline concentration (e.g., drinking water guidelines). The turquoise shaded area represents the regional reference range (i.e., reference average $\pm$ 2 standard deviations). The average concentration in the EARMP community sample is shown as a circle for the sampling years. The graph will be a very useful visual tool for assessing the EARMP community data against the comparison criteria at a glance. It will also allow for a qualitative assessment of increasing or decreasing concentrations of individual chemicals over time in each community.

5.0 REPORTING AND COMMUNICATION PLAN

A report will be completed to assess the EARMP community data following each monitoring year. The report will be structured so that the most relevant information is presented in the main document, with the detailed analysis presented in appendices. This will allow all potential audiences access to the information most relevant to them. The report, along with the raw data, will be available for download from the EARMP website: www.earmp.ca

In addition to the report, community visits may be completed to present the results of the monitoring program. Community visits may include presentations, distribution of summary brochures/calendars, school visits, and/or ads. The community visits will be an opportunity to

receive feedback on the program and encourage further involvement from community members. Feedback on the program can also be provided through the EARMP website. Since 2012, the EARMP has taken the opportunity to engage communities at least annually about their environment while also distributing information about the project.

6.0 LITERATURE CITED

- Aboriginal Affairs and Northern Development Canada (AANDC). 2012. Website: <http://www.aadnc-aandc.gc.ca/>. Accessed October 2012.
- AREVA Resources Canada Inc. (AREVA). 2012. McClean Lake Operation technical information document environmental performance.
- Assembly of First Nations Environmental Stewardship Unit (AFN). 2007. Traditional foods are they safe for consumption? Website: <http://www.afn.ca/index.php/en/honoring-earth#6>. Accessed November 16th, 2013.
- Black Lake First Nation (BLFN). 2024. Website: <https://blacklakefirstnation.ca/>. Accessed May 2024.
- Batal M., K. Gray-Donald, and H.V. Kuhnlein. 2005. Estimation of traditional food intake in indigenous communities in Denendeh and the Yukon. *International Journal of Circumpolar Health*. 64:46-54.
- Blanchet, C., E. Dewailly, R. Ayotte, S. Bruneau, O. Receveur, and B. Holub. 2000. Contribution of selected traditional and market foods to the diet of Nunavik Inuit women. *Canadian Journal of Dietetic Practice and Research*. 61(2):50-59.
- Canada North Environmental Services (CanNorth). 1999. Hatchet Lake dietary study. Prepared for the Atomic Energy Control Board, Ottawa, ON.
- Canada North Environmental Services (CanNorth). 2011. Traditional foods study Uranium City, Saskatchewan. Year 1. Prepared for Cameco Corporation, Saskatoon, SK.
- Canada North Environmental Services (CanNorth). 2018. Eastern Athabasca Regional Monitoring Program 2017/2018 community report. Prepared for the Government of Saskatchewan and Canadian Nuclear Safety Commission. October 2018.
- Canadian Council of Ministers of the Environment (CCME). 2024. Canadian Environmental Quality Guidelines summary table. Website: <https://ccme.ca/en/summary-table>.
- EcoMetrix Incorporated (EcoMetrix). 2010a. Key Lake Operation – Status of the Environment Report 2005 to 2009. Prepared for Cameco Corporation, Saskatoon, Saskatchewan.
- EcoMetrix Incorporated (EcoMetrix). 2010b. McArthur River Operation: Status of the Environment Report 2005 to 2009. Prepared for Cameco Corporation, Saskatoon, Saskatchewan.

- Environment Canada (EC). 2012. Metal mining technical guidance for Environmental Effects Monitoring. National EEM Office, Science Policy and Environmental Quality Branch, Ottawa, Ontario.
- Environment and Climate Change Canada (ECCC). 2021. Federal environmental quality guidelines summary table. Website: <https://www.canada.ca/en/environment-climate-change/services/evaluating-existing-substances/federal-environmental-quality-guidelines-summary-table.html>.
- Fond du Lac Denesuline First Nation (FDFN). 2024. Website: https://www.fonddulac.ca/pages/about_us.html. Accessed May 2024.
- Government of Saskatchewan (GS). 2024. Saskatchewan environmental quality guidelines. Website: <https://envrbrportal.crm.saskatchewan.ca/seqg-search/>.
- Health Canada (HC). 2007. Canada food guide *“Eating Well with Canada's Food Guide - First Nations, Inuit and Métis”*. Publications Health Canada. Ottawa, Ontario.
- Health Canada (HC). 2022. Guidelines for Canadian drinking water quality - summary tables. September 2022.
- Kuhnlein H.V., O. Receveur, N.E. Morrison, D.M. Appavoo, R. Soueida, and P. Pierrot. 1995. Dietary nutrients of Sahtú Dene/Métis vary by food source, season and age. *Ecol. of Food and Nutr.* 34(3): 183-95.
- Kuhnlein, H.V. and O. Receveur. 1996. Dietary change and traditional food systems of Indigenous Peoples. *Annu. Rev. Nutr.* 16: 417–442.
- North West Territories Health and Social Services (NWT). 2002. Northwest Territories Food Guide Traditional Foods. Website: <http://www.hss.gov.nt.ca/publications/reports/northwest-territories-traditional-food-fact-sheets-series>. Accessed November 13th, 2013.
- North West Territories Health and Social Services (NWT). 2005. Northwest Territories Food Guide. Website: <http://www.hss.gov.nt.ca/publications/posters-flyers/nwt-food-guide>. Accessed November 13th, 2013.
- North West Territories Health and Social Services (NWT). 2011. Health benefits of fish. Website: <http://www.hss.gov.nt.ca/publications/brochures-fact-sheets/health-benefits-fish>. Accessed November 13th, 2013.
- Population Health Unit-Athabasca Health Authority (PHU AHA). 2005. Moose and safe choice in traditional food. Special supplement to Opportunity North, Spring, 2005.
- Population Health Unit-Athabasca Health Authority (PHU AHA). 2014. Nutritional analysis of northern Saskatchewan wild foods. May, 2014.
- Prince Albert Grand Council (PAGC). 2008. Website: E-culture: <http://eculture.pagc.sk.ca/eculture.php?pid=COMMUNITIES&tp=Ink&language=&ver=>. Accessed December 5th, 2012.

- Prince Albert Grand Council (PAGC). 2012. Website: <http://www.pagc.sk.ca/>. Accessed December 2012.
- Receveur O., M. Boulay, H.V. Kuhnlein. 1997. Decreasing traditional food use affects diet quality for adult Dene/Metis in 16 communities of the Canadian Northwest Territories. *Journal of Nutrition*. 127:2179–2186.
- Saskatchewan Ministry of Municipal Affairs. (SMMA). 2012. Website: <http://www.municipal.gov.sk.ca/Programs-Services/Municipal-Directory>.
- SENES Consultants Limited (SENES). 2010. Rabbit Lake Operation integrated environmental risk assessment and state of the environment report 2005 to 2009. Prepared for Cameco Corporation, Saskatoon, Saskatchewan.
- SENES Consultants Limited (SENES). 2012. Risk evaluation for Uranium City country foods study. Prepared for Cameco Corporation, Saskatoon, Saskatchewan.
- Statistics Canada. (SC) 2021. Website: <https://www12.statcan.gc.ca/census-recensement/index-eng.cfm>. Accessed June 2021.
- Wein, E.E., J.H. Sabry, and F.T. Evers. 1991. Food consumption patterns and use of country foods by native Canadians near Wood Buffalo National Park, Canada. *Arctic*. 44:196–205.
- Wein, E.E., and M.M.R. Freeman. 1995. Frequency of traditional food use by three Yukon First Nations living in four communities. *Arctic*. 48:161-171.
- Wolf, R.E. 2005. Introduction to ICP-MS. United States Geological Survey/Central-Region/Crustal Imaging & Characterization Team, March 2005.
- Yi, O., E.M. Jovel, G.H. Towers, T.R. Wahbe, and D. Cho. 2007. Antioxidant and antimicrobial activities of Native Rosa Sp. from British Columbia, Canada. *International Journal of Food Sciences and Nutrition*. 58(3): 178-189.

APPENDIX B

DETAILED DATA ANALYSIS

APPENDIX B: DETAILED DATA ANALYSIS

1.0 WATER QUALITY

The 2023 water quality data were assessed as per the data assessment approach described in detail in the EARMP community program framework (see Appendix A). Concentrations of the reduced chemical list were compared to:

1. Canadian Drinking Water Quality Guidelines (CDWQG; HC 2022) and the Saskatchewan Environmental Quality Guidelines (SEQG) for the protection of freshwater aquatic life (GS 2024);
2. regional reference data;
3. previous monitoring phases; and
4. the most recent Human Health Risk Assessment for the region.

Summaries of available guidelines, regional reference data, and the 2011 to 2023 EARMP community data are presented in Appendix B, Figure 1 and Appendix B, Table 1. Data were graphed if concentrations of a certain chemical were above the RDL in at least one community. If available, the CDWQG are presented on the graphs, since the EARMP community program is most concerned with human health. If CDWQG are not available for a certain chemical, then the SEQG were included on the graph. The detailed water chemistry results are presented in Appendix C, Table 1.

In 2023, concentrations of most chemicals were very low and in the case of the following chemicals the concentrations were at or below the lowest concentrations the laboratory can measure:

- Ammonia as nitrogen,
- Cadmium,
- Cobalt,
- Lead,
- Lead-210,
- Mercury,
- Polonium-210,
- Selenium,
- Thorium-230, and
- Vanadium.

All chemical concentrations measured near the communities were below available CDWQG or SEQG (Appendix B, Figure 1 and Appendix B, Table 1). The pH levels at all locations were within the guideline ranges. In addition, all chemicals were within the expected range for the region or similar to those measured during the baseline years. Levels of arsenic in the Stony Rapids sample and radium-226 in the Wollaston/Hatchet Lake sample were slightly higher in 2023 than in 2022, but well below the CDWQG and SEQG and within the range of values measured during baseline sampling periods.

Similar to previous years, the 2023 data indicate there have been no apparent increases in the concentrations of the chemicals assessed in the community water samples since the baseline sampling years. These levels remained well below available drinking water and environmental guidelines. Overall, chemicals in water were found to be within available guidelines and comparable to the 2011-2018 levels assessed in the last Human Health Risk Assessment (CanNorth 2018) that indicated there was no risk to human health associated with the EARMP community water quality.

2.0 FISH CHEMISTRY

To evaluate the EARMP community fish chemistry data, concentrations of the reduced chemical list were compared to:

1. regional reference data;
2. previous monitoring phases; and
3. the most recent Human Health Risk Assessment for the region.

The data assessment followed the approach developed as part of the EARMP community framework (see Appendix A).

In 2023, five lake trout and five lake whitefish samples were targeted for collection and received from each community. A summary of fish descriptive statistics (length, weight, and age) is provided in Appendix B, Figure 2 and Appendix B, Figure 3 and Summaries of available chemical concentrations measured in regional reference data, baseline data, and the 2014 to 2023 EARMP community data are presented in Appendix B, Table 2. Data were graphed if >50% of the concentrations for a certain chemical were above the RDL in

at least one community (Appendix B, Figure 4 and Appendix B, Figure 5). The detailed fish chemistry results are presented in Appendix C, Table 2.

Fish sampling locations are community directed. For the most part these locations have remained consistent since the initiation of EARMP in 2011. However, for Uranium City, sampling of lake whitefish and lake trout in the last few monitoring years has been completed in Crackingstone Inlet of Lake Athabasca as opposed to Prospectors Bay. Baseline data are available from Crackingstone Inlet from 2011 and Prospectors Bay in 2012. As a result of this, figures and tables have been updated to reflect the two separate bays that have been sampled in Lake Athabasca and moving forward where community sampling is occurring within Lake Athabasca will be clearly communicated from community representatives.

Chemical concentrations in the community fish samples from 2023 were often so low that the laboratory could not measure the level. This was the case for aluminum, cadmium, molybdenum, vanadium, lead-210, radium-226, and thorium-230 for the lake trout and lake whitefish samples assessed in all of the communities.

In lake trout, of those chemicals that were above the RDL, all were within the regional reference range and similar to concentrations measured during previous monitoring years. In 2021 and 2022, concentrations of mercury from Black Lake measured slightly higher than the reference range; however, the 2023 lake trout mercury concentrations have fallen back within the regional reference range.

In lake whitefish, all chemicals above the RDL were within the reference range, except arsenic in Camsell Portage, Fond du Lac, and Wollaston/Hatchett Lake and selenium in Uranium City. Arsenic concentrations in Camsell Portage and Wollaston/Hatchett Lake have fluctuated over time and 2023 concentrations were within the range of concentrations measured during previous years and within the maximal levels assessed in the 2018 Human Health Risk Assessment that determined EARMP community fish were safe to eat. Arsenic levels were similar to levels found in freshwater fish from other studies. Health Canada measures concentrations in grocery store food items as part of the Total Diet Study (HC 2018). They report that arsenic in freshwater fish is typically 0.4 µg/g wet weight (ranging from 0.12 to 1.1 µg/g). The First Nation Food, Nutrition and Environment study (Chan et al. 2021) measured concentrations of metals and trace elements in country foods. They report that arsenic in freshwater fish is typically 0.34 µg/g

wet weight (ranging from 0.02 to 0.83 µg/g). The average arsenic concentration found in lake whitefish in Fond du Lac in 2023 was 0.29 µg/g wet weight.

Selenium in lake whitefish from Uranium City was the highest recorded in 2023 and greater than all other communities. As mentioned previously, fish samples from Lake Athabasca have been acquired by community representatives from Crackingstone Inlet for the last few sampling years. Levels of selenium in lake whitefish in this portion of Lake Athabasca appear higher than those of Prospectors Bay³ (Appendix B, Figure 5). Levels remain well below the United States Environmental Protection Agency (U.S. EPA) selenium criterion for fish muscle tissue of 11.3 µg/g dry weight (U.S. EPA 2021) and the more recent Canadian fish whole-body environmental quality guideline of 6.7 µg/g dry weight (ECCC 2022). When converted to a dry weight basis for comparison to the guidelines, the 2023 Uranium City lake whitefish fish flesh selenium levels of 1.12 µg/g average to 4.9 µg/g dry weight. Additionally, from a human health perspective, levels remain well below any concerns.

According to available guidelines and results from the last HHRA, there is no risk or concerns associated with the 2023 EARMP community fish quality, and all metals in lake whitefish and lake trout will be monitored again in the 2024 sampling program.

3.0 MAMMAL CHEMISTRY

To evaluate the EARMP community barren-ground caribou and moose flesh chemistry data, concentrations of the reduced chemical list were compared to:

1. regional reference data; and
2. previous monitoring phases.

Summaries of available caribou and moose chemical concentrations measured in regional reference data, baseline data, and the 2014 to 2023 community data are presented in Appendix B, Table 3 for caribou and Appendix B, Table 4 for moose. In 2023, moose samples from Camsell Portage (n=1), Fond du Lac (n=1), Stony Rapids (n=1), Uranium City (n=3), and Wollaston Lake/Hatchet Lake (n=1) were submitted. Additionally, barren

³ Fish from Uranium City have been collected from both Crackingstone Inlet and Prospectors Bay of Lake Athabasca by community members.

ground caribou samples were submitted from Black Lake (n=3), Fond du Lac (n=2), and Wollaston Lake/Hatchet Lake (n=1). Data were graphed if >50% of the concentrations for a certain chemical were above the RDL in at least one community (Appendix B, Figure 6 and Appendix B, Figure 7). The raw mammal chemistry results are presented in Appendix C, Tables 10 and 11.

Concentrations of chemicals that were too low for the laboratory to measure varied only slightly between the barren-ground caribou and moose flesh samples. Levels of aluminum, molybdenum, nickel, vanadium, lead-210, radium-226, and thorium-230 were below RDLs in half or more of the barren-ground caribou samples from Black Lake, Fond du Lac, and Wollaston Lake/Hatchet Lake. Molybdenum, nickel, vanadium, lead-210, radium-226, and thorium-230 were measured at levels equal to or less than the RDL in moose flesh samples from Camsell Portage, Fond du Lac, Stony Rapids, Uranium City, and Wollaston Lake/Hatchet Lake.

For the most part, those chemicals measured above RDLs were similar to baseline concentrations and within the regional reference range. The only exception to this is the one moose flesh sample acquired from Wollaston Lake/Hatchet Lake and Fond du Lac. Elevated levels of lead were found in the moose meat and confirmed through re-analysis by the laboratory. It is likely the sample was contaminated by lead shot. Consumers should be aware of the potential risk of eating game killed by lead shot, and hunters should consider using steel or other alternatives, rather than lead shot to avoid exposure to lead that could be hazardous to both children and adults. Studies have shown that lead gunshot undergoes fragmentation on impact with game and that lead fragments cause contamination of meat and increased exposure of lead to human consumers of game (Tsuji et al. 2008; Iqbal et al. 2009; Pain et al. 2010).

4.0 OTHER CHEMISTRY

Beginning in 2014, the EARMMP community program started collecting moose and barren-ground caribou organ samples (heart, liver, and kidney) as requested by some communities as they are also consumed. In 2023, additional organ samples were submitted from Camsell Portage (moose liver and kidney), Stony Rapids (moose liver, heart, and kidney), and Uranium City (moose liver, heart, and kidney). These data are presented in Appendix B, Table 5 and the detailed data are presented in Appendix C, Table 12. Generally speaking, heavy metals follow a predictable pattern in mammals with the

highest metal concentrations in kidney, less in the liver, and lowest in muscle tissue, and levels increase with the age of the animal (Gamberg 2005).

The additional 2023 moose organ data tended to confirm previous years data. Aluminum, arsenic, lead, nickel, uranium, vanadium, and radionuclides including lead-210, radium-226, and thorium-230 all tended to be low and near to the RDL in the moose organ samples. Chemicals such as cadmium, copper, iron, and selenium tended to be highest in the kidney or liver samples as compared to the heart samples.

5.0 LITERATURE CITED

Canada North Environmental Services (CanNorth). 2018. Eastern Athabasca Regional Monitoring Program 2017/2018 community report. Prepared for the Government of Saskatchewan and Canadian Nuclear Safety Commission. October 2018.

Chan, H.M., K. Fediuk, M. Batal, T. Sadik, C. Tikhonov, A. Ing and L. Barwin. 2021. The First Nations Food, Nutrition and Environment Study (2008–2018)—rationale, design, methods and lessons learned. *Canadian Journal of Public Health* 112, supplement S8 – S19. <https://doi.org/10.17269/s41997-021-00480-0>

Environment and Climate Change Canada (ECCC). 2022. Federal environmental quality guidelines - selenium. Website: <https://www.canada.ca/en/environment-climate-change/services/evaluating-existing-substances/federal-environmental-quality-guidelines-selenium.html>.

Gamberg, M. 2005. Contaminants in Yukon moose and caribou — 2004. Gamberg Consulting. Whitehorse, Yukon.

Government of Saskatchewan (GS). 2024. Saskatchewan environmental quality guidelines for freshwater aquatic life. Website: <https://envrbrportal.crm.saskatchewan.ca/seqg-search/>.


Health Canada. (HC). 2022. Guidelines for Canadian drinking water quality summary table. September 2022.

Health Canada. (HC). 2018. Canadian Total Diet Study Website: https://www.fnfnes.ca/docs/FNFNES_Supplemental_Data_Report_2022-02-25.pdf.


- Iqbal, S, W. Blumenthal, C. Kennedy, F.Y. Yip, S. Pickard, W.D. Flanders, K. Loring, K. Kruger, K.L. Caldwell, and M.J. Brown. 2009. Hunting with lead: association between blood lead levels and wild game consumption. *Environmental Research* 109 (2009) 952–959.
- Pain D.J., R.L. Cromie, J. Newth, M.J. Brown, E. Crutcher, P. Hardman, L. Hurst, R. Mateo, A.A. Meharg, A.C. Moran, A. Raab, M.A. Taggart, and R.E. Green. 2010. Potential hazard to human health from exposure to fragments of lead bullets and shot in the tissues of game animals. *PLoS ONE* 5(4): e10315. doi:10.1371/journal.pone.0010315.
- Tsuji, L.J.S., Wainman, B.C., Martin, I.D., Sutherland, C., Weber, J.P., Dumas, P., and Nieboer, E. 2008. The identification of lead ammunition as a source of lead exposure in First Nations: the use of lead isotope ratios. *Science of the Total Environment*, 393: 291-298.
- U.S. EPA (United States Environmental Protection Agency). 2021. Technical Support for Fish Tissue Monitoring for Implementation of EPA’s 2016 Selenium Criterion Draft.

LIST OF FIGURES

- Appendix B, Figure 1 Mean level of chemicals in water from the EARMP community study area, 2011 to 2023.
- Appendix B, Figure 2 Mean length, weight, and age of lake trout assessed by EARMP, 2011 to 2023.
- Appendix B, Figure 3 Mean length, weight, and age of lake whitefish assessed by EARMP, 2011 to 2023.
- Appendix B, Figure 4 Mean level of chemicals in lake trout from the EARMP community study areas, 2011 to 2023.
- Appendix B, Figure 5 Mean level of chemicals in lake whitefish from the EARMP community study areas, 2011 to 2023.
- Appendix B, Figure 6 Mean level of chemicals in barren-ground caribou flesh from the EARMP community study areas, 2011 to 2023.
- Appendix B, Figure 7 Mean level of chemicals in moose flesh from the EARMP community study areas, 2011 to 2023.




Appendix B, Figure 1
Mean level of chemicals in water from the EARMP community study area, 2011 to 2023.




Appendix B, Figure 1

Mean level of chemicals in water from the EARMP community study area, 2011 to 2023.




Appendix B, Figure 1
Mean level of chemicals in water from the EARMF community study area, 2011 to 2023.



*Fish from Uranium City have been collected from both Cracklingstone Inlet and Prospectors Bay of Lake Athabasca by community members.


Appendix B, Figure 2
Mean length, weight, and age of lake trout assessed by EARMP, 2011 to 2023.



*Fish from Uranium City have been collected from both Cracklingstone Inlet and Prospectors Bay of Lake Athabasca by community members.

Appendix B, Figure 3


Mean length, weight, and age of lake whitefish assessed by EARMP, 2011 to 2023.



*Fish from Uranium City have been collected from both Cracklingstone Inlet and Prospectors Bay of Lake Athabasca by community members.

Appendix B, Figure 4


Mean level of chemicals in lake trout from the EARMP community study areas, 2011 to 2023.



*Fish from Uranium City have been collected from both Crackingstone Inlet and Prospectors Bay of Lake Athabasca by community members.

Appendix B, Figure 4


Mean level of chemicals in lake trout from the EARMP community study areas, 2011 to 2023.



*Fish from Uranium City have been collected from both Crackingstone Inlet and Prospectors Bay of Lake Athabasca by community members.

Appendix B, Figure 5


Mean level of chemicals in lake whitefish from the EARMP community study areas, 2011 to 2023.



*Fish from Uranium City have been collected from both Crackingstone Inlet and Prospectors Bay of Lake Athabasca by community members.


Appendix B, Figure 5

Mean level of chemicals in lake whitefish from the EARMP community study areas, 2011 to 2023.




*Fish from Uranium City have been collected from both Crackingstone Inlet and Prospectors Bay of Lake Athabasca by community members.

Appendix B, Figure 5
Mean level of chemicals in lake whitefish from the EARMP community study areas, 2011 to 2023.




Appendix B, Figure 6

Mean level of chemicals in barren-ground caribou flesh from the EARMP community study areas, 2011 to 2023.




Appendix B, Figure 6

Mean level of chemicals in barren-ground caribou flesh from the EARMP community study areas, 2011 to 2023.




Appendix B, Figure 6


Mean level of chemicals in barren-ground caribou flesh from the EARMP community study areas, 2011 to 2023.



Appendix B, Figure 7
Mean level of chemicals in moose flesh from the EARMP community study areas, 2011 to 2023.




Appendix B, Figure 7
Mean level of chemicals in moose flesh from the EARMP community study areas, 2011 to 2023.



Appendix B, Figure 7

Mean level of chemicals in moose flesh from the EARMP community study areas, 2011 to 2023.



Appendix B, Figure 7

Mean level of chemicals in moose flesh from the EARMP community study areas, 2011 to 2023.

LIST OF TABLES

Appendix B, Table 1	Fall water chemistry results for the EARMP community program, 2011 to 2023.
Appendix B, Table 2	Summary fish flesh chemistry results for the EARMP community program, 2011 to 2023.
Appendix B, Table 3	Summary barren-ground caribou flesh chemistry results for the EARMP community program, 2011 to 2023.
Appendix B, Table 4	Summary moose flesh chemistry results for the EARMP community program, 2011 to 2023.
Appendix B, Table 5	Summary barren-ground caribou and moose organ chemistry results for the EARMP community program, 2014 to 2023.

Appendix B, Table 1
Fall water chemistry results for the EARMF community program, 2011 to 2023.

Chemical ¹	Regional Reference Range (n = 249)			SEQG ²	CDWQ ³
	Lower Limit	Median	Upper Limit		
Metals					
Aluminum ⁴	0.0013	0.0059	0.1116	0.05	0.1
Arsenic (µg/L)	0.1	0.1	0.24	5	10
Cadmium ⁵	0.00001	0.00001	0.00003	0.00004 to 0.0001	0.007
Cobalt ^{6,7}	0.0001	0.0001	0.0001	0.00078	-
Copper	0.0002	0.0002	0.0004	0.007	2.0
Iron	0.003	0.111	0.774	0.3	0.3
Lead ⁵	0.0001	0.0001	0.0007	0.001	0.005
Mercury (µg/L) ⁸	0.01	0.01	0.07	0.005	1
Molybdenum	0.0001	0.0001	0.0008	31	-
Nickel ⁵	0.0001	0.0001	0.00013	0.025	-
Selenium	0.0001	0.0001	0.0002	0.002	0.05
Uranium (µg/L)	0.1	0.1	0.86	15	20
Vanadium ⁶	0.0001	0.0001	0.0002	0.12	-
Zinc	0.0005	0.0011	0.0069	0.03	5.0
Nutrients					
Ammonia as N ⁹	0.01	0.02	0.31	0.86 to 84	-
Physical Properties					
pH (pH units)	-	-	-	6.5 to 9.0	7.0 to 10.5
Sp. Cond. (µS/cm)	-	-	-	-	-
Total Hardness	-	-	-	-	-
Radionuclides					
Lead-210 (Bq/L)	0.02	0.02	0.03	-	0.2
Polonium-210 (Bq/L)	0.005	0.005	0.01	-	0.1
Radium-226 (Bq/L)	0.005	0.005	0.012	0.11	0.5
Thorium-230 (Bq/L)	0.01	0.01	0.031	-	0.6

Appendix B, Table 1
Fall water chemistry results for the EARMF community program, 2011 to 2023.

Chemical ¹	SEQG ²	CDWQ ³	Black Lake										
			Black Lake										
			2011	2012	2013	2014	2017	2018	2019	2020	2021	2022	2023
Metals													
Aluminum ⁴	0.05	0.1	0.002	0.0026	0.0026	0.0027	0.0061	0.0073	0.0069	0.0066	0.008	0.0059	0.0021
Arsenic (µg/L)	5	10	0.1	0.1	0.2	0.2	<0.1	0.2	0.2	0.1	<0.1	0.2	0.1
Cadmium ⁵	0.00004 to 0.0001	0.007	0.00001	0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001
Cobalt ^{6,7}	0.00078	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	0.007	2.0	<0.0002	<0.0002	0.0003	<0.0002	<0.0002	0.0005	<0.0005	<0.0002	0.0002	<0.0002	<0.0002
Iron	0.3	0.3	0.026	0.013	0.022	0.021	0.022	0.17	0.027	0.065	0.028	0.038	0.03
Lead ⁵	0.001	0.005	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Mercury (µg/L) ⁸	0.005	1	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	31	-	0.0002	0.0001	0.0001	0.0001	0.0001	<0.0001	0.0001	<0.0001	0.0001	<0.0001	0.0001
Nickel ⁵	0.025	-	0.0002	0.0001	0.0001	<0.0001	0.0001	0.0001	0.0001	0.0001	0.0002	0.0001	0.0001
Selenium	0.002	0.05	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Uranium (µg/L)	15	20	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Vanadium ⁶	0.12	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	0.03	5.0	0.0018	<0.0005	<0.0005	<0.0005	<0.0005	0.0019	0.0007	<0.0005	0.0006	<0.0005	0.0009
Nutrients													
Ammonia as N ⁹	0.86 to 84	-	<0.01	<0.01	<0.01	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Physical Properties													
pH (pH units)	6.5 to 9.0	7.0 to 10.5	7.12	7.18	7.38	6.76	7.34	7.48	7.08	7.05	7.05	7.12	6.54
Sp. Cond. (µS/cm)	-	-	40	38	38	43	29	28	31	26	30	34	39
Total Hardness	-	-	14	13	29	14	12	13	12	12	10	11	13
Radionuclides													
Lead-210 (Bq/L)	-	0.2	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Polonium-210 (Bq/L)	-	0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	0.11	0.5	<0.005	0.009	<0.005	0.008	<0.005	<0.005	0.01	<0.005	<0.005	<0.005	<0.005
Thorium-230 (Bq/L)	-	0.6	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

Appendix B, Table 1
Fall water chemistry results for the EARMF community program, 2011 to 2023.

Chemical ¹	SEQG ²	CDWQ ³	Camsell Portage								
			Ellis Bay, Lake Athabasca								
			2011	2012	2013	2014	2017	2019	2021	2022	2023
Metals											
Aluminum ⁴	0.05	0.1	0.0016	0.001	0.0044	0.0022	0.0027	0.0039	0.0036	0.0056	0.0022
Arsenic (µg/L)	5	10	0.1	0.2	0.2	0.2	0.2	0.2	<0.1	0.1	0.1
Cadmium ⁵	0.00004 to 0.0001	0.007	0.00001	0.00001	<0.00001	<0.00001	0.00001	<0.00001	<0.00001	0.00002	<0.00001
Cobalt ^{6,7}	0.00078	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	0.007	2.0	<0.0002	0.0002	<0.0002	<0.0002	0.0002	0.0005	0.0002	0.0004	0.0003
Iron	0.3	0.3	0.0049	0.0044	0.0078	0.0056	0.0054	0.0052	0.01	0.011	0.0051
Lead ⁵	0.001	0.005	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0002	0.0002	0.0002	<0.0001
Mercury (µg/L) ⁸	0.005	1	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	31	-	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	<0.0001	0.0002	0.0002
Nickel ⁵	0.025	-	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0003	0.0002
Selenium	0.002	0.05	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Uranium (µg/L)	15	20	<0.1	<0.1	0.1	0.1	0.1	<0.1	0.2	0.2	<0.1
Vanadium ⁶	0.12	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	0.03	5.0	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0008	<0.0005	<0.0005	<0.0005
Nutrients											
Ammonia as N ⁹	0.86 to 84	-	<0.01	<0.01	<0.01	0.05	<0.01	<0.01	0.02	0.02	<0.01
Physical Properties											
pH (pH units)	6.5 to 9.0	7.0 to 10.5	7.46	7.50	7.71	7.26	7.70	7.49	7.58	7.51	6.80
Sp. Cond. (µS/cm)	-	-	66	69	69	73	66	63	70	65	61
Total Hardness	-	-	26	26	47	27	26	26	27	24	23
Radionuclides											
Lead-210 (Bq/L)	-	0.2	<0.02	<0.02	0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Polonium-210 (Bq/L)	-	0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	0.11	0.5	<0.005	<0.005	<0.005	<0.005	0.009	<0.005	0.006	0.006	<0.005
Thorium-230 (Bq/L)	-	0.6	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

Appendix B, Table 1
Fall water chemistry results for the EARMF community program, 2011 to 2023.

Chemical ¹	SEQG ²	CDWQ ³	Fond du Lac										
			Fond du Lac River										
			2011	2012	2013	2014	2017	2018	2019	2020	2021	2022	2023
Metals													
Aluminum ⁴	0.05	0.1	0.014	0.02	0.011	0.019	0.011	0.011	0.008	0.013	0.035	0.012	0.01
Arsenic (µg/L)	5	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1
Cadmium ⁵	0.00004 to 0.0001	0.007	0.00002	<0.00001	0.00001	<0.00001	0.00003	0.00001	<0.00001	<0.00001	0.00002	0.00001	<0.00001
Cobalt ^{6,7}	0.00078	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	0.007	2.0	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	0.0002	0.0003	0.0011	0.0002	0.0002
Iron	0.3	0.3	0.023	0.03	0.017	0.023	0.021	0.023	0.016	0.047	0.087	0.088	0.012
Lead ⁵	0.001	0.005	<0.0001	<0.0001	<0.0001	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0032	<0.0001	<0.0001
Mercury (µg/L) ⁸	0.005	1	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	31	-	0.0001	0.0001	0.0001	<0.0001	0.0001	0.0001	0.0001	0.0001	0.0002	0.0001	<0.0001
Nickel ⁵	0.025	-	0.0002	0.0002	0.0003	0.0002	0.0001	0.0002	0.0002	0.0002	0.0004	0.0002	0.0001
Selenium	0.002	0.05	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Uranium (µg/L)	15	20	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Vanadium ⁶	0.12	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	0.03	5.0	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0009	<0.0005	<0.0005	0.016	<0.0005	0.0006
Nutrients													
Ammonia as N ⁹	0.86 to 84	-	<0.01	<0.01	<0.01	0.04	0.02	<0.01	<0.01	<0.01	0.04	0.01	<0.01
Physical Properties													
pH (pH units)	6.5 to 9.0	7.0 to 10.5	7.22	7.14	6.86	6.88	7.32	7.48	7.15	7.16	7.28	7.20	6.59
Sp. Cond. (µS/cm)	-	-	39	44	42	44	32	28	32	27	27	38	36
Total Hardness	-	-	14	15	15	15	13	13	13	13	11	14	13
Radionuclides													
Lead-210 (Bq/L)	-	0.2	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Polonium-210 (Bq/L)	-	0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	0.11	0.5	<0.005	<0.005	<0.005	<0.005	0.005	<0.005	<0.005	<0.005	<0.005	0.008	<0.005
Thorium-230 (Bq/L)	-	0.6	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

Appendix B, Table 1
Fall water chemistry results for the EARMF community program, 2011 to 2023.

Chemical ¹	SEQG ²	CDWQ ³	Stony Rapids										
			Fond du Lac River										
			2011	2012	2013	2014	2017	2018	2019	2020	2021	2022	2023
Metals													
Aluminum ⁴	0.05	0.1	0.018	0.0084	0.012	0.012	0.014	0.0099	0.0093	0.017	0.0037	0.01	0.0058
Arsenic (µg/L)	5	10	0.2	0.2	0.2	0.1	0.1	0.2	0.1	0.1	<0.1	0.1	0.2
Cadmium ⁵	0.00004 to 0.0001	0.007	0.00002	<0.00001	0.00001	<0.00001	0.00001	0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001
Cobalt ^{6,7}	0.00078	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	0.007	2.0	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Iron	0.3	0.3	0.074	0.045	0.037	0.034	0.05	0.06	0.031	0.084	0.016	0.034	0.031
Lead ⁵	0.001	0.005	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Mercury (µg/L) ⁸	0.005	1	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	31	-	0.0002	0.0002	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	<0.0001	<0.0001
Nickel ⁵	0.025	-	0.0002	0.0001	0.0002	0.0001	0.0001	0.0002	0.0002	0.0002	0.0001	0.0002	0.0001
Selenium	0.002	0.05	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Uranium (µg/L)	15	20	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Vanadium ⁶	0.12	-	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	0.03	5.0	<0.0005	<0.0005	<0.0005	<0.0005	0.0006	<0.0005	0.0008	<0.0005	<0.0005	<0.0005	<0.0005
Nutrients													
Ammonia as N ⁹	0.86 to 84	-	<0.01	<0.01	0.05	0.04	0.01	<0.01	<0.01	<0.01	0.02	0.03	<0.01
Physical Properties													
pH (pH units)	6.5 to 9.0	7.0 to 10.5	7.30	7.30	7.38	6.89	7.39	7.53	7.13	7.08	7.13	7.14	6.53
Sp. Cond. (µS/cm)	-	-	39	40	36	38	28	25	27	25	36	30	36
Total Hardness	-	-	13	14	31	13	12	12	12	12	11	11	13
Radionuclides													
Lead-210 (Bq/L)	-	0.2	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.02	<0.02
Polonium-210 (Bq/L)	-	0.1	<0.006	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	0.11	0.5	<0.005	0.01	<0.005	<0.005	<0.005	<0.005	<0.005	0.006	<0.005	0.005	<0.005
Thorium-230 (Bq/L)	-	0.6	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

Appendix B, Table 1
Fall water chemistry results for the EARMF community program, 2011 to 2023.

Chemical ¹	SEQG ²	CDWQ ³	Uranium City										
			Fredette River										
			2011	2012	2013	2014	2017	2018	2019	2020	2021	2022	2023
Metals													
Aluminum ⁴	0.05	0.1	0.0051	0.0051	0.0057	0.0033	0.004	0.0033	0.0059	0.0076	0.0068	0.005	0.0034
Arsenic (µg/L)	5	10	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1
Cadmium ⁵	0.00004 to 0.0001	0.007	0.00001	0.00001	0.00002	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	0.00001	0.00001	<0.00001
Cobalt ^{6,7}	0.00078	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	0.007	2.0	<0.0002	<0.0002	0.0006	<0.0002	<0.0002	0.0004	0.0003	0.0003	0.0004	0.0003	0.0003
Iron	0.3	0.3	0.031	0.041	0.05	0.027	0.045	0.028	0.029	0.032	0.056	0.041	0.04
Lead ⁵	0.001	0.005	<0.0001	<0.0001	0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Mercury (µg/L) ⁸	0.005	1	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	31	-	0.0004	0.0004	0.0004	0.0004	0.0005	0.0004	0.0004	0.0004	0.0005	0.0004	0.0004
Nickel ⁵	0.025	-	0.0001	0.0001	0.0002	0.0001	<0.0001	0.0001	0.0001	0.0001	0.0002	0.0002	0.0001
Selenium	0.002	0.05	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Uranium (µg/L)	15	20	3.5	1.3	1.4	1.7	1	1	1	1	0.6	0.7	0.5
Vanadium ⁶	0.12	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	0.03	5.0	0.0014	<0.0005	0.0013	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0005	<0.0005	<0.0005
Nutrients													
Ammonia as N ⁹	0.86 to 84	-	<0.01	0.03	0.05	0.07	0.06	<0.01	0.12	0.04	0.03	0.01	<0.01
Physical Properties													
pH (pH units)	6.5 to 9.0	7.0 to 10.5	7.75	7.72	7.94	7.46	8.00	8.11	7.72	7.72	7.71	7.79	7.08
Sp. Cond. (µS/cm)	-	-	114	112	113	114	102	98	101	92	91	89	95
Total Hardness	-	-	49	52	80	53	49	52	49	49	41	40	46
Radionuclides													
Lead-210 (Bq/L)	-	0.2	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Polonium-210 (Bq/L)	-	0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	0.11	0.5	0.008	0.01	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	0.007	<0.005	<0.005
Thorium-230 (Bq/L)	-	0.6	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

Appendix B, Table 1
Fall water chemistry results for the EARMF community program, 2011 to 2023.

Chemical ¹	SEQG ²	CDWQ ³	Wollaston Lake/Hatchet Lake										
			Welcome Bay, Wollaston Lake										
			2011	2012	2013	2014	2017	2018	2019	2020	2021	2022	2023
Metals													
Aluminum ⁴	0.05	0.1	0.0047	0.014	0.0074	0.0069	0.0058	0.005	0.0068	0.006	0.0049	0.0045	0.0039
Arsenic (µg/L)	5	10	<0.1	<0.1	0.1	0.1	0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.1
Cadmium ⁵	0.00004 to 0.0001	0.007	0.00001	<0.00001	<0.00001	<0.00001	0.00014	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	0.00001
Cobalt ^{6,7}	0.00078	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	0.007	2.0	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Iron	0.3	0.3	0.014	0.035	0.043	0.034	0.046	0.013	0.011	0.014	0.014	0.01	0.012
Lead ⁵	0.001	0.005	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Mercury (µg/L) ⁸	0.005	1	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	31	-	0.0012	0.0012	0.001	0.0009	0.0008	0.0007	0.0006	0.0006	0.0001	0.0005	0.0005
Nickel ⁵	0.025	-	0.0001	0.0001	0.0001	<0.0001	<0.0001	0.0001	0.0001	<0.0001	0.0001	0.0004	<0.0001
Selenium	0.002	0.05	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Uranium (µg/L)	15	20	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Vanadium ⁶	0.12	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	0.03	5.0	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0008	<0.0005	0.0007	<0.0005	<0.0005
Nutrients													
Ammonia as N ⁹	0.86 to 84	-	<0.01	<0.01	<0.01	0.04	<0.01	0.08	0.07	<0.01	0.02	<0.01	<0.01
Physical Properties													
pH (pH units)	6.5 to 9.0	7.0 to 10.5	7.1	7.12	7.37	6.91	7.38	7.53	7.11	7.14	7.15	7.1	6.6
Sp. Cond. (µS/cm)	-	-	34	37	34	36	32	27	30	25	29	30	26
Total Hardness	-	-	13	13	28	12	12	12	12	12	11	10	11
Radionuclides													
Lead-210 (Bq/L)	-	0.2	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Polonium-210 (Bq/L)	-	0.1	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	0.11	0.5	<0.005	0.009	<0.005	<0.005	<0.005	<0.005	0.005	<0.005	<0.005	<0.005	0.006
Thorium-230 (Bq/L)	-	0.6	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

Bolded values indicate values that exceeded applicable guidelines.

¹All values are in mg/L, unless specified otherwise.

²SEQG = Saskatchewan Environmental Quality Guidelines for freshwater aquatic life.

³Guidelines for Canadian drinking water quality.

⁴Total aluminum guideline is based on field pH measurements: 0.05 mg/L if pH ≥6.5, if pH <6.5 the following formula is used: SEQG=EXP((1.6-3.327*(pH)+0.402*(pH)^2)).

⁵Cadmium, lead, and nickel guidelines were calculated using the site-specific hardness.

⁶No SEQG exists, therefore, the guideline is based on the Federal Environmental Quality Guidelines.

⁷FEQG total cobalt guideline is based on hardness. Guideline is derived using the formula: FEQG=EXP(0.414*(LN(Hardness))-1.887).

⁸The SEQG for mercury decreased from 0.026 µg/L to 0.005 µg/L in 2023. Detection Limits were improved in 2015, hence data prior appears to be higher than the guideline.

⁹A temperature of 10 °C and lab pH were used to derive guideline.

Sources: ECCC 2021, GS 2024, HC 2022

Appendix B, Table 2
Summary fish flesh chemistry results for the EARMF community program, 2011 to 2023.

Chemical ¹	Regional Reference Range ^{2, 3}							
	Lake Trout				Lake Whitefish			
	Lower Limit	Median	Upper Limit	n	Lower Limit	Median	Upper Limit	n
Metals								
Aluminum	0.05	0.2	0.7	10	<0.01	0.08	0.6	28
Arsenic	0.010	0.030	0.35	59	<0.01	0.034	0.14	69
Cadmium	-	-	-	54	-	-	-	69
Cobalt	<0.002	<0.002	0.005	54	0.002	0.002	0.03	69
Copper	0.15	0.29	0.91	59	0.10	0.20	0.43	69
Iron	1.3	3.5	12	59	0.56	2.4	6.9	69
Lead	<0.002	<0.002	0.01	54	<0.002	<0.002	0.02	69
Mercury	<0.04	0.2	0.5	44	<0.01	0.05	0.3	59
Molybdenum	-	-	-	54	-	-	-	69
Nickel	-	-	-	54	<0.01	<0.01	0.04	69
Selenium	0.14	0.22	0.48	59	0.091	0.27	0.63	69
Uranium	<0.001	<0.001	0.005	54	<0.001	<0.001	0.005	69
Vanadium	-	-	-	54	-	-	-	69
Zinc	2.3	4.2	10	59	2.4	4.2	9.4	69
Radionuclides								
Lead-210 (Bq/g)	<0.001	<0.001	0.03	54	-	-	-	69
Polonium-210 (Bq/g)	-	-	-	44	<0.0002	0.0009	0.007	42
Radium-226 (Bq/g)	0.00005	0.00006	0.0002	44	0.00005	0.00006	0.0001	64
Thorium-230 (Bq/g)	-	-	-	45	-	-	-	47

Appendix B, Table 2
Summary fish flesh chemistry results for the EARMP community program, 2011 to 2023.

Chemical ¹	Black Lake (Black Lake)																			
	Lake Trout																			
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2018 (n = 5)		2019 (n = 5)		2020 (n = 5)		2021 (n = 5)		2022 (n = 5)		2023 (n = 5)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
Metals																				
Aluminum	0.5	-	0.5	-	0.5	0.09	0.6	0.1	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-
Arsenic	0.072	0.028	0.048	0.0084	0.064	0.025	0.080	0.017	0.066	0.015	0.056	0.022	0.094	0.030	0.076	0.032	0.05	0.01	0.04	0.01
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-
Cobalt	0.002	0.0003	0.002	-	0.004	0.002	0.003	0.001	0.003	0.001	0.002	-	0.003	0.001	0.002	0.0005	0.004	0.002	0.002	0.0004
Copper	0.37	0.23	0.24	0.016	0.33	0.11	0.25	0.040	0.29	0.094	0.33	0.075	0.40	0.21	0.32	0.14	0.32	0.09	0.32	0.13
Iron	2.9	1.4	1.8	0.23	2.6	1.0	2.9	0.61	4.1	1.5	3.5	1.5	3.6	1.3	4.1	1.4	2.9	0.98	2.5	0.77
Lead	0.002	0.0008	0.002	-	0.003	0.002	0.004	0.001	0.002	0	0.002	-	0.003	0.001	0.002	-	0.002	0.0004	0.002	0.0004
Mercury	0.31	0.11	0.40	0.084	0.44	0.073	0.35	0.045	0.44	0.083	0.39	0.061	0.35	0.18	0.57	0.11	0.51	0.082	0.48	0.13
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	-	0.01	-	0.02	0.01	0.01	0.006	0.01	-	0.01	-	0.01	0.004	0.01	0.004	0.01	0	0.01	-
Selenium	0.15	0.026	0.14	0.024	0.15	0.019	0.15	0.0058	0.12	0.014	0.11	0.022	0.15	0.025	0.14	0.016	0.15	0.011	0.14	0.03
Uranium	0.001	0.0003	0.001	-	0.001	0	0.001	-	0.001	-	0.001	-	0.001	-	0.002	0.001	0.001	-	0.001	0.0004
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	4.1	1.4	3.4	0.42	3.7	1.3	4.6	1.1	4.0	1.2	4.4	1.0	4.0	0.46	5.7	2.8	4.1	0.94	3.4	0.64
Radionuclides																				
Lead-210 (Bq/g)	0.001	0.0004	0.001	-	0.001	0	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-
Polonium-210 (Bq/g)	0.0002	0	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	0.00004	0.0002	0.00004	0.0002	-	0.0002	-
Radium-226 (Bq/g)	0.00006	0.00002	0.00007	0.00002	0.00005	-	0.00006	-	0.00006	0.000005	0.00006	0.000004	0.00006	0.00002	0.00005	-	0.00006	-	0.00006	0.000004
Thorium-230 (Bq/g)	0.00011	0.00003	0.0001	0.00004	0.00009	-	0.0001	-	0.0001	-	0.0001	-	0.0001	0.00005	0.0001	-	0.0001	-	0.0001	-

Appendix B, Table 2
Summary fish flesh chemistry results for the EARMP community program, 2011 to 2023.

Chemical ¹	Black Lake (Black Lake)																			
	Lake Whitefish																			
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2018 (n = 5)		2019 (n = 5)		2020 (n = 5)		2021 (n = 5)		2022 (n = 5)		2023 (n = 5)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
Metals																				
Aluminum	0.5	-	0.5	-	0.5	-	0.5	-	0.5	0	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-
Arsenic	0.18	0.14	0.024	0.0089	0.17	0.056	0.22	0.17	0.14	0.12	0.10	0.05	0.15	0.076	0.066	0.026	0.074	0.055	0.056	0.016
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	0.0004	0.002	-	0.002	-
Cobalt	0.003	0.0009	0.003	0.001	0.004	0.003	0.003	0.002	0.003	0.001	0.002	0.001	0.004	0.002	0.004	0.001	0.011	0.003	0.004	0.001
Copper	0.19	0.051	0.11	0.088	0.26	0.19	0.14	0.036	0.29	0.19	0.17	0.045	0.16	0.027	0.22	0.041	0.24	0.032	0.18	0.056
Iron	2.1	0.93	1.5	0.61	2.3	1.2	3.0	0.87	4.6	2.6	2.3	0.41	2.1	0.6	1.7	0.50	3.1	0.66	1.9	0.50
Lead	0.002	0.0004	0.002	-	0.002	0.0004	0.003	0.001	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-
Mercury	0.12	0.059	0.058	0.026	0.10	0.024	0.090	0.030	0.11	0.02	0.12	0.02	0.09	0.03	0.14	0.08	0.10	0.028	0.08	0.03
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	0	0.01	-	0.01	0.005	0.02	0.02	0.01	-	0.01	-	0.01	-	0.01	0.004	0.01	-	0.01	0.004
Selenium	0.27	0.065	0.22	0.048	0.30	0.047	0.40	0.067	0.21	0.06	0.16	0.033	0.18	0.065	0.19	0.036	0.2	0.16	0.15	0.01
Uranium	0.001	0.0003	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	0.0005	0.001	0	0.0024	0.0017
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	4.6	1.1	3.9	0.52	3.8	0.68	4.6	0.35	4.2	0.9	3.3	0.55	4.4	1.1	4.7	1.1	4.1	0.24	7.4	6.8
Radionuclides																				
Lead-210 (Bq/g)	0.002	0.001	0.001	0	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-
Polonium-210 (Bq/g)	0.0004	0.0003	0.0004	0.0002	0.0002	0.00005	0.0005	0.0001	0.0003	0.0001	0.00022	-	0.0005	0.0003	0.0002	0.00004	0.00024	0.00009	0.00022	0.00004
Radium-226 (Bq/g)	0.0004	0.0007	0.0002	0.0001	0.00009	0.00006	0.00006	-	0.000054	0.000005	0.00006	0.000005	0.00006	0.000005	0.00006	-	0.000066	-	0.00006	-
Thorium-230 (Bq/g)	0.0005	0.0008	0.0001	0.00004	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.00012	-	0.0001	-

Appendix B, Table 2
Summary fish flesh chemistry results for the EARMP community program, 2011 to 2023.

Chemical ¹	Camsell Portage (Ellis Bay)																	
	Lake Trout																	
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2019 (n = 5)		2020 (n = 2)		2021 (n = 5)		2022 (n = 5)		2023 (n = 5)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
Metals																		
Aluminum	0.5	-	0.5	-	0.5	0.09	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-
Arsenic	0.11	0.071	0.076	0.038	0.086	0.032	0.10	0.027	0.11	0.075	0.19	-	0.15	0.12	0.15	0.086	0.078	0.027
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-
Cobalt	0.002	0.0004	0.002	0	0.003	0.0008	0.002	0.0006	0.002	-	0.002	-	0.002	-	0.003	0.001	0.002	0.0004
Copper	0.34	0.15	0.28	0.063	0.31	0.083	0.39	0.12	0.26	0.021	0.38	-	0.24	0.082	0.25	0.07	0.26	0.08
Iron	2.8	1.5	2.1	0.45	3.4	1.2	3.1	0.92	2.5	0.37	4.7	-	2.3	0.41	2.7	0.83	2.9	1.4
Lead	0.002	-	0.002	-	0.002	0.0009	0.003	0.001	0.002	-	0.002	-	0.003	0.0009	0.002	-	0.002	-
Mercury	0.15	0.070	0.23	0.12	0.34	0.031	0.14	0.032	0.13	0.067	0.20	-	0.22	0.062	0.28	0.064	0.32	0.10
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	0.006	0.02	0.02	0.02	0.02	0.01	0.006	0.01	-	0.01	-	0.01	-	0.01	0	0.01	-
Selenium	0.16	0.024	0.16	0.015	0.18	0.023	0.19	0.021	0.14	0.008	0.19	-	0.16	0.020	0.19	0.047	0.15	0.023
Uranium	0.002	0.004	0.001	-	0.001	0	0.001	0	0.001	-	0.001	-	0.001	0.0009	0.001	0	0.0012	0.0004
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	5.0	3.1	3.3	0.36	4.6	1.4	5.0	1.3	3.9	2.6	5.7	-	4.5	0.72	4.9	1.3	4.3	0.7
Radionuclides																		
Lead-210 (Bq/g)	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-
Polonium-210 (Bq/g)	0.0003	0.0002	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-
Radium-226 (Bq/g)	0.0001	0.00005	0.00007	0.00002	0.00005	-	0.00006	-	0.00007	0.000009	0.00006	-	0.00006	-	0.00006	-	0.00006	0.000004
Thorium-230 (Bq/g)	0.0001	-	0.00010	0.00001	0.0001	-	0.0001	-	0.00012	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-

Appendix B, Table 2
Summary fish flesh chemistry results for the EARMP community program, 2011 to 2023.

Chemical ¹	Camsell Portage (Ellis Bay)													
	Lake Whitefish													
	Baseline (n = 7)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2021 (n = 5)		2022 (n = 5)		2023 (n = 5)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
Metals														
Aluminum	0.5	-	0.5	-	0.7	0.3	0.5	-	0.5	-	0.5	-	0.5	-
Arsenic	0.30	0.081	0.29	0.14	0.18	0.14	0.13	0.093	0.10	0.047	0.20	0.030	0.15	0.12
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	0.0009	0.0020	-
Cobalt	0.003	0.002	0.003	0.001	0.006	0.002	0.005	0.001	0.008	0.006	0.0036	0.0011	0.0044	0.0026
Copper	0.18	0.092	0.17	0.063	0.24	0.068	0.23	0.042	0.19	0.036	0.26	0.11	0.19	0.06
Iron	2.2	1.1	2.6	0.75	3.2	0.95	2.4	0.53	1.5	0.69	2.4	0.78	1.6	0.71
Lead	0.002	0.0004	0.002	-	0.006	0.002	0.002	-	0.002	0.0009	0.002	-	0.002	-
Mercury	0.05	0.02	0.08	0.06	0.05	0.007	0.04	0.004	0.08	0.03	0.08	0.01	0.09	0.02
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	0.004	0.01	-	0.04	0.03	0.01	-	0.01	-	0.01	-	0.01	-
Selenium	0.26	0.030	0.26	0.019	0.24	0.026	0.27	0.015	0.256	0.0559	0.29	0.03	0.23	0.045
Uranium	0.001	0.0004	0.003	0.001	0.002	0.0005	0.001	-	0.001	-	0.002	0.001	0.005	0.005
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	3.2	0.55	3.7	1.1	4.5	1.2	4.1	0.9	4.48	0.110	4.8	0.81	3.6	0.31
Radionuclides														
Lead-210 (Bq/g)	0.001	0.0004	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-
Polonium-210 (Bq/g)	0.0002	0.0001	0.0002	-	0.0005	0.0004	0.0004	0.0004	0.0005	0.0004	0.0002	0.00009	0.0003	0.0001
Radium-226 (Bq/g)	0.0001	0.0001	0.0001	0.00006	0.00006	-	0.00006	-	0.00007	0.00001	0.0003	-	0.00006	0.000005
Thorium-230 (Bq/g)	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	0.00004	0.0001	-	0.0001	-

Appendix B, Table 2
Summary fish flesh chemistry results for the EARMP community program, 2011 to 2023.

Chemical ¹	Fond du Lac (Fond du Lac River)																			
	Lake Trout																			
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2018 (n = 5)		2019 (n = 5)		2020 (n = 5)		2021 (n = 5)		2022 (n = 5)		2023 (n = 5)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
Metals																				
Aluminum	0.5	-	0.5	-	0.5	0.04	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-
Arsenic	0.1	0.04	0.07	0.03	0.08	0.04	0.06	0.01	0.13	0.06	0.08	0.03	0.13	0.11	0.08	0.06	0.13	0.018	0.07	0.03
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-
Cobalt	0.002	-	0.002	-	0.003	0.0005	0.0057	0.0055	0.0022	0.0004	0.002	-	0.003	0.001	0.003	0.001	0.002	0.0004	0.0024	0.0008
Copper	0.28	0.081	0.30	0.087	0.27	0.10	0.29	0.064	0.38	0.05	0.25	0.094	0.55	0.29	0.24	0.059	0.41	0.16	0.31	0.13
Iron	2.4	0.90	1.7	0.43	2.9	0.53	3.4	1.4	4.0	0.8	2.5	0.81	5.5	1.7	2.4	0.84	4.3	2.2	3.5	1.0
Lead	0.002	0.0007	0.003	0.003	0.004	0.002	0.002	0.0006	0.0026	0.0013	0.002	-	0.002	-	0.003	0.001	0.002	0.0004	0.0020	-
Mercury	0.22	0.073	0.08	0.03	0.59	0.18	0.18	0.084	0.16	0.031	0.19	0.033	0.25	0.05	0.36	0.17	0.36	0.096	0.32	0.05
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	-	0.01	0.005	0.02	0.004	0.01	0.006	0.01	-	0.01	-	0.02	0.01	0.01	-	0.01	0	0.01	-
Selenium	0.15	0.019	0.16	0.017	0.11	0.035	0.17	0.012	0.16	0.015	0.11	0.012	0.15	0.022	0.18	0.015	0.20	0.025	0.14	0.012
Uranium	0.001	0.0003	0.001	-	0.001	0.0004	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.0016	0.0012
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	3.7	0.47	3.3	0.55	3.9	1.6	4.2	1.6	4.6	0.6	2.9	0.43	4.5	1.7	5.0	2.4	7.6	4.5	3.4	0.7
Radionuclides																				
Lead-210 (Bq/g)	0.001	0.0004	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-
Polonium-210 (Bq/g)	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-
Radium-226 (Bq/g)	0.00006	-	0.00006	0.000004	0.00006	0.00001	0.00006	-	0.00006	0.000007	0.00006	0.000007	0.00006	0.000008	0.00006	0.000005	0.000062	-	0.00005	0.000004
Thorium-230 (Bq/g)	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-

Appendix B, Table 2
Summary fish flesh chemistry results for the EARMP community program, 2011 to 2023.

Chemical ¹	Fond du Lac (Fond du Lac River)																			
	Lake Whitefish																			
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2018 (n = 5)		2019 (n = 5)		2020 (n = 5)		2021 (n = 5)		2022 (n = 5)		2023 (n = 5)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
Metals																				
Aluminum	0.6	0.3	0.5	-	0.5	0.04	0.5	0.06	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-
Arsenic	0.24	0.14	0.06	0.034	0.11	0.11	0.19	0.14	0.26	0.021	0.09	0.1	0.25	0.045	0.03	0.007	0.35	0.102	0.29	0.16
Cadmium	0.002	0.001	0.002	0	0.002	-	0.002	-	0.002	0	0.002	0.001	0.002	0.0004	0.002	-	0.002	-	0.002	-
Cobalt	0.0040	0.0039	0.0054	0.0049	0.010	0.0067	0.010	0.0060	0.003	0.001	0.008	0.002	0.005	0.003	0.008	0.002	0.004	0.0012	0.0034	0.001
Copper	0.18	0.057	0.20	0.085	0.16	0.024	0.18	0.080	0.23	0.073	0.17	0.031	0.14	0.023	0.17	0.021	0.15	0.034	0.2	0.067
Iron	2.2	1.5	2.4	1.4	2.0	0.64	2.1	0.44	3.2	0.61	2.6	0.79	2.5	1.0	2.3	0.57	2.3	0.73	2.9	0.79
Lead	0.002	0.0007	0.002	-	0.003	0.003	0.004	0.002	0.003	0.001	0.002	0.001	0.002	-	0.002	-	0.002	-	0.002	-
Mercury	0.09	0.07	0.03	0.008	0.08	0.03	0.088	0.029	0.07	0.005	0.10	0.039	0.10	0.015	0.12	0.013	0.12	0.029	0.21	0.21
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	0.003	0.01	0	0.04	0.04	0.02	0.006	0.01	0	0.01	-	0.01	0.004	0.01	-	0.01	0	0.018	0.012
Selenium	0.22	0.048	0.20	0.052	0.16	0.052	0.25	0.090	0.26	0.039	0.18	0.067	0.25	0.044	0.22	0.036	0.29	0.069	0.26	0.054
Uranium	0.001	0.0007	0.001	-	0.002	0.001	0.001	0.0006	0.001	0.0004	0.001	-	0.001	-	0.001	0.0009	0.001	0	0.002	0.002
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	3.9	0.94	4.1	0.74	4.0	0.55	4.3	0.64	3.4	0.3	3.9	0.78	3.2	0.66	5.4	1.8	4.1	0.67	3.3	0.32
Radionuclides																				
Lead-210 (Bq/g)	0.004	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	0	0.001	-
Polonium-210 (Bq/g)	0.0004	0.0003	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.00022	-	0.0002	0.00004	0.0002	-	0.0002	0.00005	0.0002	-
Radium-226 (Bq/g)	0.0004	0.0007	0.00007	0.00002	0.00007	0.00001	0.00006	-	0.00006	-	0.00006	0.000004	0.00006	0.000008	0.00009	0.00006	0.00006	-	0.00008	0.00002
Thorium-230 (Bq/g)	0.002	-	0.0001	-	0.0001	0.00004	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.00014	0.00005

Appendix B, Table 2
Summary fish flesh chemistry results for the EARMP community program, 2011 to 2023.

Chemical ¹	Stony Rapids (Fond du Lac River)																			
	Lake Trout																			
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2018 (n = 5)		2019 (n = 5)		2020 (n = 4)		2021 (n = 5)		2022 (n = 5)		2023 (n = 5)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
Metals																				
Aluminum	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-
Arsenic	0.07	0.044	0.13	0.080	0.080	0.044	0.10	0.020	0.13	0.037	0.054	0.033	0.04	0.008	0.08	0.03	0.19	0.065	0.06	0.014
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-
Cobalt	0.002	0	0.002	-	0.004	0.002	0.004	0.0006	0.002	-	0.002	-	0.002	-	0.002	0.0004	0.003	0.0008	0.002	-
Copper	0.29	0.19	0.35	0.068	0.46	0.27	0.59	0.15	0.36	0.053	0.31	0.11	0.33	0.047	0.29	0.057	0.42	0.097	0.3	0.033
Iron	2.8	2.3	3.8	1.3	5.3	3.9	4.8	1.2	4.3	0.7	3.4	1.2	4.1	1.0	3.8	2.0	4.8	1.1	3.0	0.8
Lead	0.002	-	0.002	-	0.004	0.004	0.002	-	0.002	0	0.003	0.001	0.002	0.0005	0.002	-	0.002	0.0004	0.002	-
Mercury	0.33	0.16	0.18	0.072	0.20	0.052	0.17	0.031	0.10	0.0057	0.20	0.050	0.24	0.099	0.29	0.067	0.28	0.088	0.32	0.092
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	0	0.01	0	0.02	0.02	0.01	0.006	0.01	-	0.01	-	0.03	0.03	0.01	-	0.01	-	0.014	0.008
Selenium	0.14	0.037	0.17	0.018	0.15	0.011	0.17	0.012	0.16	0.018	0.13	0.011	0.18	0.026	0.15	0.017	0.16	0.018	0.14	0.011
Uranium	0.001	0.0003	0.001	-	0.001	-	0.001	-	0.001	-	0.001	0.0009	0.001	-	0.001	-	0.001	-	0.001	-
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	3.7	0.86	3.6	0.46	4.0	0.88	3.5	0.30	4.6	0.34	3.7	1.3	5.2	1.3	5.4	2.2	5.6	1.2	3.6	0.4
Radionuclides																				
Lead-210 (Bq/g)	0.001	0	0.001	0	0.001	-	0.001	-	0.001	0.0004	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-
Polonium-210 (Bq/g)	0.0002	0.00007	0.0002	0.00004	0.0002	-	0.0002	-	0.0002	0	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-
Radium-226 (Bq/g)	0.00006	-	0.00007	0.00002	0.00007	-	0.00006	-	0.00006	0.000004	0.00006	0.000005	0.00005	0.000005	0.00005	-	0.000064	-	0.00007	0.00002
Thorium-230 (Bq/g)	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.00012	0.00004	0.00012	0.00004

Appendix B, Table 2
Summary fish flesh chemistry results for the EARMP community program, 2011 to 2023.

Chemical ¹	Stony Rapids (Fond du Lac River)																			
	Lake Whitefish																			
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2018 (n = 5)		2019 (n = 5)		2020 (n = 5)		2021 (n = 5)		2022 (n = 5)		2023 (n = 5)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
Metals																				
Aluminum	0.5	-	0.50	-	0.5	-	0.5	0.06	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-
Arsenic	0.04	0.02	0.03	0.007	0.03	0.03	0.04	0.02	0.12	0.035	0.02	0.008	0.07	0.09	0.05	0.02	0.046	0.005	0.04	0.021
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.003	0.001	0.003	0.001	0.002	-	0.002	-	0.002	0	0.002	-
Cobalt	0.0060	0.0031	0.0046	0.00089	0.005	0.0021	0.014	0.0082	0.007	0.005	0.008	0.001	0.004	0.003	0.007	0.004	0.007	0.0004	0.004	0.0014
Copper	0.20	0.083	0.22	0.064	0.21	0.025	0.16	0.046	0.25	0.050	0.15	0.024	0.21	0.036	0.3	0.05	0.2	0.11	0.18	0.02
Iron	2.1	0.98	2.5	1.3	1.9	0.22	1.8	0.10	3.4	0.51	2.0	0.34	2.3	0.43	2.8	0.68	2.4	0.96	2.0	1.00
Lead	0.002	-	0.002	-	0.002	0.001	0.003	0.001	0.002	-	0.002	-	0.002	-	0.002	-	0.003	0.002	0.002	-
Mercury	0.13	0.10	0.06	0.021	0.093	0.027	0.041	0.0062	0.057	0.030	0.068	0.017	0.088	0.040	0.09	0.03	0.11	0.019	0.11	0.025
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	0.01	0.01	-	0.01	0.004	0.02	0.02	0.01	-	0.01	-	0.01	-	0.01	-	0.012	0.004	0.010	-
Selenium	0.15	0.049	0.13	0.013	0.12	0.029	0.13	0.036	0.17	0.056	0.10	0.015	0.17	0.083	0.13	0.041	0.11	0.015	0.19	0.071
Uranium	0.001	0	0.001	-	0.002	0.003	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	0.0004	0.001	-
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	4.9	1.7	4.3	0.61	3.7	0.53	4.6	0.26	4.6	0.74	3.5	1.5	4.3	0.82	5.2	0.99	4.5	1.0	4.3	0.7
Radionuclides																				
Lead-210 (Bq/g)	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	0.0004	0.001	-	0.0012	0.0004	0.0010	-
Polonium-210 (Bq/g)	0.0003	-	0.0002	0	0.0002	0	0.0002	-	0.0002	0.00009	0.00024	-	0.0002	-	0.0002	-	0.00044	0.00034	0.00022	0.00004
Radium-226 (Bq/g)	0.0002	0.0003	0.00007	0.00002	0.00006	-	0.00006	-	0.00006	-	0.00006	0.000004	0.00007	0.00001	0.00006	-	0.000066	-	0.00007	0.00002
Thorium-230 (Bq/g)	0.0003	0.0006	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	0.00005	0.0001	-	0.00014	-	0.000133	0.00005

Appendix B, Table 2
Summary fish flesh chemistry results for the EARMP community program, 2011 to 2023.

Chemical ¹	Uranium City (Prospectors Bay or Crackingstone Inlet)																					
	Lake Trout																					
	2011 Baseline (Crackingstone) (n = 5)		2012 Baseline (Prospectors) (n = 5)		2013 (Prospectors) (n = 5)		2014 (Prospectors) (n = 5)		2016 (Prospectors) (n = 3)		2018 (Prospectors) (n = 5)		2019 (Prospectors) (n = 5)		2020 (Prospectors) (n = 5)		2021 (Crackingstone) (n = 5)		2022 (Crackingstone) (n = 5)		2023 (Crackingstone) (n = 5)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
Metals																						
Aluminum	0.6	0.2	0.5	-	0.5	-	0.5	-	0.6	0.1	0.5	-	0.5	-	0.5	-	0.5	-	0.52	0.045	0.5	-
Arsenic	0.09	0.03	0.08	0.03	0.06	0.02	0.084	0.07	0.12	0.061	0.12	0.11	0.094	0.044	0.074	0.039	0.12	0.10	0.12	0.018	0.096	0.054
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-
Cobalt	0.002	0.0004	0.002	-	0.002	-	0.002	0	0.003	0.001	0.003	0.001	0.002	-	0.002	-	0.002	-	0.004	0.003	0.002	-
Copper	0.21	0.053	0.24	0.029	0.22	0.042	0.29	0.027	0.36	0.24	0.30	0.11	0.32	0.078	0.28	0.069	0.24	0.084	0.29	0.079	0.26	0.088
Iron	3.0	1.4	2.8	1.1	3.0	2.6	2.7	0.62	3.4	2.6	2.7	1.3	2.3	0.36	1.8	0.46	1.92	1.19	3.0	0.82	2.5	0.73
Lead	0.002	-	0.002	-	0.003	0.002	0.002	0.0005	0.002	0	0.002	-	0.002	-	0.003	0.0009	0.002	-	0.003	0.0009	0.002	-
Mercury	0.16	0.024	0.20	0.046	0.14	0.056	0.17	0.069	0.15	0.031	0.17	0.080	0.14	0.037	0.15	0.042	0.16	0.024	0.22	0.076	0.28	0.082
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	0.004	0.01	-	0.01	0.004	0.01	0.004	0.01	-	0.01	-	0.01	-	0.01	-	0.01	-	0.01	0.004	0.01	-
Selenium	0.16	0.034	0.17	0.005	0.15	0.019	0.15	0.0055	0.15	0.036	0.18	0.0089	0.16	0.012	0.18	0.019	0.27	0.21	0.18	0.016	0.17	0.029
Uranium	0.001	0	0.001	-	0.001	-	0.002	0.002	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	0	0.002	0.002
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	4.8	2.2	4.3	0.65	3.0	0.48	4.8	2.0	4.2	1.7	4.1	1.6	3.5	0.53	3.9	0.91	4.66	2.04	4.6	1.0	3.9	1.1
Radionuclides																						
Lead-210 (Bq/g)	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.0016	0.0005	0.0010	-
Polonium-210 (Bq/g)	0.0002	-	0.0002	-	0.0002	0	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-
Radium-226 (Bq/g)	0.0001	0.0001	0.00006	0.000004	0.00009	0.000061	0.00006	0.00001	0.00006	-	0.00006	0.00001	0.00006	0.000007	0.00007	0.00001	0.00006	0.00001	0.000066	-	0.00005	0.000004
Thorium-230 (Bq/g)	0.0001	0.00004	0.0001	-	0.0001	0.00004	0.0001	-	0.0001	-	0.00012	0.00004	0.0001	-	0.0001	0.00005	0.0001	-	0.00012	0.00004	0.00010	-

Appendix B, Table 2
Summary fish flesh chemistry results for the EARMP community program, 2011 to 2023.

Chemical ¹	Uranium City (Prospectors Bay or Crackingstone Inlet)																					
	Lake Whitefish																					
	2011 Baseline (Crackingstone) (n = 5)		2012 Baseline (Prospectors) (n = 5)		2013 (Prospectors) (n = 5)		2014 (Prospectors) (n = 5)		2016 (Prospectors) (n = 3)		2018 (Prospectors) (n = 5)		2019 (Prospectors) (n = 5)		2020 (Prospectors) (n = 3)		2021 (Crackingstone) (n = 5)		2022 (Crackingstone) (n = 5)		2023 (Crackingstone) (n = 5)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
Metals																						
Aluminum	0.5	-	0.5	-	0.5	-	0.5	0.04	0.5	0	0.5	-	0.5	-	0.5	-	0.5	0.04	0.5	-	0.5	-
Arsenic	0.10	0.029	0.07	0.029	0.19	0.026	0.10	0.075	0.070	0.044	0.076	0.049	0.080	0.035	0.080	0.061	0.16	0.059	0.18	0.071	0.128	0.056
Cadmium	0.002	0.0004	0.002	-	0.002	0	0.002	0	0.002	-	0.002	-	0.002	-	0.002	-	0.002	0.0004	0.002	-	0.002	-
Cobalt	0.004	0.003	0.006	0.005	0.009	0.006	0.008	0.005	0.004	0.001	0.005	0.001	0.003	0.001	0.01	0.003	0.002	0.0005	0.0064	0.0071	0.0052	0.0025
Copper	0.20	0.036	0.15	0.026	0.26	0.11	0.29	0.11	0.20	0.032	0.26	0.055	0.16	0.025	0.32	0.09	0.22	0.078	0.18	0.034	0.214	0.056
Iron	2.8	1.5	1.6	0.38	2.3	0.55	3.0	1.3	1.8	0.23	2.2	0.5	1.8	0.87	3.2	1.3	2.3	1.2	1.8	0.72	1.92	0.29
Lead	0.002	-	0.002	-	0.002	0.0006	0.005	0.004	0.003	0.002	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-
Mercury	0.04	0.03	0.09	0.04	0.03	0.02	0.04	0.01	0.058	0.019	0.04	0.008	0.07	0.02	0.03	0.001	0.05	0.01	0.07	0.02	0.05	0.01
Molybdenum	0.02	0	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.02	0.03	0.01	-	0.01	0	0.02	0.02	0.01	-	0.01	-	0.01	-	0.01	-	0.01	-	0.014	0.009	0.010	-
Selenium	0.77	1.0	0.26	0.040	0.25	0.012	0.24	0.031	0.27	0.036	0.59	0.73	0.29	0.046	0.7	0.62	0.78	0.69	0.81	0.59	1.12	0.64
Uranium	0.007	0.004	0.001	-	0.001	-	0.002	0.0009	0.001	-	0.001	0.0004	0.001	-	0.004	0.005	0.001	0.0005	0.002	0.0005	0.0030	0.0015
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	4.5	0.7	4.8	1.6	4.3	1.7	4.6	0.74	4.6	1.5	5.1	0.7	3.6	0.29	4.4	0.25	5.5	1.4	4.4	0.77	4.16	0.57
Radionuclides																						
Lead-210 (Bq/g)	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.0012	0.0004	0.0010	-
Polonium-210 (Bq/g)	0.0004	0.0003	0.0003	0.0002	0.0002	0.00006	0.0007	0.0003	0.0002	0.0001	0.0005	0.0003	0.0004	-	0.0007	0.0005	0.0006	0.0003	0.0005	0.0002	0.0006	0.0003
Radium-226 (Bq/g)	0.0001	0.0001	0.00006	-	0.00006	0	0.00008	0.00002	0.00006	-	0.00006	-	0.00006	-	0.00006	0.000006	0.00006	-	0.00008	-	0.00007	0.00002
Thorium-230 (Bq/g)	0.0002	0.0001	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	0	0.0001	-	0.0001	-	0.0001	-	0.00018	0.00004	0.00014	0.00005

Appendix B, Table 2
Summary fish flesh chemistry results for the EARMP community program, 2011 to 2023.

Chemical ¹	Wollaston Lake/Hatchet Lake (Wollaston Lake)																			
	Lake Trout																			
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2018 (n = 5)		2019 (n = 5)		2020 (n = 5)		2021 (n = 5)		2021 (n = 5)		2023 (n = 5)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
Metals																				
Aluminum	0.5	-	0.50	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.52	0.04
Arsenic	0.04	0.02	0.03	0.02	0.03	0.01	0.05	0.04	0.08	0.03	0.074	0.061	0.032	0.016	0.05	0.02	0.092	0.028	0.032	0.015
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-
Cobalt	0.002	-	0.002	-	0.003	0.002	0.003	0.001	0.002	-	0.002	0.001	0.002	0.0004	0.002	-	0.003	0.003	0.003	0.001
Copper	0.45	0.15	0.34	0.030	0.31	0.077	0.28	0.072	0.42	0.16	0.30	0.18	0.33	0.088	0.24	0.032	0.44	0.20	0.23	0.02
Iron	3.0	1.3	2.4	0.36	2.0	0.43	2.7	1.1	3.5	1.1	2.3	1.4	2.4	1.0	1.9	0.42	3.6	1.5	1.6	0.2
Lead	0.002	-	0.003	0.001	0.002	0.0009	0.002	-	0.002	0.0009	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-
Mercury	0.16	0.035	0.12	0.038	0.24	0.083	0.20	0.035	0.15	0.041	0.15	0.043	0.16	0.047	0.16	0.091	0.17	0.045	0.24	0.057
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	0.003	0.01	-	0.02	0.02	0.01	-	0.01	-	0.01	-	0.01	-	0.01	-	0.01	-	0.012	0.004
Selenium	0.21	0.036	0.20	0.011	0.19	0.019	0.23	0.017	0.20	0.056	0.24	0.11	0.23	0.014	0.21	0.047	0.19	0.028	0.17	0.013
Uranium	0.001	-	0.001	0.0004	0.001	0	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	4.4	1.3	4.4	0.83	3.2	0.83	3.0	0.85	4.9	1.0	3.9	1.2	4.4	1.6	4.1	0.48	4.9	1.1	2.8	0.3
Radionuclides																				
Lead-210 (Bq/g)	0.001	0	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	0	0.001	-
Polonium-210 (Bq/g)	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0004	0.0004	0.0002	-	0.0002	-	0.0002	-	0.0002	-
Radium-226 (Bq/g)	0.00009	0.00008	0.00009	0.00006	0.00005	-	0.00006	-	0.00006	0.000004	0.00006	0.000004	0.00006	0.000009	0.00006	-	0.00007	-	0.00005	-
Thorium-230 (Bq/g)	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	0.00004	0.0001	-	0.00014	-	0.0001	-

Appendix B, Table 2
Summary fish flesh chemistry results for the EARMP community program, 2011 to 2023.

Chemical ¹	Wollaston Lake/Hatchet Lake (Wollaston Lake)																			
	Lake Whitefish																			
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2018 (n = 5)		2019 (n = 5)		2020 (n = 5)		2021 (n = 5)		2022 (n = 5)		2023 (n = 5)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
Metals																				
Aluminum	0.5	-	0.5	-	0.5	-	0.5	0	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-
Arsenic	0.16	0.042	0.15	0.035	0.11	0.035	0.11	0.076	0.11	0.034	0.080	0.037	0.14	0.099	0.21	0.040	0.18	0.082	0.2	0.03
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.003	0.002	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-
Cobalt	0.002	0.0010	0.002	0	0.003	0.001	0.003	0.0006	0.003	0.001	0.002	0.001	0.003	0.001	0.003	0.001	0.003	0.001	0.002	0.0004
Copper	0.16	0.045	0.14	0.015	0.15	0.016	0.26	0.16	0.24	0.048	0.23	0.064	0.22	0.11	0.18	0.036	0.19	0.091	0.15	0.015
Iron	1.7	0.79	2.1	0.59	1.9	0.57	3.8	1.9	4.2	1.5	2.4	0.58	2.2	0.72	2.22	0.602	2.4	0.55	1.6	0.33
Lead	0.002	0	0.002	0	0.003	0.001	0.002	-	0.005	0.002	0.002	-	0.002	-	0.002	-	0.002	0.0009	0.002	0.0004
Mercury	0.050	0.019	0.040	0.023	0.088	0.015	0.081	0.034	0.083	0.014	0.090	0.045	0.092	0.072	0.075	0.015	0.09	0.022	0.068	0.011
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	-	0.01	0.004	0.01	0.004	0.01	0	0.01	0.004	0.01	-	0.01	-	0.01	-	0.01	-	0.01	-
Selenium	0.45	0.10	0.36	0.046	0.38	0.039	0.55	0.40	0.42	0.032	0.49	0.23	0.40	0.12	0.47	0.091	0.37	0.096	0.54	0.064
Uranium	0.001	-	0.001	-	0.001	0	0.001	-	0.002	0.0009	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	4.1	0.67	4.0	0.88	3.6	0.89	4.9	2.4	5.0	1.7	3.4	0.32	4.3	0.69	4.0	0.79	4.3	0.91	3.4	0.32
Radionuclides																				
Lead-210 (Bq/g)	0.002	-	0.0009	0.0003	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-
Polonium-210 (Bq/g)	0.0005	0.0004	0.0004	0.0004	0.0003	0.0001	0.0004	0.0003	0.0007	0.0002	0.0006	0.0005	0.0002	0.0001	0.0003	0.0001	0.0003	0.00009	0.0013	0.00052
Radium-226 (Bq/g)	0.0005	0.0008	0.0003	0.0004	0.00007	0.00002	0.00006	-	0.00006	0.000005	0.00006	0.000007	0.00006	0.00001	0.00005	0.00001	0.00006	-	0.00005	0.000005
Thorium-230 (Bq/g)	0.0007	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	0.00004	0.0001	-	0.00012	-	0.0001	-

¹All concentrations are reported on a µg/g wet weight basis, except when specified otherwise.

²Regional reference data are from reference lakes north of Point’s North sampled between 2006 and 2014. The median corresponds to the 50th percentile, while the lower and upper limits are the 2.5th and 97.5th percentiles that delimit the 95% range of the reference data.

³Regional reference ranges could not be computed when all or nearly all values were lower than the reported detection limit (RDL).

⁴Insufficient sample material available for one of the samples to be analysed for Thorium-230, thus n = 3 for this parameter.

S.D. = standard deviation; standard deviations of 0 signify "no variance between samples", not "a very small variance"; while "-" indicates insufficient data to calculate S.D.

Values less than the RDL were set equal to the RDL when calculating summary statistics.

Appendix B, Table 3

Summary barren-ground caribou flesh chemistry results for the EARMP community program, 2011 to 2023.

Chemical ¹	Regional Reference Range ^{2, 3}			
	Lower Limit	Median	Upper Limit	n
Metals				
Aluminum	0.02	0.3	1.1	11
Arsenic	0.01	0.04	0.2	32
Cadmium	0.002	0.004	0.01	13
Cobalt	0.001	0.004	0.009	13
Copper	1.7	2.9	4.9	30
Iron	25	39	62	32
Lead	0.003	0.003	0.39	13
Molybdenum	-	-	-	32
Nickel	0.01	0.02	0.04	32
Selenium	0.06	0.28	0.69	32
Uranium	0.001	0.001	0.003	32
Vanadium	-	-	-	32
Zinc	9.0	29	55	32
Radionuclides				
Lead-210 (Bq/g)	0.001	0.001	0.003	32
Polonium-210 (Bq/g)	-	-	-	0
Radium-226 (Bq/g)	0.00003	0.00006	0.00011	25
Thorium-230 (Bq/g)	-	-	-	0

Appendix B, Table 3

Summary barren-ground caribou flesh chemistry results for the EARMP community program, 2011 to 2023.

Chemical ¹	Black Lake								
	Baseline (n = 10)		2013/2014 (n = 5)		2014/2015 (n = 5)		2016/2017 (n = 2)	2023 (n = 3)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	Average	S.D.
Metals									
Aluminum	0.5	0	0.7	0.304959	0.5	-	0.5	<0.5	-
Arsenic	0.02	0.008	0.01	0	0.026	0.009	0.03	0.013	0.006
Cadmium	0.003	0.002	0.003	0.001	0.002	-	0.004	0.01	0.007
Cobalt	0.004	0.002	0.002	0	0.01	0.004	0.005	0.006	0.001
Copper	3.3	0.54	3.6	0.96	4.1	1.0	2.6	2.7	1.4
Iron	41	6.6	47	9.1	43	8.5	34	34	12
Lead	0.08	0.17	0.12	0.25	0.008	0.004	0.025	0.013	0.003
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	<0.02	-
Nickel	0.01	0.005	0.01	-	0.02	0.02	0.01	<0.01	-
Selenium	0.19	0.034	0.20	0.036	0.21	0.027	0.18	0.18	0.067
Uranium	0.001	0	0.001	-	0.001	-	0.001	0.001	0.001
Vanadium	0.02	-	0.02	-	0.02	-	0.02	<0.02	-
Zinc	26	6.2	23	4.4	23	14	41	29	12
Radionuclides									
Lead-210 (Bq/g)	0.001	0	0.001	-	0.001	-	0.001	0.001	0.0006
Polonium-210 (Bq/g)	0.0080	0.0032	0.015	0.0044	0.015	0.0023	0.0072	0.0073	0.0093
Radium-226 (Bq/g)	0.0028	0.0031	0.00016	0.00013	0.0001	0.0001	0.00006	<0.000067	0.00002
Thorium-230 (Bq/g)	0.0001	-	0.0001	-	0.0001	0.0001	0.0001	<0.00013	0.00006

Appendix B, Table 3

Summary barren-ground caribou flesh chemistry results for the EARMP community program, 2011 to 2023.

Chemical ¹	Fond du Lac								
	Baseline (n = 11)		2013/2014 (n = 5)		2014/2015 (n = 3)		2015/2016 (n = 2)	2016/2017 (n=2)	2023 (n=2)
	Average	S.D.	Average	S.D.	Average	S.D.	Average	Average	Average
Metals									
Aluminum	0.5	-	0.5	0	0.5	0.06	0.5	<0.5	0.6
Arsenic	0.01	0.005	0.01	0.009	0.01	0	0.01	0.02	0.03
Cadmium	0.02	0.04	0.003	0.001	0.005	0.002	0.01	0.004	0.003
Cobalt	0.005	0.003	0.004	0.001	0.005	0.001	0.005	0.004	0.005
Copper	3.2	0.84	3.9	0.71	2.7	0.80	2.8	2.9	4.1
Iron	39	8.0	43	9.2	40	6.4	42	48	43
Lead	0.005	0.004	0.002	0.0004	0.003	0.001	0.007	0.005	0.007
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	<0.02	<0.02
Nickel	0.02	0.02	0.01	-	0.01	0	0.01	<0.01	<0.01
Selenium	0.17	0.060	0.19	0.021	0.17	0.015	0.16	0.18	0.20
Uranium	0.001	0.0004	0.001	-	0.001	-	0.001	<0.001	0.003
Vanadium	0.02	-	0.02	-	0.02	-	0.02	0.02	<0.02
Zinc	30	18	26	3.2	36	20	36	27	31
Radionuclides									
Lead-210 (Bq/g)	0.002	0.002	0.001	-	0.001	-	0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.012	0.0057	0.012	0.0015	0.0075	0.00045	0.0016	0.0096	0.0033
Radium-226 (Bq/g)	0.00008	0.00004	0.00007	0.000009	0.00007	0.00001	0.00008	<0.00008	<0.00006
Thorium-230 (Bq/g)	0.0001	0.00007	0.0001	-	0.0001	-	0.0001	<0.0002	0.0001

Appendix B, Table 3

Summary barren-ground caribou flesh chemistry results for the EARMP community program, 2011 to 2023.

Chemical ¹	Stony Rapids						Uranium City	
	Baseline (n = 8)		2013/2014 (n = 3)		2014/2015 (n = 5)		2018 (n = 3)	
	Average	S.D.	Average	S.D.	Average	S.D.	Average	S.D.
Metals								
Aluminum	0.6	0.31	0.5	-	0.5	-	0.5	-
Arsenic	0.01	0.004	0.02	0.01	0.02	0.006	0.01	0
Cadmium	0.003	0.0008	0.004	0.004	0.004	0.002	0.005	0.003
Cobalt	0.004	0.001	0.003	0.001	0.004	0.001	0.004	0.001
Copper	4.1	0.56	2.5	0.81	3.5	0.62	1.8	0.56
Iron	52	3.7	39	1.2	44	5.5	35	2.6
Lead	0.017	0.027	0.030	0.024	0.004	0.003	0.003	0.001
Molybdenum	0.02	-	0.020	-	0.02	-	0.020	-
Nickel	0.01	0	0.08	0.087	0.01	-	0.01	-
Selenium	0.22	0.022	0.14	0.025	0.19	0.017	0.13	0.025
Uranium	0.001	0.0004	0.001	-	0.001	0.0004	0.001	-
Vanadium	0.02	-	<0.02	-	0.02	-	0.02	-
Zinc	19	6.5	35	16.1	22	9.8	47	16
Radionuclides								
Lead-210 (Bq/g)	0.001	0.0004	0.001	0.0006	0.001	-	0.001	-
Polonium-210 (Bq/g)	0.013	0.012	0.0081	0.0021	0.022	0.0069	0.0054	0.00056
Radium-226 (Bq/g)	0.001	0.0005	0.00006	-	0.00008	0.00001	0.0002	-
Thorium-230 (Bq/g)	0.002	-	0.0001	-	0.0002	-	0.0005	-

Appendix B, Table 3

Summary barren-ground caribou flesh chemistry results for the EARMP community program, 2011 to 2023.

Chemical ¹	Wollaston Lake/Hatchet Lake									
	Baseline (n = 10)		2013/2014 (n = 5)		2014/2015 (n = 4)		2016/2017 (n = 2)	2020/2021 (n = 3)		2023 (n = 1)
	Average	S.D.	Average	S.D.	Average	S.D.	Average	Average	S.D.	
Metals										
Aluminum	0.52	0.063	0.5	0.04	0.5	-	0.5	0.5	-	<0.5
Arsenic	0.01	0.005	0.01	0.005	0.01	0.005	0.03	0.01	0.01	0.02
Cadmium	0.004	0.002	0.002	0.0004	0.010	0.012	0.004	0.004	0.001	0.006
Cobalt	0.005	0.002	0.004	0.002	0.009	0.006	0.004	0.004	0.002	0.002
Copper	3.2	0.68	3.3	0.59	3.2	0.48	3.3	2.3	0.90	2.3
Iron	41	11	39	9.2	39	11	42	34	11	37
Lead	0.015	0.018	0.003	0.001	0.28	0.55	0.27	0.75	1.2	0.01
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	0.02	-	<0.02
Nickel	0.01	0.003	0.01	-	0.01	-	0.01	0.01	-	<0.01
Selenium	0.16	0.026	0.18	0.032	0.16	0.021	0.21	0.17	0.078	0.19
Uranium	0.001	-	0.001	-	0.001	-	0.001	0.001	-	<0.001
Vanadium	0.02	-	0.02	-	0.02	-	0.02	0.02	-	<0.02
Zinc	29	11.6	18	3.8	26	6.2	41	54	11	36
Radionuclides										
Lead-210 (Bq/g)	0.001	0.0003	0.001	-	0.001	-	0.001	0.001	0.0006	<0.001
Polonium-210 (Bq/g)	0.013	0.0029	0.011	0.0032	0.0063	0.0015	0.0079	0.0090	0.0006	0.0032
Radium-226 (Bq/g)	0.00007	0.00001	0.0001	0.00006	0.00007	0.00002	0.00007	0.0001	0.00002	<0.00005
Thorium-230 (Bq/g)	0.0001	-	0.0001	0.00005	0.0001	-	0.0001	0.0001	0.00006	<0.0001

¹All concentrations are reported in µg/g wet weight basis, except when specified otherwise.²Regional reference data are from the AWG program (2000 to 2010) and the Uranium City Country Foods program (2011). Data are not available from all communities in all years. The median corresponds to the 50th percentile, while the lower and upper limits are the 2.5th and 97.5th percentiles that delimit the 95% range of the reference data.³Regional reference ranges could not be computed when all or nearly all values were lower than the reported detection limit (RDL).⁴One of the caribou flesh samples was significantly contaminated by lead shot and removed from the calculation of descriptive statistics. Detailed data are provided in Appendix C.

S.D. = Standard deviation; S.D. of 0 signify "no variance between samples"; "-" indicates insufficient data to calculate S.D.

<RDL = less than the laboratory reported detection limit.

Values less than the RDL were set equal to the RDL when calculating summary statistics.

Appendix B, Table 4

Summary moose flesh chemistry results for the EARMP community program, 2011 to 2023.

Chemical ¹	Regional Reference Range ^{2, 3}			
	Lower Limit	Median	Upper Limit	n
Metals				
Aluminum	0.2	0.5	10.9	40
Arsenic	0.01	0.02	0.21	37
Cadmium	0.002	0.004	0.014	10
Cobalt	0.007	0.015	0.031	10
Copper	0.7	1.3	2.1	40
Iron	14	30	53	40
Lead	0.002	0.010	0.032	10
Molybdenum	-	-	-	-
Nickel	0.01	0.01	0.10	38
Selenium	0.05	0.23	0.53	37
Uranium	0.001	0.001	0.011	36
Vanadium	-	-	-	-
Zinc	19	48	79	40
Radionuclides				
Lead-210 (Bq/g)	0.0001	0.0002	0.0013	35
Polonium-210 (Bq/g)	-	-	-	-
Radium-226 (Bq/g)	0.00005	0.00005	0.00009	35
Thorium-230 (Bq/g)	-	-	-	-

Appendix B, Table 4
Summary moose flesh chemistry results for the EARMF community program, 2011 to 2023.

Chemical ¹	Camsell Portage						Fond Du Lac		Stony Rapids				
	Baseline (n = 4)		2013/2014 (n = 2)	2014/2015 (n = 2)	2015/2016 (n = 2)	2023 (n = 1)	2016 (n = 1)	2023 (n = 1)	2016 (n = 1)	2018 (n = 1)	2020/2021 (n = 3)		2023 (n = 1)
	Average	S.D.	Average	Average	Average						Average	S.D.	
Metals													
Aluminum	2.2	1.5	0.5	2.5	2.8	1.4	0.6	1.9	0.5	<0.5	0.7	0.2	1.6
Arsenic	0.01	-	0.01	0.01	0.01	0.01	<0.01	0.02	0.01	<0.01	0.01	-	0.02
Cadmium	0.003	0.002	0.003	0.027	0.005	0.004	0.002	0.003	0.002	<0.002	0.008	0.006	<0.002
Cobalt	0.014	0.0054	0.014	0.018	0.011	0.018	0.011	0.017	0.019	0.012	0.018	0.011	0.005
Copper	1.7	0.34	1.7	1.0	1.2	0.99	1.5	0.86	1.7	0.82	1.0	0.34	1.3
Iron	25	3.3	32	27	29	26	38	28	29	12	37	15	24
Lead	0.010	0.010	0.003	0.020	0.003	0.004	0.01	18	0.01	<0.002	0.02	0.01	0.002
Molybdenum	0.02	-	0.02	0.02	0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.02	-	<0.02
Nickel	0.02	0.006	0.01	0.01	0.02	<0.01	<0.01	0.01	0.02	<0.01	0.01	-	<0.01
Selenium	0.12	0.059	0.06	0.08	0.15	0.140	0.1	0.1	0.09	0.16	0.15	0.020	0.31
Uranium	0.001	-	0.001	0.002	0.002	<0.001	<0.001	0.003	<0.001	<0.001	0.001	-	<0.001
Vanadium	0.02	-	0.02	0.02	0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.02	-	<0.02
Zinc	39	10	52	61	55	58.0	53	68	49	32	54	6.9	41
Radionuclides													
Lead-210 (Bq/g)	0.0008	-	0.001	0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	-	<0.001
Polonium-210 (Bq/g)	0.0009	0.00090	0.0003	0.0003	0.0008	<0.0002	0.0003	0.0002	0.0006	0.0006	0.0009	0.0001	0.0013
Radium-226 (Bq/g)	0.00010	0.000066	0.00007	0.00006	0.00007	<0.00007	<0.00005	<0.00006	<0.00007	<0.00007	0.0001	0.00003	<0.00006
Thorium-230 (Bq/g)	0.0001	0.00006	0.0001	0.0001	0.00010	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0003	0.0001	<0.0001

Appendix B, Table 4
Summary moose flesh chemistry results for the EARMF community program, 2011 to 2023.

Chemical ¹	Uranium City										
	Baseline (n = 7)		2013/2014 (n = 3)		2014/2015 (n = 1)	2015/2016 (n = 1)	2016 (n = 1)	2018 (n = 2)	2020/2021 (n = 2)	2023 (n = 3)	
	Average	S.D.	Average	S.D.				Average	Average	Average	S.D.
Metals											
Aluminum	0.8	0.76	0.5	0.1	0.6	<0.5	0.5	<0.5	0.7	0.5	0.1
Arsenic	0.01	0	0.01	-	<0.01	<0.01	<0.01	<0.01	0.01	0.01	0.006
Cadmium	0.005	0.0030	0.004	0.001	0.056	0.018	0.011	0.004	0.011	0.004	0.002
Cobalt	0.012	0.0047	0.010	0.0015	0.009	0.044	0.009	0.011	0.016	0.012	0.004
Copper	1.8	0.92	1.7	0.26	1.9	1.5	1.8	1.2	1.4	1.3	0.06
Iron	33	6.9	32	5.7	36	33	25	30	35	28	3.6
Lead	0.003	0.001	0.01	0.01	0.003	0.002	0.01	0.004	0.004	0.004	0.002
Molybdenum	0.02	-	0.02	-	<0.02	<0.02	<0.02	<0.02	0.02	<0.02	-
Nickel	0.01	0.005	0.01	-	<0.01	<0.01	0.02	<0.01	0.01	0.02	0.01
Selenium	0.12	0.034	0.10	0.021	0.14	0.08	0.13	0.14	0.11	0.13	0.017
Uranium	0.001	0.0008	0.001	-	<0.001	<0.001	<0.001	<0.001	0.001	0.002	0.001
Vanadium	0.02	-	0.02	-	<0.02	<0.02	<0.02	<0.02	0.02	<0.02	-
Zinc	52	13	49	6.1	52	52	35	45	51	56	10
Radionuclides											
Lead-210 (Bq/g)	0.0007	0.0007	0.001	-	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	-
Polonium-210 (Bq/g)	0.0006	0.0008	0.0004	0.0001	0.0016	0.001	0.0008	0.0003	0.0004	0.0004	0.0001
Radium-226 (Bq/g)	0.00007	-	0.00008	0.00003	<0.00005	0.00006	<0.00009	<0.00007	0.00006	<0.00006	-
Thorium-230 (Bq/g)	0.0001	0.00005	0.0001	-	<0.0001	<0.0001	<0.0002	<0.0003	0.0001	<0.0001	-

Appendix B, Table 4
Summary moose flesh chemistry results for the EARMF community program, 2011 to 2023.

Chemical ¹	Wollaston Lake/Hatchet Lake			2023 (n = 1)
	2020/2021 (n = 2)			
	1	2	Average	
Metals				
Aluminum	<0.5	<0.5	0.5	0.6
Arsenic	<0.01	0.01	0.01	0.03
Cadmium	0.006	0.004	0.005	0.005
Cobalt	0.006	<0.002	0.004	0.007
Copper	1.9	2.0	2.0	1.9
Iron	40	35	38	35
Lead	0.29	0.020	0.16	20
Molybdenum	<0.02	<0.02	0.02	<0.02
Nickel	<0.01	<0.01	0.01	<0.01
Selenium	0.18	0.15	0.17	0.15
Uranium	<0.001	<0.001	0.001	0.002
Vanadium	<0.02	<0.02	0.02	<0.02
Zinc	50	49	50	76
Radionuclides				
Lead-210 (Bq/g)	<0.001	0.002	0.002	<0.001
Polonium-210 (Bq/g)	0.0030	0.0034	0.0032	0.0019
Radium-226 (Bq/g)	<0.0001	<0.0001	0.0001	<0.00009
Thorium-230 (Bq/g)	<0.0002	<0.0002	0.0002	<0.0002

¹All concentrations are reported on a µg/g wet weight basis, except when specified otherwise.

²Regional reference data are from the AWG program. Data used are from 2000 to 2010. However, data are not available from all communities in all years.

³Regional reference ranges could not be computed when all or nearly all values were lower than the reported detection limit (RDL).

S.D. = Standard deviation; S.D. of 0 signify "no variance between samples"; "-" indicates insufficient data to calculate S.D.

<RDL = less than the laboratory reported detection limit.

Values less than the RDL were set equal to the RDL when calculating summary statistics.

Appendix B, Table 5

Summary barren-ground caribou and moose organ chemistry results for the EARMP community program, 2014 to 2023.

Chemical ¹	Caribou													
	Black Lake			Fond du Lac				Uranium City				Wollaston Lake		
	Heart (n = 1)	Kidney (n = 2)		Heart (n = 1)	Kidney (n = 5)		Liver (n = 1)	Heart (n = 3)		Liver (n = 3)		Liver (n = 5)		Heart (n = 1)
		Average	<RDL		Average	<RDL		Average	<RDL	Average	<RDL	Average	<RDL	
Metals														
Aluminum	<0.5	0.6	1	<0.5	0.5	5	<0.5	0.5	3	0.5	3	0.6	2	<0.5
Arsenic	0.01	0.02	0	0.01	0.01	2	<0.01	0.01	3	0.01	2	0.01	1	<0.01
Cadmium	0.004	5.8	0	0.002	8.0	0	0.004	0.003	1	1.2	0	1.6	0	0.005
Cobalt	0.014	0.049	0	0.02	0.036	0	0.013	0.011	0	0.061	0	0.075	0	0.017
Copper	4.5	4.3	0	4.5	4.2	0	3.3	4.5	0	30	0	35	0	4.1
Iron	55	31	0	59	46	0	37	62	0	243	0	194	0	69
Lead	0.005	0.056	0	0.01	0.086	0	0.003	0.002	2	0.07	0	0.098	0	0.31
Molybdenum	<0.02	0.18	0	<0.02	0.13	0	<0.02	0.02	3	0.37	0	0.76	0	<0.02
Nickel	<0.01	0.02	1	0.01	0.01	3	0.02	0.01	3	0.01	3	0.01	3	<0.01
Selenium	0.27	0.97	0	0.26	1.3	0	0.18	0.25	0	0.30	0	0.39	0	0.27
Uranium	<0.001	0.001	2	<0.001	0.001	5	<0.001	0.001	3	0.001	3	0.003	5	<0.001
Vanadium	<0.02	0.02	2	<0.02	0.02	5	<0.02	0.02	3	0.02	3	0.02	5	<0.02
Zinc	19	24	0	20	26	0	37	18	0	24	0	33	0	20
Radionuclides														
Lead-210 (Bq/g)	<0.001	0.036	0	<0.001	0.064	0	<0.001	0.002	3	0.084	0	0.063	1	<0.001
Polonium-210 (Bq/g)	0.012	0.070	0	0.0092	0.081	0	0.0088	0.012	0	0.18	0	0.22	0	0.015
Radium-226 (Bq/g)	<0.00006	0.0003	1	<0.00007	0.0005	0	<0.00006	0.0005	3	0.001	3	0.0001	2	<0.0001
Thorium-230 (Bq/g)	<0.0001	0.0003	2	<0.0001	0.0004	4	<0.0001	0.001	3	0.002	3	0.0002	5	<0.0002

Appendix B, Table 5

Summary barren-ground caribou and moose organ chemistry results for the EARMP community program, 2014 to 2023.

Chemical ¹	Moose													
	Camsell Portage				Stony Rapids					Uranium City				
	Liver (n = 4)		Kidney (n = 5)		Kidney (n = 3)		Heart (n = 3)		Liver (n = 1)	Liver (n = 4)		Heart (n = 1)	Kidney (n = 4)	
	Average	<RDL	Average	<RDL	Average	<RDL	Average	<RDL		Average	<RDL		Average	<RDL
Metals														
Aluminum	0.7	1	0.7	3	0.5	2	0.7	2	<0.5	0.7	3	<0.5	0.5	3
Arsenic	0.02	3	0.01	5	0.01	1	0.01	2	0.02	0.01	2	0.02	0.01	2
Cadmium	1.4	0	5.4	0	1.2	0	0.01	0	0.33	0.86	0	0.006	12.2	0
Cobalt	0.18	0	0.13	0	0.18	0	0.09	0	0.14	0.071	0	0.009	0.14	0
Copper	29	0	3.3	0	6.8	0	3.9	0	28.1	29.4	0	0.94	2.6	0
Iron	148	0	61	0	111	0	54	0	380	260	0	21	34	0
Lead	0.025	1	0.002	2	0.005	1	0.007	1	0.007	0.009	1	0.004	0.008	1
Molybdenum	1.0	0	0.27	1	0.65	0	0.02	1	1.2	0.53	1	0.02	0.19	0
Nickel	0.01	4	0.04	1	0.03	0	0.01	3	<0.01	0.01	3	0.01	0.04	0
Selenium	0.43	0	0.73	0	0.82	0	0.28	0	2.3	0.37	0	0.12	0.70	0
Uranium	0.006	4	0.001	4	0.002	2	0.002	2	0.002	0.003	4	0.006	0.001	3
Vanadium	0.02	4	0.02	5	0.02	3	0.02	3	<0.02	0.02	4	<0.02	0.02	4
Zinc	22	0	22	0	24	0	24	0	24	18	0	89	24	0
Radionuclides														
Lead-210 (Bq/g)	0.021	2	0.002	3	0.005	2	0.001	3	<0.004	0.002	2	<0.001	0.003	2
Polonium-210 (Bq/g)	0.032	0	0.0081	1	0.014	0	0.0014	0	0.020	0.0034	0	0.00040	0.0048	0
Radium-226 (Bq/g)	0.0001	3	0.0002	2	0.00007	3	0.0001	3	<0.00008	0.0001	1	<0.00006	0.0001	2
Thorium-230 (Bq/g)	0.0002	4	0.0002	5	0.0004	2	0.0003	2	<0.0002	0.0001	4	<0.0001	0.0001	4

¹All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.

<RDL = less than the laboratory reported detection limit.

Values less than the RDL were set equal to the RDL when calculating summary statistics.

APPENDIX C

DETAILED DATA

LIST OF TABLES

Appendix C, Table 1	Fall water chemistry results for the EARMP community program, 2011 to 2023.
Appendix C, Table 2	Detailed fish flesh chemistry data from the EARMP community program (Black Lake), 2011 to 2023.
Appendix C, Table 3	Detailed fish flesh chemistry data from the EARMP community program (Camsell Portage), 2011 to 2023.
Appendix C, Table 4	Detailed fish flesh chemistry data from the EARMP community program (Fond du Lac), 2011 to 2023.
Appendix C, Table 5	Detailed fish flesh chemistry data from the EARMP community program (Stony Rapids), 2011 to 2023.
Appendix C, Table 6	Detailed fish flesh chemistry data from the EARMP community program (Uranium City), 2011 to 2023.
Appendix C, Table 7	Detailed fish flesh chemistry data from the EARMP community program (Wollaston Lake/Hatchet Lake), 2011 to 2023.
Appendix C, Table 8	Detailed blueberry chemistry results from the EARMP community program, 2011 to 2022.
Appendix C, Table 9	Detailed bog cranberry chemistry results from the EARMP community program, 2011 to 2022.
Appendix C, Table 10	Detailed barren-ground caribou flesh chemistry results from the EARMP community program, 2012 to 2023.
Appendix C, Table 11	Detailed moose flesh chemistry results from the EARMP community program, 2011 to 2023.
Appendix C, Table 12	Detailed barren-ground caribou and moose organ chemistry results from the EARMP community program, 2014 to 2023.
Appendix C, Table 13	Detailed snowshoe hare flesh chemistry results from the EARMP community program, 2011 to 2021.
Appendix C, Table 14	Detailed spruce grouse flesh chemistry results from the EARMP community program, 2017 to 2021.

APPENDIX C, TABLE 1

Fall water chemistry results from the EARMP community program, 2011 to 2023.

Chemical ¹	Black Lake										
	Black Lake										
	2011	2012	2013	2014	2017	2018	2019	2020	2021	2022	2023
Inorganic Ions											
Bicarbonate	20	26	16	15	28	16	18	15	16	17	13
Calcium	3.5	3.3	3.4	3.4	2.7	3.1	3.1	2.9	2.5	2.8	3.2
Carbonate	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloride	3.6	2	4	4.2	1.8	3.2	3.6	3.2	0.3	2.7	4
Hydroxide	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Magnesium	1.3	1.2	1.3	1.3	1.2	1.2	1.1	1.1	1	1	1.2
Potassium	0.8	0.7	0.8	0.6	0.8	0.7	0.7	0.6	0.6	0.7	0.6
Sodium	1.8	1.5	1.7	1.8	1.4	1.6	1.6	1.6	1	1.5	1.7
Sulphate	1.4	1	1.2	1.1	1.3	1.1	1.1	0.9	1.4	1.1	0.9
Metals											
Aluminum	0.002	0.0026	0.0026	0.0027	0.0061	0.0073	0.0069	0.0066	0.008	0.0059	0.0021
Antimony	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Arsenic (µg/L)	0.1	0.1	0.2	0.2	<0.1	0.2	0.2	0.1	<0.1	0.2	0.1
Barium	0.0044	0.0044	0.0043	0.0043	0.0048	0.0038	0.0046	0.0048	0.0044	0.0043	0.0041
Beryllium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Boron	0.01	<0.01	<0.01	0.01	<0.01	0.02	<0.0001	0.01	<0.01	<0.01	0.01
Cadmium	0.00001	0.00001	<0.00001	<0.00001	<0.00001	<0.00001	0.01	<0.00001	<0.00001	<0.00001	<0.00001
Chromium	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.00001	<0.0005	<0.0005	<0.0005	<0.0005
Cobalt	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	<0.0002	<0.0002	0.0003	<0.0002	<0.0002	0.0005	<0.0005	<0.0002	0.0002	<0.0002	<0.0002
Fluoride	0.04	0.07	0.07	0.06	0.03	0.07	0.05	0.065	0.07	0.06	0.06
Iron	0.026	0.013	0.022	0.021	0.022	0.17	0.027	0.02	0.028	0.038	0.03
Lead	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Manganese	0.036	0.0068	0.021	0.017	0.017	0.032	0.016	0.023	0.0042	0.013	0.01
Mercury (µg/L)	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	0.0002	0.0001	0.0001	0.0001	0.0001	<0.0001	0.0001	<0.0001	0.0001	<0.0001	0.0001
Nickel	0.0002	0.0001	0.0001	<0.0001	0.0001	0.0001	0.0001	0.0001	0.0002	0.0001	0.0001
Selenium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Silver	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
Strontium	0.047	0.033	0.049	0.058	0.031	0.066	0.043	0.041	0.015	0.042	0.048
Thallium	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Tin	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Titanium	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0004	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Uranium (µg/L)	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Vanadium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	0.0018	<0.0005	<0.0005	<0.0005	<0.0005	0.0019	0.0007	<0.0005	0.0006	<0.0005	0.0009
Nutrients											
Ammonia as nitrogen	<0.01	<0.01	<0.01	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Nitrate	-	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	0.04	0.09	<0.04	<0.04
Nitrate+Nitrite as nitrogen	-	-	-	-	<0.01	<0.01	<0.01	0.01	0.02	<0.01	<0.01
Organic carbon	2.5	3.8	2.9	3	3.6	3.6	3	3.8	4	3.7	3.3
Phosphorus	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.24	<0.01	<0.01	<0.01
Total Kjeldahl nitrogen	0.27	0.2	0.26	0.22	0.19	0.31	0.24	0.23	0.2	0.2	0.19
Total nitrogen	0.27	0.2	0.26	0.22	0.19	0.31	0.24	<0.01	0.22	0.2	0.19
Physical Properties											
P. alkalinity	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
pH (pH units)	7.12	7.18	7.38	6.76	7.34	7.48	7.08	7.05	7.05	7.12	6.54
Specific conductivity (µS/cm)	40	38	38	43	29	28	31	26	30	34	39
Sum of ions	32	36	28	28	37	27	29	25	23	27	25
Total alkalinity	16	21	13	12	23	13	15	12	13	14	11
Total dissolved solids	30	30	14	31	26	32	30	29	21	32	28
Total hardness	14	13	29	14	12	13	12	12	10	11	13
Total suspended solids	<1	1	2	1	<1	2	<1	1	1	4	1
Turbidity (NTU)	0.6	0.7	0.7	0.7	0.5	0.5	0.6	0.9	0.4	0.7	0.8
Radionuclides											
Lead-210 (Bq/L)	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Polonium-210 (Bq/L)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	<0.005	0.009	<0.005	0.008	<0.005	<0.005	0.01	<0.005	<0.005	<0.005	<0.005
Thorium-230 (Bq/L)	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

APPENDIX C, TABLE 1

Fall water chemistry results from the EARMP community program, 2011 to 2023.

Chemical ¹	Camsell Portage								
	Ellis Bay, Lake Athabasca								
	2011	2012	2013	2014	2017	2019	2021	2022	2023
Inorganic Ions									
Bicarbonate	35	30	34	38	35	37	32	33	30
Calcium	6.9	7.1	7.4	7.3	7	7.1	7.2	6.5	6.2
Carbonate	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloride	3.1	2.9	3.4	3	3.1	3.6	2.8	2.6	2.8
Hydroxide	<1	<1	<1	<1	<1	<1	<1	<1	<1
Magnesium	2.1	2.1	2.1	2.2	2.1	2	2.2	1.9	1.9
Potassium	0.9	0.9	0.8	0.7	1	0.8	0.9	0.8	0.8
Sodium	2.5	2.5	2.6	2.6	2.7	2.6	2.6	2.4	2.4
Sulphate	3.6	3.3	3.7	3.8	3.7	3.7	3.4	3.2	2.5
Metals									
Aluminum	0.0016	0.001	0.0044	0.0022	0.0027	0.0039	0.0036	0.0056	0.0022
Antimony	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Arsenic (µg/L)	0.1	0.2	0.2	0.2	0.2	0.2	<0.1	0.1	0.1
Barium	0.01	0.01	0.011	0.011	0.011	0.011	0.011	0.011	0.01
Beryllium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Boron	<0.01	0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01
Cadmium	0.00001	0.00001	<0.00001	<0.00001	0.00001	<0.00001	<0.00001	0.00002	<0.00001
Chromium	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
Cobalt	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	<0.0002	0.0002	<0.0002	<0.0002	0.0002	0.0005	0.0002	0.0004	0.0003
Fluoride	0.06	0.07	0.08	0.07	0.04	0.07	0.07	0.07	0.07
Iron	0.0049	0.0044	0.0078	0.0056	0.0054	0.0052	0.01	0.011	0.0051
Lead	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0002	0.0002	0.0002	<0.0001
Manganese	0.0008	0.0008	0.0006	0.0006	0.0008	0.0007	0.0008	0.0006	0.001
Mercury (µg/L)	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	<0.0001	0.0002	0.0002
Nickel	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0003	0.0002
Selenium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Silver	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
Strontium	0.051	0.05	0.054	0.059	0.052	0.053	0.054	0.052	0.046
Thallium	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Tin	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Titanium	<0.0002	<0.0002	0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Uranium (µg/L)	<0.1	<0.1	0.1	0.1	0.1	<0.1	0.2	0.2	<0.1
Vanadium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0008	<0.0005	<0.0005	<0.0005
Nutrients									
Ammonia as nitrogen	<0.01	<0.01	<0.01	0.05	<0.01	<0.01	0.02	0.02	<0.01
Nitrate	<0.04	0.09	<0.04	<0.04	<0.04	<0.04	<0.04	0.26	<0.04
Nitrate+Nitrite as nitrogen	-	-	-	-	<0.01	<0.01	<0.01	0.06	<0.01
Organic carbon	2.8	3.5	3.2	3.4	3.3	3.1	4.8	3.7	3.7
Phosphorus	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	< 0.01
Total Kjeldahl nitrogen	0.23	0.21	0.22	0.19	0.17	0.14	0.28	0.18	0.14
Total nitrogen	0.23	0.23	0.22	0.19	0.17	0.14	0.28	0.24	0.14
Physical Properties									
P. alkalinity	<1	<1	<1	<1	<1	<1	-	<1	<1
pH (pH units)	7.46	7.5	7.71	7.26	7.7	7.49	7.58	7.51	6.8
Specific conductivity (µS/cm)	66	69	69	73	66	63	70	65	61
Sum of ions	54	49	54	58	55	57	51	51	47
Total alkalinity	29	25	28	31	29	30	26	27	25
Total dissolved solids	40	44	27	46	41	44	-	50	42
Total hardness	26	26	47	27	26	26	27	24	23
Total suspended solids	<1	<1	<1	1	<1	<1	<3	3	<1
Turbidity (NTU)	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.4
Radionuclides									
Lead-210 (Bq/L)	<0.02	<0.02	0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Polonium-210 (Bq/L)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	<0.005	<0.005	<0.005	<0.005	0.009	<0.005	0.006	0.006	<0.005
Thorium-230 (Bq/L)	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

APPENDIX C, TABLE 1

Fall water chemistry results from the EARMP community program, 2011 to 2023.

Chemical ¹	Fond du Lac										
	Fond du Lac River										
	2011	2012	2013	2014	2017	2018	2019	2020	2021	2022	2023
Inorganic Ions											
Bicarbonate	18	27	28	17	8	8	20	12	15	21	15
Calcium	3.7	3.9	3.8	3.7	3.1	3.2	3.4	3.2	2.9	3.5	3.3
Carbonate	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloride	2.8	2.8	2.9	2.9	2.2	2.1	3	2.1	1.7	2.1	2.7
Hydroxide	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Magnesium	1.3	1.4	1.4	1.4	1.2	1.2	1.2	1.2	1	1.2	1.2
Potassium	0.8	0.8	0.8	0.6	0.8	0.8	0.7	0.7	0.6	0.8	0.7
Sodium	1.6	1.7	1.7	1.6	1.5	1.5	1.6	1.4	1.4	1.5	1.6
Sulphate	1.5	1.5	1	1.4	1.3	1.3	1.4	1.3	1.3	1.5	1
Metals											
Aluminum	0.014	0.02	0.011	0.019	0.011	0.011	0.008	0.013	0.035	0.012	0.01
Antimony	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Arsenic (µg/L)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1
Barium	0.0051	0.0055	0.0052	0.0053	0.0046	0.0045	0.0045	0.0049	0.0065	0.0054	0.0045
Beryllium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Boron	0.01	0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
Cadmium	0.00002	<0.00001	0.00001	<0.00001	0.00003	0.00001	<0.00001	<0.00001	0.00002	0.00001	<0.00001
Chromium	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
Cobalt	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	0.0002	0.0003	0.0011	0.0002	0.0002
Fluoride	0.05	0.07	0.05	0.06	0.06	0.07	0.06	0.047	0.05	0.06	0.06
Iron	0.023	0.03	0.017	0.023	0.021	0.023	0.016	0.05	0.087	0.03	0.012
Lead	<0.0001	<0.0001	<0.0001	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0032	<0.0001	<0.0001
Manganese	0.003	0.0027	0.0034	0.0037	0.0036	0.003	0.0032	0.0049	0.006	0.0042	0.0026
Mercury (µg/L)	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	0.0001	0.0001	0.0001	<0.0001	0.0001	0.0001	0.0001	0.0001	0.0002	0.0001	<0.0001
Nickel	0.0002	0.0002	0.0003	0.0002	0.0001	0.0002	0.0002	0.0002	0.0004	0.0002	0.0001
Selenium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Silver	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
Strontium	0.043	0.04	0.042	0.045	0.034	0.032	0.038	0.03	0.029	0.035	0.036
Thallium	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Tin	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Titanium	0.0008	0.0008	0.0004	0.0016	0.0008	0.0004	0.0003	0.0006	0.0018	0.0003	<0.0002
Uranium (µg/L)	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Vanadium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0009	<0.0005	<0.0005	0.016	<0.0005	0.0006
Nutrients											
Ammonia as nitrogen	<0.01	<0.01	<0.01	0.04	0.02	<0.01	<0.01	<0.01	0.04	0.01	<0.01
Nitrate	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	0.09	0.35	<0.04
Nitrate+Nitrite as nitrogen	-	-	-	-	<0.01	<0.01	<0.01	<0.01	0.02	0.08	<0.01
Organic carbon	2.7	1.9	3.2	3.4	3.6	4	3.3	4.4	5.3	3.9	3.7
Phosphorus	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.24	0.03	<0.01	< 0.01
Total Kjeldahl nitrogen	0.26	0.22	0.21	0.13	0.18	0.22	0.12	0.24	0.25	0.2	0.13
Total nitrogen	0.26	0.22	0.21	0.13	0.18	0.22	0.12	<0.01	0.27	0.28	0.13
Physical Properties											
P. alkalinity	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
pH (pH units)	7.22	7.14	6.86	6.88	7.32	7.48	7.15	7.16	7.28	7.2	6.59
Specific conductivity (µS/cm)	39	44	42	44	32	28	32	27	27	38	36
Sum of ions	30	39	40	29	18	18	31	22	24	32	26
Total alkalinity	15	22	23	14	7	7	16	10	12	17	12
Total dissolved solids	28	32	34	33	25	29	35	28	33	38	29
Total hardness	14	15	15	15	13	13	13	13	11	14	13
Total suspended solids	<1	2	1	2	<1	1	<1	1	1	3	<1
Turbidity (NTU)	1	1.1	0.8	1.1	0.6	0.4	0.7	0.9	0.5	0.7	0.5
Radionuclides											
Lead-210 (Bq/L)	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Polonium-210 (Bq/L)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	<0.005	<0.005	<0.005	<0.005	0.005	<0.005	<0.005	<0.005	<0.005	0.008	<0.005
Thorium-230 (Bq/L)	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

APPENDIX C, TABLE 1

Fall water chemistry results from the EARMP community program, 2011 to 2023.

Chemical ¹	Stony Rapids										
	Fond du Lac River										
	2011	2012	2013	2014	2017	2018	2019	2020	2021	2022	2023
Inorganic Ions											
Bicarbonate	21	20	16	16	12	15	17	15	13	13	13
Calcium	3.4	3.4	3.3	3.2	2.9	3	3	3	2.8	2.7	3.1
Carbonate	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloride	3.2	2.8	2.8	2.4	1.5	1.6	2	2.5	1.5	1.2	3.2
Hydroxide	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Magnesium	1.1	1.3	1.2	1.2	1.1	1.2	1	1.1	1	1	1.2
Potassium	0.8	0.7	0.8	0.6	0.7	0.7	0.6	0.6	0.6	0.7	0.6
Sodium	1.7	1.6	1.6	1.5	1.3	1.4	1.4	1.5	1.2	1.1	1.6
Sulfate	1.4	1.2	1.4	1.3	1.2	1.2	1.3	1	1	1.2	0.9
Metals											
Aluminum	0.018	0.0084	0.012	0.012	0.014	0.0099	0.0093	0.017	0.0037	0.01	0.0058
Antimony	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Arsenic (µg/L)	0.2	0.2	0.2	0.1	0.1	0.2	0.1	0.1	<0.1	0.1	0.2
Barium	0.0046	0.0043	0.0044	0.0043	0.0045	0.0041	0.0044	0.0048	0.0044	0.0044	0.0043
Beryllium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Boron	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01
Cadmium	0.00002	<0.00001	0.00001	<0.00001	0.00001	0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001
Chromium	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
Cobalt	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Fluoride	0.04	0.06	0.08	0.06	0.03	0.07	0.06	0.084	0.05	0.06	0.06
Iron	0.074	0.045	0.037	0.034	0.05	0.06	0.031	0.03	0.016	0.034	0.031
Lead	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Manganese	0.027	0.013	0.014	0.01	0.015	0.014	0.012	0.017	<0.0005	0.0088	0.012
Mercury (µg/L)	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	0.0002	0.0002	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	<0.0001	<0.0001
Nickel	0.0002	0.0001	0.0002	0.0001	0.0001	0.0002	0.0002	0.0002	0.0001	0.0002	0.0001
Selenium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Silver	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
Strontium	0.044	0.04	0.039	0.04	0.027	0.028	0.03	0.034	0.029	0.026	0.041
Thallium	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Tin	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Titanium	0.0016	0.0007	0.0012	0.0006	0.0006	0.0005	<0.0002	0.0007	<0.0002	0.0004	0.0004
Uranium (µg/L)	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Vanadium	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	<0.0005	<0.0005	<0.0005	<0.0005	0.0006	<0.0005	0.0008	<0.0005	<0.0005	<0.0005	<0.0005
Nutrients											
Ammonia as nitrogen	<0.01	<0.01	0.05	0.04	0.01	<0.01	<0.01	<0.01	0.02	0.03	<0.01
Nitrate	<0.04	<0.04	<0.04	0.09	0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04
Nitrate+Nitrite as nitrogen	-	-	-	-	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Organic carbon	2.7	3.8	4.1	3.4	3.8	4.2	3.5	4.2	5.2	4.1	3.5
Phosphorus	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.22	<0.01	<0.01	< 0.01
Total Kjeldahl nitrogen	0.28	0.23	0.49	0.18	0.21	0.22	0.24	0.22	0.3	0.19	0.18
Total nitrogen	0.28	0.23	0.49	0.2	0.22	0.22	0.24	<0.01	0.3	0.19	0.18
Physical Properties											
P. alkalinity	<1	<1	<1	<1	<1	<1	<1	<1	-	<1	<1
pH (pH units)	7.3	7.3	7.38	6.89	7.39	7.53	7.13	7.08	7.13	7.14	6.53
Specific conductivity (µS/cm)	39	40	36	38	28	25	27	25	36	30	36
Sum of ions	33	31	27	26	21	24	26	25	21	21	24
Total alkalinity	17	16	13	13	10	12	14	12	11	11	11
Total dissolved solids	32	33	13	28	21	34	31	31	-	34	32
Total hardness	13	14	31	13	12	12	12	12	11	11	13
Total suspended solids	5	2	2	2	2	2	<1	2	<3	3	2
Turbidity (NTU)	1.3	1.2	1	0.7	0.6	0.5	0.7	1.3	0.7	0.7	0.9
Radionuclides											
Lead-210 (Bq/L)	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.02	<0.02
Polonium-210 (Bq/L)	<0.006	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	<0.005	0.01	<0.005	<0.005	<0.005	<0.005	<0.005	0.006	<0.005	0.005	<0.005
Thorium-230 (Bq/L)	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

APPENDIX C, TABLE 1

Fall water chemistry results from the EARMP community program, 2011 to 2023.

Chemical ¹	Uranium City										
	Fredette River										
	2011	2012	2013	2014	2017	2018	2019	2020	2021	2022	2023
Inorganic Ions											
Bicarbonate	63	60	63	65	61	57	60	55	49	51	55
Calcium	15	16	17	16	15	16	15	15	12	12	14
Carbonate	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloride	1.5	1.2	2.3	1.2	1.1	1.2	1.6	1.2	0.8	0.9	1
Hydroxide	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Magnesium	2.9	3	3.2	3.2	2.9	3	2.8	2.8	2.6	2.4	2.7
Potassium	0.9	1	1.1	0.9	1.1	1	0.9	0.9	0.8	0.9	0.9
Sodium	1.9	1.6	1.8	1.7	1.6	1.6	1.6	1.6	1.3	1.3	1.4
Sulfate	4.5	3.8	4.1	5.5	4.3	4.2	4.1	3.9	3	3.2	2.9
Metals											
Aluminum	0.0051	0.0051	0.0057	0.0033	0.004	0.0033	0.0059	0.0076	0.0068	0.005	0.0034
Antimony	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Arsenic (µg/L)	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1
Barium	0.032	0.031	0.032	0.028	0.03	0.026	0.029	0.029	0.025	0.023	0.028
Beryllium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Boron	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Cadmium	0.00001	0.00001	0.00002	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	0.00001	0.00001	<0.00001
Chromium	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
Cobalt	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	<0.0002	<0.0002	0.0006	<0.0002	<0.0002	0.0004	0.0003	0.0003	0.0004	0.0003	0.0003
Fluoride	0.1	0.13	0.12	0.12	0.09	0.14	0.12	0.032	0.1	0.11	0.11
Iron	0.031	0.041	0.05	0.027	0.045	0.028	0.029	0.09	0.056	0.041	0.04
Lead	<0.0001	<0.0001	0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Manganese	0.014	0.024	0.026	0.017	0.023	0.012	0.015	0.01	0.023	0.017	0.016
Mercury (µg/L)	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	0.0004	0.0004	0.0004	0.0004	0.0005	0.0004	0.0004	0.0004	0.0005	0.0004	0.0004
Nickel	0.0001	0.0001	0.0002	0.0001	<0.0001	0.0001	0.0001	0.0001	0.0002	0.0002	0.0001
Selenium	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Silver	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
Strontium	0.049	0.045	0.047	0.049	0.043	0.042	0.045	0.041	0.037	0.038	0.039
Thallium	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Tin	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Titanium	0.0003	<0.0002	0.0003	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Uranium (µg/L)	3.5	1.3	1.4	1.7	1	1	1	1	0.6	0.7	0.5
Vanadium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	0.0014	<0.0005	0.0013	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0005	<0.0005	<0.0005
Nutrients											
Ammonia as nitrogen	<0.01	0.03	0.05	0.07	0.06	<0.01	0.12	0.04	0.03	0.01	<0.01
Nitrate	<0.04	<0.04	0.13	0.18	0.04	<0.04	<0.04	<0.04	0.04	<0.04	0.13
Nitrate+Nitrite as nitrogen	-	-	-	-	0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.03
Organic carbon	7.4	9.9	7.6	7.7	7.4	2.8	7.4	8.4	8.9	7.9	7.7
Phosphorus	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.33	<0.01	<0.01	< 0.01
Total Kjeldahl nitrogen	0.41	0.37	0.43	0.32	0.29	0.15	0.4	0.33	0.44	0.3	0.26
Total nitrogen	0.41	0.37	0.46	0.36	0.3	0.15	0.4	<0.01	0.45	0.3	0.29
Physical Properties											
P. alkalinity	<1	<1	<1	<1	<1	<1	<1	<1	-	<1	<1
pH (pH units)	7.75	7.72	7.94	7.46	8	8.11	7.72	7.72	7.71	7.79	7.08
Specific conductivity (µS/cm)	114	112	113	114	102	98	101	92	91	89	95
Sum of ions	90	87	93	94	87	84	86	80	70	72	78
Total alkalinity	52	49	52	53	50	47	49	45	40	42	45
Total dissolved solids	72	76	56	83	67	81	84	71	-	66	62
Total hardness	49	52	80	53	49	52	49	49	41	40	46
Total suspended solids	2	1	<1	<1	<1	1	<1	<1	<3	3	<1
Turbidity (NTU)	0.3	0.6	0.4	0.3	0.5	0.3	0.4	0.8	0.6	0.5	0.5
Radionuclides											
Lead-210 (Bq/L)	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Polonium-210 (Bq/L)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	0.008	0.01	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	0.007	<0.005	<0.005
Thorium-230 (Bq/L)	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

APPENDIX C, TABLE 1

Fall water chemistry results from the EARMF community program, 2011 to 2023.

Chemical ¹	Wollaston Lake/Hatchet Lake										
	Welcome Bay, Wollaston Lake										
	2011	2012	2013	2014	2017	2018	2019	2020	2021	2022	2023
Inorganic Ions											
Bicarbonate	17	20	15	15	17	10	21	15	15	18	12
Calcium	3.4	3.5	3.5	3.3	3.3	3.3	3.2	3.2	2.9	2.8	3
Carbonate	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloride	0.4	0.5	0.4	0.3	0.4	0.3	0.5	0.3	0.3	0.2	0.3
Hydroxide	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Magnesium	1.1	1.1	1	1	0.9	1	0.9	1	0.9	0.8	0.9
Potassium	0.7	0.6	0.7	0.5	0.7	0.6	0.6	0.6	0.6	0.7	0.6
Sodium	1.4	1.4	1.4	1.3	1.4	1.3	1.3	1.3	1.3	1.2	1.2
Sulfate	4	4	3.9	4	4	4	3.5	3.4	2.8	2.8	2.6
Metals											
Aluminum	0.0047	0.014	0.0074	0.0069	0.0058	0.005	0.0068	0.006	0.0049	0.0045	0.0039
Antimony	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Arsenic (µg/L)	<0.1	<0.1	0.1	0.1	0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.1
Barium	0.0041	0.0042	0.0042	0.0039	0.0043	0.004	0.0039	0.0042	0.0038	0.0037	0.0037
Beryllium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Boron	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Cadmium	0.00001	<0.00001	<0.00001	<0.00001	0.00014	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	0.00001
Chromium	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
Cobalt	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Fluoride	0.05	0.07	0.08	0.07	0.03	0.08	0.06	0.014	0.06	0.06	0.06
Iron	0.014	0.035	0.043	0.034	0.046	0.013	0.011	0.05	0.014	0.01	0.012
Lead	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Manganese	0.0047	0.0087	0.0066	0.0053	0.0068	0.0047	0.0037	0.0041	0.0032	0.0028	0.0041
Mercury (µg/L)	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	0.0012	0.0012	0.001	0.0009	0.0008	0.0007	0.0006	0.0006	0.0001	0.0005	0.0005
Nickel	0.0001	0.0001	0.0001	<0.0001	<0.0001	0.0001	0.0001	<0.0001	0.0001	0.0004	<0.0001
Selenium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Silver	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
Strontium	0.012	0.012	0.012	0.013	0.012	0.012	0.012	0.011	0.011	0.011	0.011
Thallium	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Tin	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Titanium	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Uranium (µg/L)	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Vanadium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0008	<0.0005	0.0007	<0.0005	<0.0005
Nutrients											
Ammonia as nitrogen	<0.01	<0.01	<0.01	0.04	<0.01	0.08	0.07	<0.01	0.02	<0.01	<0.01
Nitrate	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04
Nitrate+Nitrite as nitrogen	-	-	-	-	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Organic carbon	2.5	3	2.8	2.8	2.8	8.1	2.8	2.9	3.3	3.3	3.1
Phosphorus	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.17	<0.01	<0.01	< 0.01
Total Kjeldahl nitrogen	0.28	0.21	0.2	0.17	0.33	0.31	0.12	0.17	0.26	0.14	0.14
Total nitrogen	0.28	0.21	0.2	0.17	0.33	0.31	0.12	<0.01	0.26	0.14	0.14
Physical Properties											
P. alkalinity	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
pH (pH units)	7.1	7.12	7.37	6.91	7.38	7.53	7.11	7.14	7.15	7.1	6.6
Specific conductivity (µS/cm)	34	37	34	36	32	27	30	25	29	30	26
Sum of ions	28	31	26	25	28	21	31	25	24	26	21
Total alkalinity	14	16	12	12	14	8	17	12	12	15	10
Total dissolved solids	24	28	13	25	24	33	21	21	34	26	25
Total hardness	13	13	28	12	12	12	12	12	11	10	11
Total suspended solids	<1	2	2	1	<1	2	<1	<1	<1	<1	<1
Turbidity (NTU)	0.3	0.8	0.7	0.4	0.3	0.3	0.4	0.9	0.3	0.4	0.6
Radionuclides											
Lead-210 (Bq/L)	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Polonium-210 (Bq/L)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	<0.005	0.009	<0.005	<0.005	<0.005	<0.005	0.005	<0.005	<0.005	<0.005	0.006
Thorium-230 (Bq/L)	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

¹All values are in mg/L (total), unless specified otherwise.

APPENDIX C, TABLE 2

Detailed fish flesh chemistry data from the EARMP community program (Black Lake), 2011 to 2023.

Chemical ¹	Black Lake (Black Lake)																			
	Lake Trout																			
	2011					2012					2013					2014				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05
Metals																				
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.05	0.06	0.07	0.05	0.1	0.06	0.14	0.07	0.06	0.06	0.05	0.04	0.04	0.05	0.06	0.07	0.1	0.04	0.04	0.07
Barium	0.02	0.03	0.01	<0.01	0.03	<0.01	0.01	0.01	0.02	0.01	0.01	<0.01	<0.01	0.01	0.02	0.01	0.03	0.01	<0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	<0.002	0.002	0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.005	0.003	0.002	0.006	<0.002
Copper	0.27	0.41	0.31	0.22	1	0.31	0.31	0.43	0.18	0.25	0.22	0.24	0.26	0.25	0.23	0.42	0.35	0.19	0.45	0.23
Iron	1.9	3.3	2	4.5	6	2.2	2	2.6	1.5	2.9	1.7	2	2	1.6	1.5	3.9	3.3	1.4	2.8	1.8
Lead	<0.002	0.004	<0.002	<0.002	<0.002	0.002	<0.002	0.002	<0.002	0.004	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	0.007	<0.002	<0.002	<0.002
Manganese	0.06	0.08	0.08	0.08	0.09	0.08	0.06	0.05	0.07	0.1	0.08	0.06	0.09	0.09	0.06	0.1	0.12	0.07	0.08	0.09
Mercury	0.45	0.41	0.37	0.33	0.37	0.16	0.16	0.18	0.36	0.35	0.42	0.5	0.45	0.37	0.28	0.37	0.53	0.37	0.45	0.5
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.04	0.01	<0.01	<0.01
Selenium	0.11	0.15	0.15	0.11	0.13	0.15	0.18	0.17	0.18	0.16	0.13	0.11	0.13	0.17	0.16	0.18	0.14	0.13	0.15	0.16
Silver	<0.002	<0.002	<0.002	<0.002	0.005	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.1	0.07	0.09	0.05	0.13	0.07	0.21	0.27	0.2	0.8	0.05	0.03	0.23	0.27	0.07	0.15	0.12	0.08	0.3	0.06
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.08	0.09	0.08	0.07	0.08	0.07	0.07	0.08	0.07	0.08	0.01	0.01	0.01	0.02	0.01	0.09	0.09	0.08	0.07	0.08
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	0.001	0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	2.9	4.7	2.5	2.2	5.9	3.6	4.7	4.4	3.6	6.3	3	3.2	4.1	3.5	3.3	5.5	4.1	2.5	4	2.5
Physical Properties																				
Moisture (%)	77.19	77.72	73.93	76.78	77.42	73.79	71.07	77.81	77.02	76.28	75.03	76.50	74.42	74.85	72.40	73.77	75.34	76.29	75.02	73.38
Fork Length (cm)	44.9	51.2	48.7	48.3	50.5	51.3	52.7	51.2	62.5	65.2	54	56	53.2	54.8	49.6	52.6	53.2	53.5	50.5	54
Weight (g)	1730	1710	1480	1450	1740	1360	1740	1180	2060	2410	1940	2200	1720	1880	1760	1920	2240	1965	1900	2190
Sex	F	M	M	F	M	F	M	M	F	M	F	F	M	M	M	M	F	F	M	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	12	10	7	10	10	7	7	6	27	19	12	17	13	13	13	14	14	9	14	14
Radionuclides																				
Lead-210 (Bq/g)	0.002	<0.001	0.002	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00004	<0.00006	<0.00007	<0.00005	<0.00006	<0.00006	<0.0001	<0.00005	0.00005	<0.00006	<0.00006	0.0001	<0.00008	<0.00006	<0.00006	<0.00006	<0.00004	<0.00005	<0.00003	<0.00005
Thorium-230 (Bq/g)	<0.00009	<0.0001	0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.00009	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.00007	<0.0001	<0.00007	<0.0001

APPENDIX C, TABLE 2

Detailed fish flesh chemistry data from the EARMP community program (Black Lake), 2011 to 2023.

Chemical ¹	Black Lake (Black Lake)																	
	Lake Trout																	
	2016			2018					2019					2020				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT01	LT02	LT03	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT06	LT07	LT08	LT09	LT10
Metals																		
Aluminum	0.7	<0.5	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.1	0.07	0.07	0.07	0.06	0.06	0.09	0.05	0.06	0.02	0.06	0.08	0.06	0.12	0.07	0.13	0.09	0.06
Barium	0.04	0.16	0.18	0.04	0.09	<0.01	0.05	0.04	0.01	0.03	0.01	0.02	0.02	0.02	<0.01	0.02	0.02	0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	0.3	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.003	0.004	<0.002	0.003	0.002	<0.002	0.003	0.003	<0.002	0.002	0.002	0.003	<0.002	0.004	0.002	0.002	0.003	0.005
Copper	0.29	0.24	0.21	0.35	0.39	0.24	0.3	0.15	0.39	0.28	0.25	0.43	0.32	0.4	0.21	0.31	0.76	0.34
Iron	3.6	2.8	2.4	3.1	6.1	2.3	4.4	4.4	2.4	3.9	2.3	5.9	2.9	5.7	2.3	2.8	3.8	3.4
Lead	0.003	0.004	0.005	<0.002	<0.002	<0.002	0.002	<0.002	0.002	<0.002	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	0.003	0.005
Manganese	0.12	0.14	0.08	0.09	0.1	0.09	0.1	0.09	0.09	0.09	0.1	0.12	0.09	0.09	0.08	0.07	0.08	0.08
Mercury	0.4	0.31	0.35	0.48	0.37	0.56	0.36	0.43	0.3	0.45	0.44	0.37	0.37	0.22	0.59	0.44	0.15	0.37
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.02	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01
Selenium	0.15	0.16	0.15	0.1	0.12	0.12	0.12	0.14	0.09	0.09	0.1	0.14	0.12	0.19	0.15	0.13	0.14	0.13
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.19	0.68	0.1	0.44	0.11	0.07	0.2	0.07	0.19	0.26	0.26	0.28	0.32	0.37	0.23	0.27	0.34	0.18
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.01	0.03	0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.01	0.02	0.01	0.01	<0.01	0.06	0.06	0.04	0.05	0.04
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	5.8	4.2	3.7	4.5	5.4	2.6	4.5	2.9	4	4.6	3.5	6.1	3.7	4.3	3.6	4	4.6	3.5
Physical Properties																		
Moisture (%)	76.61	69.74	66.98	80.57	78.50	79.94	79.39	76.88	77.98	81.02	79.47	79.31	76.58	74.34	79.34	77.52	74.80	80.15
Fork Length (cm)	48	52.4	50.5	53.3	51.2	55	56.5	59.5	49.1	51.4	50.9	54.4	52.7	46.0	54.2	49.7	41.7	48.5
Weight (g)	1580	1920	1580	1610	1680	1640	1590	2250	1600	1500	1900	2040	1880	1210	1980	1650	1010	1360
Sex	M	M	M	F	M	F	F	M	M	M	F	M	M	M	F	F	M	F
Maturity	A	A	A	A	A	A	A	U	A	A	A	A	A	A	A	A	A	A
Age (years)	15	14	16	12	18	19	23	22	10	17	15	19	19	6	25	11	6	9
Radionuclides																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0003	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00007	<0.00005	<0.00006	<0.00006	<0.00005	<0.00006	<0.00006	<0.00006	<0.00006	<0.00007	<0.00006	<0.00006	<0.00007	<0.00007	0.00008	<0.00004
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.00009

APPENDIX C, TABLE 2

Detailed fish flesh chemistry data from the EARMF community program (Black Lake), 2011 to 2023.

Chemical ¹	Black Lake (Black Lake)														
	Lake Trout														
	2021					2022					2023				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN2-1	GN2-1	GN2-1	GN2-1	GN2-1
	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT06	LT07	LT08	LT09	LT10
Metals															
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.08	0.04	0.09	0.12	0.05	0.06	0.06	0.04	0.05	0.04	0.03	0.05	0.07	0.04	0.03
Barium	0.01	< 0.01	0.10	0.02	0.04	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	0.003	<0.002	0.003	<0.002	0.005	0.005	0.002	0.005	<0.002	0.002	<0.002	0.003	<0.002
Copper	0.43	0.33	0.46	0.12	0.25	0.35	0.45	0.25	0.31	0.22	0.3	0.56	0.17	0.31	0.27
Iron	3.2	5.6	5.2	2.1	4.2	1.9	4	2.3	2.4	3.9	2.2	3.8	1.5	2.1	2.7
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	<0.002	0.003
Manganese	0.06	0.07	0.11	0.08	0.11	0.1	0.08	0.06	0.06	0.08	0.06	0.07	0.08	0.08	0.1
Mercury	0.53	0.51	0.47	0.76	0.56	0.5	0.43	0.44	0.63	0.54	0.44	0.42	0.72	0.32	0.49
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.12	0.13	0.16	0.15	0.15	0.17	0.15	0.14	0.15	0.15	0.12	0.14	0.13	0.2	0.12
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.23	0.13	0.36	0.06	0.15	0.21	0.2	0.16	0.15	0.16	0.09	0.08	0.05	0.31	0.1
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Uranium	<0.001	<0.001	0.002	0.002	0.004	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	0.001	<0.001	<0.001	0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	4.1	4.4	9.9	3.0	7.0	3.5	4.8	2.7	4.8	4.6	3.1	4.3	2.4	3.5	3.8
Physical Properties															
Moisture (%)	76.99	81.82	78.38	82.50	79.22	72.40	75.60	78.60	73.90	79.90	72.50	78.40	78.50	75.40	77.40
Fork Length (cm)	54.6	55.5	57.4	54.1	57.5	45.8	50.8	51.8	49.4	52.2	49.4	47	53.4	57.3	55.9
Weight (g)	1920	1860	2310	1850	2290	1110	1710	1540	1440	1590	1600	1280	2040	2540	2100
Sex	F	M	F	M	F	M	F	F	F	M	M	M	F	M	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	22	21	21	19	19	7	11	12	10	18	9	10	14	9	17
Radionuclides															
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	0.0003	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00005	<0.00006	<0.00006	<0.00005	<0.00005	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00005	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 2

Detailed fish flesh chemistry data from the EARMP community program (Black Lake), 2011 to 2023.

Chemical ¹	Black Lake (Black Lake)																			
	Lake Whitefish																			
	2011					2012					2013					2014				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LW06	LW07	LW08	LW09	LW10	LW06	LW07	LW08	LW09	LW10	LW06	LW07	LW08	LW09	LW10	LW06	LW07	LW08	LW09	LW10
Metals																				
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.25	0.27	0.4	0.14	0.37	0.04	0.05	0.08	0.14	0.04	0.01	0.03	0.03	0.03	0.02	0.2	0.16	0.2	0.07	0.2
Barium	0.06	0.13	0.09	<0.01	0.02	0.02	0.01	0.02	<0.01	0.02	0.02	0.02	0.02	0.01	0.01	<0.01	0.02	<0.01	<0.01	0.02
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.003	0.005	<0.002	0.003	0.003	<0.002	0.002	<0.002	<0.002	0.003	<0.002	0.002	<0.002	0.005	0.002	<0.002	<0.002	0.005	0.003	0.009
Copper	0.24	0.21	0.12	0.17	0.14	0.16	0.19	0.25	0.28	0.18	0.06	0.27	0.09	0.08	0.07	0.14	0.12	0.58	0.27	0.21
Iron	2.3	2.9	2.5	1.4	1.5	1	2	2.7	4	1.1	1.8	2.5	1.2	1.1	1.1	1.1	1.3	4	2.8	2.4
Lead	<0.002	0.002	<0.002	<0.002	<0.002	0.002	<0.002	0.003	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003
Manganese	0.18	0.39	0.22	0.06	0.09	0.06	0.07	0.11	0.06	0.06	0.08	0.07	0.07	0.05	0.04	0.08	0.11	0.09	0.09	0.1
Mercury	0.16	0.13	0.14	0.06	0.21	0.13	0.16	0.15	0.02	0.05	0.05	0.09	0.03	0.04	0.08	0.097	0.13	0.068	0.1	0.12
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	0.02
Selenium	0.3	0.35	0.25	0.36	0.31	0.28	0.24	0.26	0.15	0.2	0.2	0.23	0.3	0.18	0.19	0.27	0.34	0.29	0.25	0.36
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.79	0.24	1.2	0.28	0.22	0.27	0.31	0.25	0.16	0.17	0.55	0.45	0.47	0.47	0.42	0.27	0.49	0.25	0.21	0.28
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.08	0.09	0.08	0.08	0.08	0.07	0.08	0.09	0.08	0.08	0.02	0.01	0.02	0.01	<0.01	0.07	0.08	0.07	0.09	0.08
Uranium	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.9	4.6	3.5	4.7	3.3	6.7	6.2	4.6	4.4	4.4	3.4	4.7	4	3.5	4	3.6	3.1	4.9	3.5	3.7
Physical Properties																				
Moisture (%)	75.22	76.01	76.93	75.27	75.79	74.30	72.89	75.74	78.39	76.90	79.98	78.50	79.92	79.20	78.64	75.64	76.94	77.68	75.67	75.10
Fork Length (cm)	38.3	41.8	45.5	48	45.2	46	45.7	45.5	40.2	46.2	43.9	41.5	38	43.2	45.6	39.5	42.4	38	41	40.7
Weight (g)	840	1060	1360	890	1450	980	1020	920	760	1140	1200	920	660	1100	1320	950	1060	805	895	950
Sex	F	M	M	F	F	M	M	M	M	F	M	M	F	F	F	F	F	M	M	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	21	21	26	10	27	9	15	15	7	10	12	10	10	11	15	15	16	10	14	15
Radionuclides																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.004	<0.004	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0002	<0.0002	0.0005	0.0007	<0.0002	<0.0002	<0.0002	<0.001	<0.001	<0.0002	0.0004	0.0006	0.0003	0.0003	0.0002	0.0003	<0.0002	0.0003	<0.0002	0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	0.00009	<0.00007	<0.00006	<0.00006	<0.00006	0.001	0.002	<0.00006	0.0002	<0.00007	0.0004	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00005	0.0002
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	<0.002	<0.002	<0.0001	<0.0001	<0.0001	0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 2

Detailed fish flesh chemistry data from the EARMP community program (Black Lake), 2011 to 2023.

Chemical ¹	Black Lake (Black Lake)																	
	Lake Whitefish																	
	2016			2018					2019					2020				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LW01	LW02	LW03	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05
Metals																		
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.04	0.38	0.24	0.02	0.17	0.33	0.06	0.12	0.03	0.17	0.11	0.1	0.1	0.13	0.12	0.22	0.22	0.04
Barium	0.06	0.06	0.01	0.04	0.02	0.04	0.24	0.14	0.02	0.06	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	0.2	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.006	0.002	0.002	<0.002	0.003	0.004	0.003	0.004	0.002	<0.002	<0.002	0.002	0.004	0.008	0.003	0.003	0.004	<0.002
Copper	0.1	0.17	0.15	0.36	0.18	0.59	0.17	0.14	0.16	0.21	0.22	0.12	0.13	0.19	0.12	0.17	0.18	0.16
Iron	2.4	4	2.6	7	2.9	7.6	3.3	2	1.8	2.3	2.9	2.5	2.1	2.9	1.5	2.4	2.2	1.6
Lead	0.002	0.004	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.1	0.17	0.13	0.14	0.1	0.13	0.12	0.1	0.07	0.11	0.08	0.08	0.12	0.09	0.1	0.1	0.08	0.09
Mercury	0.061	0.12	0.088	0.11	0.14	0.1	0.1	0.1	0.12	0.12	0.1	0.1	0.15	0.06	0.12	0.1	0.11	0.06
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	0.02	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.32	0.44	0.43	0.13	0.26	0.2	0.17	0.28	0.13	0.2	0.19	0.17	0.13	0.09	0.18	0.24	0.24	0.14
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.69	0.15	0.31	0.27	0.15	0.12	0.15	0.22	0.28	0.3	0.17	0.16	0.13	0.23	0.4	0.16	0.22	0.24
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.02	<0.01	0.01	<0.01	<0.01	0.01	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.06	0.06	0.04	0.05	0.04
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	4.8	4.2	4.8	4.5	4.8	5.2	3	3.6	3.4	3.2	3.9	2.4	3.4	6.1	3.2	4.2	4.9	3.8
Physical Properties																		
Moisture (%)	75.55	80.28	76.47	76.92	82.85	80.16	80.48	80.51	77.49	78.97	77.39	76.72	78.46	78.90	78.96	79.76	79.07	76.91
Fork Length (cm)	50.6	47.1	39.9	47	44.5	39	42.2	45.7	49.5	45	38.8	43.6	47.6	43.3	42.5	40.4	41.7	46.0
Weight (g)	1580	1280	940	1420	1170	720	1000	1140	1920	1420	880	1140	2080	1240	1040	900	890	1520
Sex	F	F	M	F	M	M	F	F	F	F	F	F	F	F	F	F	F	F
Maturity	A	A	A	A	U	U	U	U	A	A	A	A	A	A	A	A	A	A
Age (years)	16	27	16	18	18	21	11	18	20	31	20	19	31	8	24	18	25	10
Radionuclides																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001
Polonium-210 (Bq/g)	0.0004	0.0004	0.0006	<0.0002	0.0004	0.0002	0.0004	0.0002	<0.0002	0.0002	0.0003	<0.0002	<0.0002	0.0002	0.0002	0.0003	0.0009	0.0008
Radium-226 (Bq/g)	<0.00006	<0.00005	<0.00006	<0.00006	<0.00005	<0.00005	<0.00006	<0.00005	<0.00006	<0.00006	<0.00007	<0.00006	<0.00007	<0.00006	<0.00006	<0.00007	<0.00007	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 2

Detailed fish flesh chemistry data from the EARMP community program (Black Lake), 2011 to 2023.

Chemical ¹	Black Lake (Black Lake)														
	Lake Whitefish														
	2021					2022					2023				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN2-1	GN2-1	GN2-1	GN1-1	GN1-1
	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05
Metals															
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.08	0.08	0.07	0.02	0.08	0.05	0.04	0.07	0.17	0.04	0.04	0.08	0.04	0.07	0.05
Barium	0.02	0.02	0.02	< 0.01	0.01	<0.01	<0.01	<0.01	0.01	0.02	<0.01	<0.01	<0.01	0.04	0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.004	0.005	0.003	<0.002	0.004	0.012	0.006	0.012	0.01	0.015	<0.002	0.003	0.006	0.005	0.003
Copper	0.28	0.2	0.2	0.25	0.18	0.28	0.26	0.24	0.2	0.22	0.1	0.19	0.13	0.26	0.2
Iron	1.3	1.4	2	2.4	1.3	3.4	2.2	3.3	3.9	2.7	1.2	1.9	1.4	2.4	2.4
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.1	0.1	0.08	0.08	0.12	0.11	0.1	0.1	0.17	0.13	0.14	0.08	0.06	0.11	0.1
Mercury	0.1	0.086	0.25	0.18	0.071	0.088	0.14	0.12	0.068	0.1	0.094	0.059	0.14	0.071	0.047
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.02	<0.01
Selenium	0.18	0.18	0.24	0.14	0.2	0.12	0.13	0.12	0.48	0.15	0.15	0.13	0.14	0.17	0.15
Silver	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.45	0.25	0.29	0.12	0.23	0.45	0.42	0.26	0.66	0.32	0.36	0.32	0.13	0.68	0.62
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	0.01	<0.01	<0.01	0.02	0.01
Uranium	<0.001	0.002	0.002	<0.001	0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	0.004	<0.001	0.005	0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	6.1	3.8	5.4	3.4	4.9	4.3	3.8	4.4	4	4.2	3.5	3.9	3.8	21	4.7
Physical Properties															
Moisture (%)	75.04	76.70	76.90	77.66	75.49	78.60	78.90	76.80	75.00	79.80	77.00	76.6	74.5	75.6	76.7
Fork Length (cm)	45.8	47.7	47.6	42.3	47.5	40.3	48.2	49.2	37.4	45.3	44.5	44.8	52.6	42.9	36.9
Weight (g)	1430	1710	1710	1160	1600	1100	1480	1600	840	1490	1360	1480	2700	1200	860
Sex	F	F	F	F	F	F	M	F	M	F	F	F	F	M	F
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	10	10	14	9	8	6	10	12	20	7	8	9	17	-	-
Radionuclides															
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	0.0003	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0004	<0.0002	<0.0002	0.0002	<0.0002	0.0003	0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00007	<0.00008	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

¹All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.
GN = gill net; LT = lake trout; LW = lake whitefish; M = male; F = female; A = adult, U = unknown.

APPENDIX C, TABLE 3

Detailed fish flesh chemistry data from the EARMP community program (Camsell Portage), 2011 to 2023.

Chemical ¹	Camsell Portage (Ellis Bay)																	
	Lake Trout																	
	2011					2012					2013					2014		
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT03	LT04	LT05
Metals																		
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.12	0.08	0.12	0.08	0.12	0.06	0.14	0.04	0.06	0.29	0.07	0.12	0.11	0.05	0.03	0.13	0.11	0.06
Barium	0.04	0.01	<0.01	<0.01	<0.01	0.05	0.08	0.02	0.04	0.02	<0.01	0.01	<0.01	0.22	0.04	0.04	0.02	0.02
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.003	0.003	<0.002	<0.002	0.002	<0.002	<0.002	<0.002	0.002	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.004
Copper	0.52	0.52	0.11	0.32	0.28	0.24	0.28	0.33	0.58	0.21	0.22	0.28	0.38	0.23	0.28	0.39	0.29	0.4
Iron	4.5	3	1	2.2	2	1.5	2.7	3.5	5.8	1.6	1.4	2.1	2.1	2.6	2.4	3	3.8	4
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	0.004
Manganese	0.1	0.09	0.09	0.07	0.08	0.06	0.09	0.6	0.08	0.06	0.09	0.06	0.08	0.08	0.09	0.07	0.08	0.07
Mercury	0.13	0.2	0.28	0.07	0.18	0.17	0.08	0.06	0.21	0.14	0.19	0.24	0.09	0.41	0.24	0.32	0.37	0.3
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.03	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.05	<0.01	<0.01	0.03	<0.01	0.06
Selenium	0.14	0.18	0.15	0.16	0.18	0.15	0.16	0.15	0.18	0.1	0.17	0.14	0.16	0.17	0.18	0.19	0.21	0.17
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.3	0.19	0.26	0.2	0.15	0.06	0.13	0.07	0.68	0.65	0.1	0.09	0.21	0.09	0.12	0.15	0.31	0.14
Thallium	<0.01	0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.02
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.07	0.15	0.06	0.07	0.06	0.01	0.02	0.02	0.01	<0.01	0.03	0.08	0.06	0.04	0.05	0.08	0.09	0.09
Uranium	0.014	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	11	3.8	2.9	3.8	3.5	2.6	3.2	2.6	10	6.3	3	2.8	3.6	3.3	3.6	5	5.1	6.3
Physical Properties																		
Moisture (%)	73.73	71.70	74.10	70.34	67.36	73.93	76.07	75.33	76.29	72.60	69.45	68.65	72.36	78.67	79.54	75.37	77.41	77.04
Fork Length (cm)	49.8	48.6	53.9	48.5	55.6	62.2	69.1	53	60.3	63.5	55	56.1	55.2	55.9	55.6	51.5	52.2	59.1
Weight (g)	1490	1480	1920	1420	2480	3640	2920	1420	1760	2560	2200	1920	1720	1920	1740	1750	1450	2360
Sex	M	M	F	F	F	F	M	M	M	F	M	F	M	M	M	M	M	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	12	8	23	8	11	19	13	9	20	18	15	15	10	25	17	13	14	17
Radionuclides																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0007	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00007	<0.00006	0.0002	0.00009	0.0001	<0.00007	<0.00007	<0.00006	<0.00005	<0.00004	0.0001	<0.00004	<0.00006	<0.00006	0.00009	<0.00003	<0.00005	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.00008	<0.0001	<0.0001	<0.0001	<0.00006	<0.0001	<0.0001

APPENDIX C, TABLE 3

Detailed fish flesh chemistry data from the EARMP community program (Camsell Portage), 2011 to 2023.

Chemical ¹	Camsell Portage (Ellis Bay)																								
	Lake Trout																								
	2016			2019					2020		2021					2022					2023				
	AN1-1	AN1-1	AN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT01	LT02	LT03	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT06	LT07	LT08	LT09	LT10
Metals																									
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.11	0.07	0.12	0.13	0.07	0.23	0.05	0.06	0.24	0.13	0.11	0.08	0.09	0.37	0.11	0.1	0.26	0.08	0.22	0.08	0.06	0.05	0.12	0.06	0.1
Barium	0.02	0.03	0.04	0.02	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	0.04	0.03	0.01	<0.01	<0.01	0.03	0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.002	<0.002	0.003	0.002	<0.002	<0.002	<0.002	<0.002	0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.005	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	0.002	0.002	0.003
Copper	0.49	0.26	0.42	0.26	0.27	0.28	0.28	0.23	0.43	0.32	0.24	0.38	0.18	0.18	0.22	0.36	0.22	0.2	0.29	0.2	0.15	0.21	0.35	0.35	0.22
Iron	2.6	2.6	4.2	2.8	2.3	2.9	2	2.6	3	6.4	1.9	2.6	2.3	1.9	2.8	3.7	2.8	1.6	3.1	2.1	1.4	1.8	4.9	4.2	2
Lead	<0.002	0.004	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.004	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.07	0.13	0.07	0.1	0.07	0.07	0.07	0.07	0.11	0.12	0.08	0.06	0.08	0.05	0.05	0.12	0.11	0.08	0.08	0.08	0.05	0.07	0.03	0.06	0.07
Mercury	0.12	0.13	0.18	0.08	0.086	0.078	0.16	0.23	0.15	0.24	0.24	0.16	0.27	0.14	0.27	0.32	0.3	0.2	0.24	0.36	0.47	0.23	0.42	0.23	0.26
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.01
Selenium	0.21	0.17	0.2	0.15	0.13	0.14	0.14	0.13	0.18	0.2	0.17	0.18	0.15	0.17	0.13	0.26	0.16	0.21	0.14	0.2	0.12	0.18	0.13	0.17	0.16
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.18	0.43	0.26	0.2	0.05	0.27	0.21	0.12	0.28	0.19	0.27	0.16	0.30	0.15	0.08	0.57	0.46	0.12	0.28	0.09	0.15	0.26	0.12	0.1	0.15
Thallium	0.01	0.01	0.02	0.01	0.01	<0.01	0.01	<0.01	<0.01	0.01	0.01	0.01	< 0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.01	<0.01	<0.01	0.01	<0.01	0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	<0.01	<0.01	0.01	0.04	<0.01	<0.01	<0.01	<0.01	0.04	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Uranium	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.003	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	0.001	0.002	<0.001	0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.7	5.2	6.2	2.8	2.3	8.6	2.5	3.5	4.7	6.6	4.0	3.8	5.6	4.3	4.8	6.4	5.8	3.4	5.2	3.6	3	4.5	4.1	4.9	5
Physical Properties																									
Moisture (%)	71.70	72.13	74.82	75.97	72.58	74.83	76.43	78.91	75.34	78.21	76.61	75.40	78.23	72.62	77.18	76.2	77.6	78.3	75	77.7	80.8	77.1	80.6	78.8	76.3
Fork Length (cm)	56.2	49.8	56.1	52.8	52.5	49.7	54.7	57.3	47.2	57.0	53.8	54.5	56.7	58.7	55.5	63.4	53.5	52	52.9	55.8	57.8	55.2	61.2	63.7	54.4
Weight (g)	2120	1660	1960	1840	2040	1580	2020	2460	1400	2140	1740	2040	2460	2680	2550	2950	2540	2120	2790	2520	2040	2100	2920	2760	2000
Sex	M	M	M	M	M	M	M	F	M	M	M	F	F	F	F	M	F	M	F	M	F	M	F	M	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	12	12	16	11	11	10	16	26	12	24	12	13	18	19	24	17	20	16	-	23	28	13	19	24	20
Radionuclides																									
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00007	<0.00008	<0.00006	<0.00006	<0.00006	<0.00005	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00007	<0.00007	<0.00005	<0.00006	<0.00006	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 3

Detailed fish flesh chemistry data from the EARMP community program (Camsell Portage), 2011 to 2023.

Chemical ¹	Camsell Portage (Ellis Bay)																
	Lake Whitefish																
	2011					2012		2013					2014				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LW06	LW07	LW08	LW09	LW10	LW06	LW07	LW06	LW07	LW08	LW09	LW10	LW06	LW07	LW08	LW09	LW10
Metals																	
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.8	0.5	1.1	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.38	0.24	0.36	0.31	0.17	0.37	0.24	0.14	0.31	0.34	0.17	0.48	0.25	0.26	0.33	0.03	0.05
Barium	<0.01	0.04	0.06	<0.01	<0.01	0.03	0.02	0.04	0.05	0.05	0.02	0.02	0.09	0.02	0.04	0.02	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	0.007	0.002	0.002	<0.002	0.003	0.004	0.005	0.002	<0.002	<0.002	0.006	0.004	0.007	0.008	0.003
Copper	0.12	0.15	0.38	0.11	0.15	0.18	0.18	0.27	0.14	0.13	0.18	0.11	0.36	0.23	0.19	0.21	0.22
Iron	1.5	1.2	3.6	1.1	2.2	1.8	3.9	2.9	2.5	3.6	1.6	2.2	4.5	2.3	3.8	2.4	2.9
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	0.008	0.005	0.008	0.006	<0.002
Manganese	0.12	0.19	0.13	0.12	0.1	0.11	0.11	0.17	0.32	0.14	0.1	0.13	0.16	0.07	0.1	0.07	0.08
Mercury	0.07	0.06	0.03	0.03	0.02	0.05	0.06	0.17	0.07	0.04	0.02	0.08	0.051	0.06	0.06	0.044	0.058
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.05	0.03	0.08	0.02	<0.01
Selenium	0.29	0.25	0.25	0.22	0.25	0.31	0.25	0.27	0.26	0.24	0.29	0.25	0.25	0.23	0.27	0.2	0.24
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002
Strontium	0.15	0.74	1	0.18	0.24	0.15	0.23	0.51	0.64	0.43	0.2	0.25	0.92	0.24	0.28	0.71	0.21
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	<0.01	<0.01	<0.01	<0.01
Titanium	0.07	0.07	0.06	0.06	0.07	0.02	<0.01	0.04	0.03	0.04	0.04	0.05	0.11	0.11	0.16	0.1	0.12
Uranium	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	0.004	0.003	0.002	<0.001	0.003	0.002	0.002	0.002	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3	2.8	4.4	3.3	3.1	2.8	3.2	5.5	3.3	2.5	3.9	3.3	4.9	3.6	6.4	3.8	4
Physical Properties																	
Moisture (%)	74.81	78.24	73.86	77.91	76.16	74.12	74.97	77.14	77.18	76.99	75.03	77.45	75.83	74.78	76.26	77.59	74.18
Fork Length (cm)	32	43.2	40	39.5	38.6	49.1	48.5	40.2	44.8	37.9	37.4	44.6	41.3	44	47.6	38.2	43.5
Weight (g)	1250	1260	1380	1120	880	1180	1120	840	1120	820	720	1380	980	1280	1460	880	1400
Sex	M	M	F	F	F	M	M	F	F	F	M	M	F	F	F	F	F
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	31	27	22	18	11	30	33	30	25	25	9	28	14	14	14	8	14
Radionuclides																	
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0005	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.0002	0.0002	0.0007	0.0012
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.0002	<0.00006	0.0003	<0.00007	<0.00006	0.0001	<0.00006	<0.00006	<0.00008	0.0002	<0.00006	<0.00007	<0.00006	<0.00005	<0.00005
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0003	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 3

Detailed fish flesh chemistry data from the EARMP community program (Camsell Portage), 2011 to 2023.

Chemical ¹	Camsell Portage (Ellis Bay)																						
	Lake Whitefish																		Northern Pike				
	2016			2021					2022					2023					2012				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	AN1-1	AN1-1	AN1-1	AN1-1	AN1-1
	LW06	LW07	LW08	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	NP01	NP02	NP03	NP04	NP05
Metals																							
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.24	0.09	0.07	0.03	0.14	0.13	0.08	0.13	0.23	0.2	0.23	0.17	0.17	0.06	0.15	0.06	0.11	0.39	0.09	0.15	0.09	0.12	0.1
Barium	0.02	0.01	0.03	<0.01	0.04	<0.01	<0.01	0.02	<0.01	0.05	<0.01	0.01	0.01	<0.01	<0.01	0.07	<0.01	<0.01	0.02	0.02	0.02	0.02	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.004	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.006	0.004	0.004	0.007	0.002	0.005	0.017	0.007	0.004	<0.002	0.005	0.004	0.003	0.008	<0.002	0.007	0.003	0.002	0.003	0.003	<0.002	<0.002	0.003
Copper	0.26	0.24	0.18	0.22	0.21	0.16	0.14	0.21	0.22	0.22	0.21	0.19	0.46	0.11	0.18	0.15	0.3	0.2	0.39	0.45	0.16	0.17	0.28
Iron	2.8	2.6	1.8	2.6	1.4	1.4	0.7	1.3	1.8	3.2	1.5	2.4	3.2	0.9	1.4	0.9	2.6	2.3	2.8	3.2	1.3	0.6	3.2
Lead	<0.002	<0.002	<0.002	0.004	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.11	0.09	0.07	0.11	0.09	0.10	0.13	0.08	0.07	0.1	0.1	0.12	0.07	0.05	0.07	0.17	0.06	0.06	0.08	0.09	0.08	0.08	0.08
Mercury	0.037	0.043	0.036	0.099	0.060	0.052	0.13	0.082	0.06	0.082	0.071	0.08	0.1	0.1	0.082	0.083	0.061	0.12	0.19	0.13	0.08	0.17	0.24
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.28	0.27	0.25	0.20	0.27	0.21	0.34	0.26	0.25	0.32	0.32	0.28	0.28	0.16	0.28	0.2	0.26	0.26	0.2	0.17	0.22	0.18	0.19
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.24	0.22	0.27	0.23	0.38	0.19	0.16	0.56	0.29	0.22	0.25	0.3	0.29	0.11	0.28	2.2	0.17	0.2	0.16	0.2	0.18	0.11	0.14
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	0.02	0.02	0.01	0.01
Uranium	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	0.004	<0.001	0.015	0.002	0.003	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.9	3.3	5.1	4.4	4.4	4.4	4.6	4.6	3.9	4	5.2	5.8	4.9	3.2	3.8	4.1	3.4	3.6	4.2	9.8	5.4	4.9	6.5
Physical Properties																							
Moisture (%)	72.23	74.17	76.38	75.71	73.83	76.50	78.26	72.88	71.7	74.9	75	78	74.1	75.5	73.2	74.8	79	76	76.89	77.35	76.06	77.29	79.91
Fork Length (cm)	45.4	45	49.6	45.8	39.8	39.5	52.4	43	43.9	41.1	39.7	39.4	42.5	-	-	-	42.1	45.3	76	67.7	67.8	72.3	89.5
Weight (g)	1560	1540	1880	1660	1080	1070	2380	1880	1590	1300	1060	1060	1360	-	-	-	1140	1600	2800	2760	1660	2760	4860
Sex	M	M	F	M	M	U	M	F	F	F	F	F	F	U	U	U	M	M	F	M	F	F	F
Maturity	A	A	A	A	A	U	A	A	A	A	A	A	A	U	U	U	A	A	A	A	A	A	A
Age (years)	15	15	11	7	10	9	15	12	11	7	8	8	15	-	-	-	9	24	6	9	5	7	16
Radionuclides																							
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	0.0009	0.0002	0.0003	<0.0002	0.0005	<0.0002	0.0011	<0.0002	<0.0002	0.0002	0.0004	<0.0002	<0.0002	0.0005	0.0002	0.0003	<0.0002	0.0002	0.0004	0.0008	0.0003	0.0003
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00009	<0.00006	<0.00006	<0.00007	<0.0006	<0.0007	<0.00007	<0.00006	<0.00007	<0.00006	<0.00006	<0.00006	<0.00007	<0.00008	<0.00006	0.00008
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.003

¹All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.
GN = gill net, AN = angling; LT = lake trout; LW = lake whitefish, NP = northern pike; M = male; F = female; A = adult.

APPENDIX C, TABLE 4

Detailed fish flesh chemistry data from the EARMP community program (Fond du Lac), 2011 to 2023.

Chemical ¹	Fond du Lac (Fond du Lac River)														
	Lake Trout														
	2011					2012					2013				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT01	LT02	LT03	LT04	LT05	LT06	LT07	LT08	LT09	LT10	LT06	LT07	LT08	LT09	LT10
Metals															
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.17	0.08	0.1	0.05	0.12	0.05	0.06	0.1	0.14	0.08	0.05	0.04	0.08	0.11	0.06
Barium	<0.01	0.02	0.01	0.66	0.01	0.02	0.02	0.02	<0.01	<0.01	<0.01	0.01	0.01	<0.01	0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Copper	0.17	0.31	0.4	0.19	0.4	0.31	0.26	0.23	0.28	0.21	0.36	0.25	0.24	0.43	0.24
Iron	2.1	2.1	3.2	1.8	2.8	3.4	1.8	1.4	4	1.4	2.2	1.3	1.6	2.1	1.3
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	0.004	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	0.008	<0.002	<0.002
Manganese	0.09	0.08	0.09	0.1	0.08	0.07	0.04	0.07	0.06	0.08	0.05	0.06	0.07	0.07	0.05
Mercury	0.26	0.3	0.24	0.1	0.23	0.17	0.14	0.14	0.26	0.31	0.09	0.11	0.09	0.05	0.04
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	0.02	<0.01	<0.01
Selenium	0.17	0.12	0.16	0.16	0.13	0.16	0.14	0.18	0.15	0.13	0.18	0.14	0.14	0.16	0.16
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.11	0.16	0.18	0.2	0.18	0.12	0.09	0.21	0.16	0.15	0.1	0.09	0.11	0.04	0.08
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.01	0.01	0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.08	0.09	0.09	0.1	0.08	0.08	0.07	0.08	0.08	0.08	0.01	<0.01	0.01	0.01	<0.01
Uranium	<0.001	0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3	3.7	4.2	3.2	3.9	4.2	3.4	3.8	4.4	3.4	4.2	3.3	2.9	3.3	2.8
Physical Properties															
Moisture (%)	76.91	76.77	74.35	75.75	71.88	77.01	75.50	69.03	77.64	68.66	74.35	74.57	75.49	72.33	73.93
Fork Length (cm)	49.6	46.4	53.9	49.1	49.2	60.5	55.6	61.2	63.4	63.5	48.5	52.7	56.8	51.5	50.1
Weight (g)	1430	1310	2020	1230	1530	1680	1420	1940	1840	2280	1520	1940	2200	1640	1620
Sex	M	F	F	F	M	M	M	F	F	F	M	M	M	M	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	12	10	15	9	8	17	11	15	-	14	9	11	12	9	8
Radionuclides															
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00005	<0.00006	<0.00005	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00005
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 4

Detailed fish flesh chemistry data from the EARMF community program (Fond du Lac), 2011 to 2023.

Chemical ¹	Fond du Lac (Fond du Lac River)																	
	Lake Trout																	
	2014					2016			2018					2019				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT06	LT07	LT08	LT09	LT10	LT01	LT02	LT03	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05
Metals																		
Aluminum	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.07	0.04	0.11	0.13	0.05	0.05	0.05	0.07	0.16	0.1	0.12	0.21	0.05	0.09	0.05	0.06	0.08	0.13
Barium	0.01	<0.01	0.01	0.01	0.04	0.03	0.06	0.07	0.61	0.36	0.22	0.25	0.44	<0.01	<0.01	<0.01	<0.01	0.02
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.003	<0.002	0.003	0.002	0.003	<0.002	0.003	0.012	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	0.002	<0.002	<0.002
Copper	0.2	0.17	0.4	0.22	0.36	0.22	0.33	0.33	0.41	0.34	0.45	0.35	0.33	0.22	0.22	0.2	0.42	0.2
Iron	2.6	2.3	3.3	2.8	3.6	3	2.2	5	4	3	4.4	3.5	5	2	1.5	2.3	3.6	2.9
Lead	0.003	<0.002	0.002	0.004	0.007	0.002	0.002	0.003	<0.002	<0.002	<0.002	0.005	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.09	0.04	0.12	0.14	0.1	0.07	0.08	0.08	0.07	0.09	0.1	0.08	0.09	0.08	0.05	0.07	0.07	0.06
Mercury	0.83	0.46	0.49	0.74	0.44	0.19	0.085	0.25	0.15	0.19	0.11	0.16	0.18	0.21	0.17	0.22	0.14	0.2
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.02	<0.01	0.02	0.02	0.02	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.13	0.07	0.16	0.09	0.12	0.16	0.18	0.16	0.17	0.14	0.16	0.14	0.17	0.1	0.11	0.1	0.13	0.11
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.19	0.05	0.13	0.15	0.13	0.08	0.14	0.09	0.57	0.33	0.28	0.47	0.51	0.16	0.09	0.08	0.06	0.36
Thallium	<0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	0.02	0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.09	0.04	0.1	0.08	0.09	<0.01	<0.01	0.01	0.01	0.01	0.01	<0.01	0.01	<0.01	0.01	0.02	<0.01	<0.01
Uranium	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.8	1.8	3.6	6.3	3.8	6.1	3	3.6	5.6	4.3	4.1	4.9	4.3	2.8	2.2	2.8	3.2	3.3
Physical Properties																		
Moisture (%)	81.13	73.27	76.95	79.64	74.40	77.54	71.06	72.59	73.29	74.63	77.43	64.88	76.64	74.46	73.12	74.54	76.15	75.12
Fork Length (cm)	54.5	57.1	60.2	55.7	58.5	58.9	57.6	54	55.9	58.2	51.1	59.3	58	58.5	52.7	55.3	52.4	57.2
Weight (g)	1405	2205	2860	1670	2410	2160	2060	1740	1790	1950	1150	2300	2190	2240	1440	1900	1580	2300
Sex	F	M	F	F	F	F	F	M	M	F	M	F	M	F	M	F	M	F
Maturity	A	A	A	A	A	A	A	A	U	A	U	U	U	A	A	A	A	A
Age (years)	29	20	16	21	13	18	11	21	15	17	11	15	21	20	9	22	15	25
Radionuclides																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00004	0.00007	<0.00005	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00005	<0.00006	<0.00007	<0.00006	<0.00007	<0.00006	<0.00006	<0.00005
Thorium-230 (Bq/g)	<0.0001	<0.00008	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 4

Detailed fish flesh chemistry data from the EARMP community program (Fond du Lac), 2011 to 2023.

Chemical ¹	Fond du Lac (Fond du Lac River)																			
	Lake Trout																			
	2020					2021					2022					2023				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT06	LT07	LT08	LT09	LT10	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT06	LT07	LT08	LT09	LT10
Metals																				
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.06	0.02	0.09	0.2	0.28	0.04	0.10	0.17	0.03	0.04	0.12	0.11	0.15	0.15	0.13	0.06	0.05	0.05	0.14	0.07
Barium	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.02	0.02	<0.01	0.02	<0.01	0.03	0.01	<0.01	0.01	0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	0.004	0.004	0.002	<0.002	0.004	0.002	0.002	0.002	0.004	0.002	<0.002	0.002	0.002	0.003	0.002	0.004	<0.002	<0.002	<0.002
Copper	0.27	0.36	0.65	1	0.45	0.31	0.27	0.24	0.24	0.15	0.34	0.28	0.6	0.26	0.57	0.22	0.38	0.25	0.19	0.53
Iron	3.8	5.9	6	7.9	4	3.2	2.6	2.5	2.8	1.0	4.4	3.6	3.7	1.8	7.8	2.3	5	2.7	3	4.4
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	0.005	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.07	0.06	0.1	0.11	0.1	0.09	0.10	0.07	0.06	0.08	0.09	0.08	0.14	0.07	0.07	0.06	0.07	0.04	0.07	0.05
Mercury	0.32	0.28	0.2	0.24	0.21	0.59	0.20	0.18	0.38	0.44	0.34	0.32	0.38	0.25	0.51	0.29	0.32	0.34	0.4	0.25
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	0.04	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.12	0.15	0.18	0.16	0.15	0.20	0.19	0.16	0.19	0.18	0.18	0.18	0.19	0.24	0.19	0.14	0.15	0.13	0.12	0.15
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.12	0.08	0.25	0.38	0.14	0.29	0.16	0.18	0.09	0.09	0.47	0.16	0.32	0.07	0.87	0.09	0.12	0.12	0.14	0.13
Thallium	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01	0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.03	0.04	0.06	0.04	0.04	<0.01	0.09	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01	0.01	0.01	<0.01	<0.01
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.004	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.2	4.3	3.9	7.5	3.8	9.2	3.9	4.2	3.3	4.5	12	4.4	4.9	3.9	13	3.3	3.6	2.2	4	4
Physical Properties																				
Moisture (%)	77.69	81.82	71.29	79.87	75.50	79.52	77.78	74.53	81.51	79.85	79.6	79.4	78.6	76.8	80.7	80.6	80.4	80	77.2	78.1
Fork Length (cm)	59.5	56.0	59.8	56.7	57.5	45.6	56.7	2000	52.8	50.8	57.4	54.2	55.4	60	57.6	54.4	61	59.2	56.8	49.3
Weight (g)	1900	1740	2500	2040	2340	980	48.5	1420	1620	1630	2120	2010	2180	2630	2120	2640	2600	2400	2280	1480
Sex	U	M	U	M	M	F	F	F	M	F	M	M	F	M	F	F	F	F	M	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	12	24	13	11	16	12	12	9	12	13	26	22	11	15	25	>15	20	15	15	13
Radionuclides																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00005	<0.00007	<0.00006	<0.00005	<0.00006	<0.00006	<0.00006	<0.00006	<0.00005	<0.00005	<0.00006	<0.00006	<0.00006	<0.00007	<0.00006	<0.00006	<0.00005	<0.00005	<0.00005	<0.00005
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 4

Detailed fish flesh chemistry data from the EARMP community program (Fond du Lac), 2011 to 2023.

Chemical ¹	Fond du Lac (Fond du Lac River)														
	Lake Whitefish														
	2011					2012					2013				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LW06	LW07	LW08	LW09	LW10	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05
Metals															
Aluminum	<0.5	<0.5	<0.5	<0.5	1.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.4	0.19	0.2	0.52	0.29	0.02	0.22	0.22	0.18	0.19	0.04	0.04	0.11	0.08	0.03
Barium	0.06	0.04	0.02	<0.01	0.03	0.02	0.04	0.01	0.07	0.02	0.01	<0.01	0.02	0.03	0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.002	<0.002	<0.002	<0.002	0.006	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.003	0.005	0.003	0.003	0.015	0.003	0.002	0.003	0.003	<0.002	0.004	0.014	0.003	0.004	<0.002
Copper	0.14	0.18	0.12	0.22	0.28	0.27	0.16	0.16	0.15	0.13	0.22	0.16	0.15	0.34	0.13
Iron	1.7	2.9	1.3	2.6	6	2	1	1.4	1.4	1.3	2.1	3.1	1.3	4.4	1.1
Lead	<0.002	0.002	<0.002	<0.002	<0.002	0.003	0.004	0.003	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.17	0.13	0.07	0.14	0.08	0.05	0.08	0.14	0.19	0.08	0.08	0.09	0.06	0.1	0.07
Mercury	0.14	0.12	0.14	0.18	0.18	0.02	0.05	0.02	0.02	0.03	0.03	0.02	0.02	0.03	0.04
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01
Selenium	0.25	0.15	0.22	0.2	0.29	0.17	0.28	0.2	0.16	0.23	0.22	0.13	0.27	0.21	0.18
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	1	0.88	0.55	0.15	0.36	0.51	0.24	0.27	1.6	0.2	0.19	0.26	0.19	0.61	0.15
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.08	0.08	0.09	0.07	0.1	0.07	0.08	0.07	0.08	0.07	0.02	0.01	0.02	0.02	0.02
Uranium	0.002	<0.001	<0.001	<0.001	0.003	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3	4.2	3.2	3	4.2	6.2	3.8	3.5	4	3.4	3.8	4	3.9	5.4	3.5
Physical Properties															
Moisture (%)	73.98	78.34	76.86	75.56	75.69	75.73	71.01	74.93	73.77	76.15	75.67	78.03	73.18	76.28	78.04
Fork Length (cm)	38.5	44.9	36.4	41.1	42.2	44.4	43.8	46.6	42.8	36.5	46.5	43.4	40.5	40.1	42.3
Weight (g)	900	1340	805	1100	1120	940	1040	1100	860	520	1420	1120	980	820	1000
Sex	M	M	F	F	M	M	F	M	F	M	F	M	F	M	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	30	26	31	33	38	7	27	20	15	27	14	12	13	13	8
Radionuclides															
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.004	<0.004	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.001	<0.001	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00008	<0.00006	<0.00006	<0.00006	<0.00007	<0.00007	<0.00008	<0.00009	<0.001	0.002	<0.00009	0.0001	<0.00006	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.002	<0.002	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 4

Detailed fish flesh chemistry data from the EARMP community program (Fond du Lac), 2011 to 2023.

Chemical ¹	Fond du Lac (Fond du Lac River)																	
	Lake Whitefish																	
	2014					2016			2018					2019				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LW01	LW02	LW03	LW04	LW05	LW04	LW05	LW06	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05
Metals																		
Aluminum	<0.5	<0.5	0.6	<0.5	<0.5	<0.5	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.16	0.02	0.04	0.28	0.04	0.03	0.29	0.26	0.16	0.1	0.12	0.21	0.05	0.02	0.02	0.24	0.02	0.16
Barium	0.14	<0.01	0.04	0.06	0.05	0.06	0.21	0.01	0.61	0.36	0.22	0.25	0.44	<0.01	0.01	<0.01	<0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	0.003	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.007	0.006	0.02	0.003	0.012	0.016	0.011	0.004	<0.002	<0.002	<0.002	0.003	<0.002	0.005	0.011	0.007	0.01	0.008
Copper	0.13	0.14	0.19	0.16	0.17	0.19	0.1	0.26	0.41	0.34	0.45	0.35	0.33	0.19	0.2	0.13	0.18	0.14
Iron	1.8	1.4	3.1	1.8	2	1.8	1.9	2.6	4	3	4.4	3.5	5	3	3.4	3	2.3	1.4
Lead	0.002	<0.002	0.008	<0.002	<0.002	0.004	0.005	<0.002	<0.002	<0.002	<0.002	0.005	<0.002	<0.002	<0.002	0.004	<0.002	<0.002
Manganese	0.21	0.07	0.19	0.1	0.1	0.08	0.22	0.09	0.07	0.09	0.1	0.08	0.09	0.05	0.12	0.08	0.14	0.19
Mercury	0.086	0.14	0.051	0.081	0.059	0.079	0.12	0.065	0.15	0.19	0.11	0.16	0.18	0.15	0.11	0.095	0.046	0.075
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.02	0.02	0.04	<0.01	0.1	0.02	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01
Selenium	0.15	0.11	0.12	0.24	0.17	0.34	0.24	0.16	0.17	0.14	0.16	0.14	0.17	0.12	0.14	0.24	0.15	0.27
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	2.2	0.33	1.2	0.68	0.33	0.21	1.4	0.31	0.57	0.33	0.28	0.47	0.51	0.3	0.36	0.25	0.24	0.26
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.1	0.09	0.1	0.07	0.09	0.02	0.01	<0.01	0.01	0.01	0.01	<0.01	0.01	0.07	<0.01	<0.01	<0.01	<0.01
Uranium	<0.001	<0.001	0.004	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.3	4.6	4.4	4.2	3.6	5	4	3.8	5.6	4.3	4.1	4.9	4.3	3.5	4.8	3.1	4.6	3.3
Physical Properties																		
Moisture (%)	78.86	77.96	76.51	77.23	76.57	74.60	81.27	73.88	73.29	74.63	77.43	64.88	76.64	78.08	79.05	79.37	76.69	77.22
Fork Length (cm)	42.5	45	41.3	41.9	39.4	47	38.6	47.4	38	40.6	39.3	37	38.3	49.3	44.5	40	45.4	43.5
Weight (g)	965	1240	910	965	875	1540	840	1360	840	1110	850	800	760	1460	1260	1140	1480	1340
Sex	F	F	M	F	M	F	M	F	M	M	M	M	M	F	F	M	M	M
Maturity	A	A	A	A	A	A	A	A	U	U	U	U	U	A	A	A	A	A
Age (years)	19	9	15	17	11	11	33	16	25	30	23	37	26	16	11	34	9	12
Radionuclides																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0003	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	0.00008	<0.00006	<0.00007	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00005	<0.00006	<0.00007	<0.00006	<0.00006	<0.00005	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 4

Detailed fish flesh chemistry data from the EARMP community program (Fond du Lac), 2011 to 2023.

Chemical ¹	Fond du Lac (Fond du Lac River)																			
	Lake Whitefish																			
	2020					2021					2022					2023				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05
Metals																				
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.24	0.26	0.2	0.23	0.32	0.04	0.03	0.03	0.03	0.02	0.45	0.36	0.27	0.44	0.22	0.4	0.22	0.27	0.06	0.52
Barium	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	0.03	<0.01	<0.01	<0.01	0.01	0.01	0.02	0.04	<0.01	0.01	0.02	0.01	<0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.009	0.002	0.003	0.005	0.008	0.008	0.009	0.009	0.010	0.004	0.004	0.003	0.006	0.003	0.004	0.002	0.004	0.005	0.003	0.003
Copper	0.12	0.11	0.17	0.14	0.14	0.16	0.15	0.15	0.20	0.17	0.14	0.19	0.18	0.13	0.11	0.12	0.17	0.32	0.18	0.22
Iron	3.8	1.2	2.1	2.3	3.3	1.8	3.2	2.3	2.2	1.8	2.2	3.4	2	2.5	1.4	1.8	3.3	4	2.2	3.2
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	<0.002
Manganese	0.09	0.08	0.09	0.08	0.09	0.12	0.11	0.09	0.09	0.06	0.09	0.11	0.08	0.11	0.06	0.1	0.08	0.08	0.06	0.1
Mercury	0.11	0.08	0.11	0.1	0.08	0.13	0.13	0.11	0.12	0.10	0.13	0.17	0.1	0.1	0.12	0.11	0.1	0.1	0.62	0.11
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.02	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	<0.01	<0.01	0.02
Selenium	0.27	0.24	0.26	0.19	0.31	0.17	0.19	0.23	0.23	0.26	0.32	0.31	0.35	0.28	0.17	0.28	0.26	0.32	0.16	0.28
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.24	0.19	0.17	0.26	0.19	0.10	0.09	0.08	0.21	0.08	0.3	0.42	0.34	0.67	0.24	0.28	0.3	0.32	0.21	0.19
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.03	0.03	0.04	0.04	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Uranium	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	0.003	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	0.002	0.001	<0.001	0.005
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	4	2.6	2.9	2.8	3.9	4.0	7.1	7.6	4.2	4.1	4.8	4.2	3.9	4.6	3.1	3	3.1	3.2	3.9	3.4
Physical Properties																				
Moisture (%)	79.02	79.31	79.99	80.97	79.37	78.59	80.88	80.18	77.34	79.40	73.1	75	74.8	75	80.3	78.5	77.1	74.4	78.4	75.1
Fork Length (cm)	39.5	39.4	40.6	45.5	40.9	46.2	45.5	42.5	44.3	42.7	37.2	39.9	39	39.3	34.2	40.7	38.8	42	43.9	40.8
Weight (g)	1000	960	1100	1380	1080	1380	1240	1160	1320	1200	900	950	1060	1000	1200	1040	960	1220	1220	1120
Sex	M	M	F	F	F	M	M	F	F	M	F	F	M	M	M	M	M	F	F	F
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	33	25	30	26	29	15	16	10	11	14	27	28	26	27	26	22	24	26	16	30
Radionuclides																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0003	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0003	0.0003	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00005	<0.00005	<0.00006	<0.00007	<0.00006	<0.00005	0.0002	<0.00006	<0.00006	<0.00007	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.0001	<0.0001	<0.00008	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0001

¹All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.
GN = gill net; LT = lake trout; LW = lake whitefish; M = male; F = female; A = adult, U = unknown.

APPENDIX C, TABLE 5

Detailed fish flesh chemistry data from the EARMP community program (Stony Rapids), 2011 to 2023.

Chemical ¹	Stony Rapids (Fond du Lac River)														
	Lake Trout														
	2011					2012					2013				
	GN1-1	GN1-1	GN1-1	GN1-1	SP01-01	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT01	LT02	LT03	LT04	LT05	LT06	LT07	LT08	LT09	LT01	LT02	LT03	LT04	LT05	
Metals															
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.02	0.06	0.05	0.06	0.09	0.07	0.18	0.06	0.07	0.06	0.18	0.25	0.09	0.08	
Barium	<0.01	<0.01	0.01	<0.01	0.01	0.01	0.01	0.02	0.01	<0.01	<0.01	<0.01	<0.01	0.01	
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Copper	0.28	0.2	0.22	0.22	0.17	0.21	0.78	0.2	0.36	0.39	0.45	0.32	0.32	0.28	
Iron	1.9	1.7	1.5	1.6	1.2	2.3	8.6	2.6	4	3.6	3.3	6.1	3.1	2.7	
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.09	0.09	0.08	0.12	0.06	0.09	0.08	0.1	0.07	0.11	0.07	0.06	0.06	0.07	
Mercury	0.27	0.46	0.57	0.38	0.49	0.12	0.19	0.18	0.27	0.17	0.12	0.13	0.3	0.16	
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01
Selenium	0.1	0.11	0.09	0.14	0.16	0.15	0.19	0.17	0.19	0.16	0.19	0.15	0.18	0.15	
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002
Strontium	0.1	0.09	0.21	0.23	0.09	0.13	0.14	0.14	0.14	0.08	0.14	0.3	0.14	0.1	
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.02	<0.01	0.01	0.01	0.01	<0.01	0.02	0.01	
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.08	0.07	0.08	0.08	0.08	0.07	0.08	0.08	0.08	0.04	0.03	0.04	0.03	0.03	
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	4.7	3.1	3.4	3.3	2.5	3.8	5.4	3.6	3.8	3.1	4	4	3.8	3.1	
Physical Properties															
Moisture (%)	77.77	77.90	77.43	76.77	73.64	78.8	76.77	78.11	78.05	73.56	74.02	75.29	75.06	73.99	
Fork Length (cm)	54.9	55.9	57.2	64.9	69.6	57.2	62.8	61	59.8	52	52.5	55	57	51.2	
Weight (g)	1750	2060	2180	2840	3720	1520	2060	1840	1820	1720	1680	1940	2060	1600	
Sex	F	F	F	F	M	M	M	M	M	F	M	F	M	F	
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	10	15	16	17	15	14	22	21	22	12	12	11	16	13	
Radionuclides															
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	0.0004	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0003	<0.0002	<0.0002	0.0002	
Radium-226 (Bq/g)	<0.00007	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00007	<0.00006	<0.00008	<0.00006	0.0001	
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 5

Detailed fish flesh chemistry data from the EARMP community program (Stony Rapids), 2011 to 2023.

Chemical ¹	Stony Rapids (Fond du Lac River)																	
	Lake Trout																	
	2014					2016			2018					2019				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05
Metals																		
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.14	0.11	0.04	0.07	0.04	0.1	0.12	0.08	0.11	0.14	0.12	0.08	0.18	0.03	0.05	0.11	0.05	0.03
Barium	0.1	0.09	<0.01	0.07	0.03	0.02	0.05	0.03	0.11	0.15	0.06	0.1	0.19	0.01	<0.01	<0.01	<0.01	0.02
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.006	0.005	<0.002	0.004	0.003	0.004	0.004	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	0.002	<0.002	0.002
Copper	0.43	0.93	0.34	0.3	0.3	0.43	0.73	0.61	0.28	0.41	0.4	0.36	0.33	0.28	0.25	0.32	0.19	0.49
Iron	10	8.9	3	2.3	2.1	4	6.1	4.2	3.2	5	4.4	4.4	4.3	4.5	3.6	2.8	1.6	4.4
Lead	0.011	0.003	<0.002	0.004	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	0.005	<0.002	<0.002	<0.002	0.002
Manganese	0.13	0.09	0.06	0.07	0.06	0.05	0.05	0.08	0.08	0.07	0.06	0.08	0.06	0.06	0.06	0.11	0.06	0.06
Mercury	0.11	0.24	0.23	0.21	0.19	0.14	0.2	0.16	0.1	0.11	0.1	0.11	0.099	0.24	0.25	0.19	0.17	0.13
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.06	<0.01	<0.01	0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.13	0.15	0.16	0.15	0.14	0.18	0.16	0.16	0.15	0.14	0.17	0.18	0.14	0.14	0.12	0.14	0.12	0.12
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.26	0.15	0.2	0.34	0.28	0.22	0.25	0.17	0.3	0.24	0.21	0.24	0.14	0.19	0.12	0.72	0.08	0.33
Thallium	<0.01	0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01	0.01	0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.14	0.09	0.09	0.09	0.08	0.02	<0.01	0.01	0.02	0.02	0.01	0.02	0.05	0.02	<0.01	<0.01	<0.01	<0.01
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.003	<0.001	<0.001	<0.001	0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.3	5.2	4.3	4.3	3	3.5	3.8	3.2	5.1	4.4	4.9	4.3	4.5	3.7	2.9	5.8	2.3	3.7
Physical Properties																		
Moisture (%)	73.76	75.09	76.30	76.67	75.55	70.53	75.35	72.93	77.90	76.77	74.99	78.64	74.12	79.89	79.11	76.18	77.07	79.64
Fork Length (cm)	49.5	51.9	44.7	54	48.7	55	55.7	52.1	47.6	53.9	56.2	52.5	61	61.8	59.7	50.8	59.2	52
Weight (g)	1580	1640	1100	1670	1440	2080	1960	1920	1130	1640	1680	1660	2480	2180	2500	1560	2120	1480
Sex	F	M	M	M	F	F	F	F	F	F	M	F	F	M	M	M	M	M
Maturity	A	A	A	A	A	A	A	A	U	U	U	U	U	A	A	A	A	A
Age (years)	11	14	12	12	11	15	11	15	13	13	13	12	11	21	25	16	19	14
Radionuclides																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00008	<0.00006	<0.00007	<0.00006	<0.00005	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00005	<0.00006	<0.00007	<0.00007	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 5

Detailed fish flesh chemistry data from the EARMP community program (Stony Rapids), 2011 to 2023.

Chemical ¹	Stony Rapids (Fond du Lac River)																		
	Lake Trout																		
	2020				2021					2022					2023				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT06	LT07	LT08	LT09	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT06	LT07	LT08	LT09	LT10
Metals																			
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.04	0.04	0.05	0.03	0.07	0.06	0.08	0.06	0.13	0.25	0.24	0.22	0.11	0.13	0.05	0.08	0.07	0.04	0.06
Barium	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.02	<0.01	0.02	0.03	0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	0.003	0.002	0.003	<0.002	0.002	0.003	0.004	0.002	<0.002	<0.002	<0.002	<0.002
Copper	0.29	0.36	0.38	0.29	0.21	0.25	0.34	0.32	0.33	0.5	0.39	0.48	0.26	0.45	0.33	0.27	0.28	0.26	0.34
Iron	3	4	4.1	5.4	3.5	2.1	7.2	3.1	3.3	4.6	4.4	6.3	3.4	5.2	3.2	2.5	2.2	2.5	4.4
Lead	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.15	0.08	0.1	0.08	0.07	0.06	0.07	0.06	0.05	0.1	0.07	0.07	0.08	0.11	0.05	0.08	0.1	0.05	0.07
Mercury	0.17	0.13	0.32	0.32	0.37	0.31	0.33	0.25	0.20	0.23	0.21	0.22	0.42	0.3	0.35	0.25	0.46	0.34	0.19
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.07	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.03	0.01	<0.01	0.01
Selenium	0.19	0.2	0.18	0.14	0.13	0.15	0.15	0.17	0.13	0.16	0.18	0.17	0.14	0.14	0.15	0.14	0.12	0.14	0.15
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.005	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.67	0.39	0.55	0.18	0.20	0.15	0.25	0.14	0.23	0.44	0.38	0.71	0.42	0.72	0.2	0.34	0.16	0.09	0.22
Thallium	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.04	0.04	0.05	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.7	5.3	6.9	4.7	8.9	5.6	5.3	4.0	3.3	4.8	4.7	7.7	5.1	5.7	3.2	3.1	4.2	4	3.3
Physical Properties																			
Moisture (%)	76.00	75.89	79.24	81.49	81.03	81.49	81.25	78.31	79.43	75.2	77.3	77.7	77.5	77.3	77.7	75.2	73.3	78.4	74.8
Fork Length (cm)	65.2	61.2	58.7	57.2	59.4	54.1	58.9	53.5	52.6	58.8	53.4	50.7	53.5	50	53.9	52.8	55	55.6	52.9
Weight (g)	2520	2290	2420	1980	2220	1840	2050	1820	1800	2140	1660	1600	1920	1680	1640	1960	1800	2120	1540
Sex	M	M	F	M	F	F	F	M	F	M	M	M	F	F	M	F	M	M	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	12	11	26	31	26	18	28	18	13	18	13	15	19	15	19	12	12	21	12
Radionuclides																			
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00005	<0.00005	<0.00005	<0.00006	<0.00006	<0.00005	<0.00005	<0.00006	<0.00005	<0.00008	<0.00006	<0.00006	<0.00006	<0.00006	<0.0001	<0.00006	<0.00006	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 5

Detailed fish flesh chemistry data from the EARMP community program (Stony Rapids), 2011 to 2023.

Chemical ¹	Stony Rapids (Fond du Lac River)														
	Lake Whitefish														
	2011					2012					2013				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LW06	LW07	LW08	LW09	LW10	LW01	LW02	LW03	LW04	LW05	LW06	LW07	LW08	LW09	LW10
Metals															
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.06	0.03	0.03	0.07	0.02	0.02	0.06	0.05	0.03	0.04	0.03	0.02	0.04	0.03	0.03
Barium	0.01	0.01	0.09	<0.01	0.02	0.01	0.05	0.01	0.01	0.02	<0.01	0.02	<0.01	<0.01	0.02
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.005	0.009	0.012	0.004	0.008	<0.002	0.009	0.005	0.007	0.003	0.004	0.004	0.006	0.004	0.005
Copper	0.36	0.15	0.14	0.26	0.19	0.24	0.14	0.3	0.14	0.11	0.31	0.15	0.17	0.23	0.25
Iron	3.5	2	2	2.2	1.7	1.3	1.4	4.2	1.9	1.1	4.7	1.9	1.2	2.2	2.4
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.09	0.1	0.18	0.08	0.1	0.08	0.22	0.08	0.1	0.1	0.09	0.12	0.08	0.12	0.19
Mercury	0.23	0.06	0.15	0.37	0.06	0.05	0.05	0.14	0.06	0.13	0.09	0.04	0.04	0.07	0.06
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.05	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.13	0.1	0.15	0.27	0.12	0.18	0.12	0.14	0.18	0.13	0.14	0.13	0.15	0.12	0.12
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.23	0.26	2	0.12	0.24	0.28	1.8	0.3	0.23	0.24	0.27	0.22	0.17	0.22	0.25
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.07	0.08	0.08	0.07	0.09	0.06	0.07	0.07	0.06	0.06	0.03	0.03	0.03	0.03	0.03
Uranium	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	4	4	4.1	8.3	4.7	6.1	7	3.6	3.4	3.4	4	4.6	3.4	4.9	4.7
Physical Properties															
Moisture (%)	76.78	78.07	78.94	77.19	75.50	74.99	80.97	76.82	80.22	79.53	76.95	78.07	73.93	75.51	76.73
Fork Length (cm)	47.8	44.8	48.1	51.4	42.5	48	47	50.6	50.8	49.5	44.5	42.2	43.3	39.9	40.5
Weight (g)	1490	1640	1730	2060	1410	1420	980	1680	1360	1520	1180	940	1100	1000	960
Sex	F	F	F	F	M	F	F	M	F	F	M	F	F	M	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	27	14	13	29	8	9	14	18	15	18	18	8	11	11	10
Radionuclides															
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.001	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.0002
Radium-226 (Bq/g)	<0.00008	0.0001	0.00006	0.0001	<0.00006	<0.00005	0.001	<0.00006	<0.00007	<0.00005	<0.00006	<0.00006	0.0001	0.00009	<0.00006
Thorium-230 (Bq/g)	<0.0002	<0.00009	<0.00008	<0.0002	<0.0001	<0.0001	<0.002	<0.0001	<0.0001	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 5

Detailed fish flesh chemistry data from the EARMP community program (Stony Rapids), 2011 to 2023.

Chemical ¹	Stony Rapids (Fond du Lac River)																	
	Lake Whitefish																	
	2014					2016			2018					2019				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LW06	LW07	LW08	LW09	LW10	LW04	LW05	LW06	LW01	LW02	LW03	LW04	LW05	LT01	LT02	LT03	LT04	LT05
Metals																		
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.01	0.01	0.01	0.02	0.09	0.02	0.06	0.04	0.14	0.13	0.17	0.1	0.08	0.01	0.03	0.01	0.02	0.02
Barium	0.07	<0.01	0.08	0.03	0.04	<0.01	0.04	0.05	0.03	0.22	0.07	0.14	0.04	<0.01	<0.01	<0.01	<0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.005	<0.002	<0.002	<0.002	<0.002	<0.002	0.005	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.003	0.005	0.003	0.004	0.008	0.012	0.023	0.007	0.009	0.014	0.003	0.006	<0.002	0.008	0.008	0.007	0.009	0.007
Copper	0.19	0.2	0.25	0.23	0.2	0.17	0.11	0.2	0.18	0.26	0.24	0.24	0.32	0.16	0.17	0.14	0.12	0.18
Iron	1.9	1.8	1.6	2.2	2	1.9	1.7	1.8	3	3.2	3.2	4.3	3.5	1.6	2.4	1.7	2.1	2.2
Lead	<0.002	<0.002	<0.002	<0.002	0.004	0.004	0.004	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.09	0.09	0.1	0.18	0.09	0.12	0.08	0.08	0.1	0.11	0.11	0.11	0.08	0.09	0.1	0.06	0.09	0.1
Mercury	0.13	0.098	0.08	0.1	0.056	0.036	0.048	0.039	0.03	0.032	0.052	0.073	0.1	0.043	0.066	0.087	0.064	0.082
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	0.02	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.11	0.08	0.11	0.12	0.16	0.12	0.17	0.1	0.08	0.16	0.19	0.22	0.21	0.08	0.12	0.1	0.11	0.11
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.36	0.1	0.18	0.3	0.29	0.5	0.5	0.34	0.28	0.45	0.4	0.46	0.29	0.29	0.36	0.13	0.34	0.25
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.09	0.06	0.09	0.09	0.08	<0.01	<0.01	0.01	0.01	0.02	0.01	0.02	0.03	0.01	<0.01	<0.01	<0.01	<0.01
Uranium	<0.001	0.007	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.8	2.8	3.6	4.2	3.9	4.5	4.9	4.4	4.6	4.6	5.6	3.5	4.5	3.4	6.2	2.4	3	2.6
Physical Properties																		
Moisture (%)	74.28	79.20	76.81	75.18	76.08	76.94	75.08	76.91	79.48	75.79	73.45	77.61	78.27	77.70	77.03	80.34	75.85	74.44
Fork Length (cm)	44	43.2	44.2	41.8	49.6	42	47.4	41	41.4	48.7	44	40.6	48.2	46.4	43.7	47.3	45.8	42.6
Weight (g)	1300	1120	1120	1130	1560	1160	1520	1040	1070	1420	1080	850	1420	1560	1460	1540	1420	1240
Sex	F	F	F	M	F	F	F	F	F	F	M	M	F	F	F	F	M	M
Maturity	A	A	A	A	A	A	A	A	U	U	U	U	U	A	A	A	A	A
Age (years)	11	9	9	8	11	8	12	12	10	11	13	13	10	8	15	18	16	14
Radionuclides																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0004	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0003	0.0003	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00007	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00007	<0.00006	<0.00006	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 5

Detailed fish flesh chemistry data from the EARMP community program (Stony Rapids), 2011 to 2023.

Chemical ¹	Stony Rapids (Fond du Lac River)																			
	Lake Whitefish																			
	2020					2021					2022					2023				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT01	LT02	LT03	LT04	LT05	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05
Metals																				
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.23	0.06	0.02	0.03	0.02	0.06	0.05	0.02	0.07	0.06	0.04	0.05	0.05	0.05	0.04	0.04	0.03	0.02	0.08	0.03
Barium	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.03	<0.01	0.03	<0.01	<0.01	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.002	0.004	0.003	0.009	0.003	0.004	0.004	0.013	0.009	0.005	0.008	0.007	0.007	0.007	0.007	0.003	0.005	0.004	0.006	0.002
Copper	0.22	0.18	0.2	0.26	0.17	0.26	0.18	0.26	0.25	0.32	0.15	0.15	0.11	0.38	0.21	0.19	0.2	0.15	0.19	0.15
Iron	2.4	1.8	2.6	2.7	1.8	3.5	1.7	3.0	2.9	3.1	2.4	1.8	1.9	4	1.7	1.8	1.8	3.9	1.1	1.3
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.007	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.15	0.08	0.14	0.09	0.15	0.09	0.11	0.09	0.14	0.06	0.1	0.09	0.09	0.15	0.11	0.11	0.07	0.07	0.07	0.09
Mercury	0.15	0.09	0.04	0.07	0.09	0.11	0.072	0.13	0.058	0.084	0.13	0.11	0.1	0.088	0.13	0.12	0.09	0.15	0.097	0.081
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.31	0.13	0.11	0.12	0.17	0.11	0.19	0.14	0.08	0.14	0.1	0.11	0.09	0.11	0.13	0.3	0.12	0.13	0.24	0.14
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.3	0.29	0.3	0.38	0.4	0.26	0.25	0.44	0.30	0.22	0.27	0.26	0.32	0.34	0.46	0.62	0.22	0.41	0.22	0.66
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.04	0.03	0.04	0.04	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	4.2	3.1	4.2	5.3	4.8	6.2	3.6	5.2	5.7	5.5	3.3	4.5	3.9	4.7	6.1	5.4	4.2	3.8	3.4	4.6
Physical Properties																				
Moisture (%)	79.89	78.62	77.46	78.42	73.15	78.42	79.19	77.21	75.30	78.04	78.2	77.8	76.2	76	77.2	75.4	78.6	77.6	76.4	74.8
Fork Length (cm)	39.3	46.8	44.4	47.4	43.8	45.3	47.3	34.4	44.2	46.7	44.8	44.1	45.6	46	39.1	40.8	44.5	44	44.3	39.9
Weight (g)	800	1520	1350	1600	1300	1360	1640	1380	1720	1480	1240	1120	1620	1540	940	1140	1140	1340	1160	980
Sex	M	F	M	F	M	F	F	F	F	F	M	M	F	M	M	F	M	M	F	F
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	24	21	6	15	17	16	7	10	6	11	19	17	13	10	9	9	7	21	11	5
Radionuclides																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	0.0002	<0.0002	<0.0002	0.0007	0.0009	<0.0002	<0.0002	<0.0002	0.0003	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00008	<0.00008	<0.00007	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00007	<0.00008	<0.00006	<0.0001	<0.00007	<0.00006	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0002	-	<0.0001	<0.0001

¹All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.
GN = gill net; LT = lake trout; LW = lake whitefish; M = male; F = female; A = adult, U = unknown.

APPENDIX C, TABLE 6

Detailed fish flesh chemistry data from the EARMP community program (Uranium City), 2011 to 2023.

Chemical ¹	Uranium City (Prospectors Bay or Crackingstone Inlet)																			
	Lake Trout																			
	2011 (Crackingstone Inlet)					2012 (Prospectors Bay)					2013 (Prospectors Bay)					2014 (Prospectors Bay)				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05
Metals																				
Aluminum	0.9	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.11	0.08	0.12	0.07	0.06	0.07	0.07	0.08	0.07	0.13	0.07	0.04	0.04	0.07	0.07	0.06	0.04	0.07	0.05	0.2
Barium	0.03	<0.01	0.04	0.01	<0.01	0.01	0.03	0.02	0.02	0.03	<0.01	<0.01	<0.01	0.04	0.01	0.03	0.06	0.02	0.03	0.04
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	<0.002	0.002	0.002
Copper	0.27	0.13	0.2	0.24	0.22	0.27	0.21	0.21	0.26	0.26	0.18	0.19	0.22	0.28	0.25	0.29	0.27	0.3	0.25	0.32
Iron	5.3	1.9	1.9	2.3	3.4	2.2	4.5	2	3.3	1.9	1.2	1.6	2.7	7.5	1.9	2.1	2.1	2.7	3.6	2.8
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	0.004	0.002	0.006	0.003	0.003	<0.002	<0.002	<0.002
Manganese	0.2	0.06	0.07	0.06	0.09	0.08	0.07	0.05	0.05	0.05	0.07	0.06	0.07	0.12	0.08	0.08	0.08	0.08	0.07	0.06
Mercury	0.13	0.17	0.18	0.17	0.13	0.17	0.24	0.23	0.21	0.13	0.13	0.15	0.23	0.09	0.1	0.16	0.11	0.14	0.29	0.16
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	0.01	0.02	<0.01
Selenium	0.16	0.15	0.12	0.21	0.18	0.18	0.17	0.17	0.18	0.17	0.15	0.14	0.18	0.15	0.13	0.15	0.15	0.14	0.15	0.14
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.17	0.17	0.46	0.07	0.12	0.17	0.11	0.13	0.25	0.32	0.05	0.04	0.07	0.18	0.16	0.15	0.12	0.26	0.08	0.16
Thallium	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.11	0.07	0.08	0.08	0.08	0.07	0.07	0.07	0.07	0.06	0.04	0.02	0.03	0.03	0.03	0.08	0.08	0.1	0.08	0.07
Uranium	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.006	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	6.5	3.4	3.8	2.6	7.8	4.3	4	3.7	5.4	4.1	2.7	2.7	3.1	3.8	2.7	7.2	3.4	3.6	3.2	6.8
Physical Properties																				
Moisture (%)	66.65	72.8	72.26	70.93	75.14	74.73	78.66	78.14	75.87	76.30	76.09	74.75	77.52	77.24	77.69	74.48	72.13	75.17	78.50	73.75
Fork Length (cm)	55.1	55.7	54.1	53.3	52.6	55.6	60.2	59.1	61.8	63.4	46.8	50.1	52.3	51.5	54.2	54.9	52	52.1	56.7	55.1
Weight (g)	2280	2160	1780	1950	1680	1380	1700	1520	1840	2140	1500	1580	1580	1540	1900	1940	1710	1605	2305	2010
Sex	M	F	F	M	M	M	M	M	M	M	F	M	F	M	F	F	M	M	F	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	14	19	14	14	-	12	24	25	19	11	12	11	21	13	12	13	12	13	13	22
Radionuclides																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00007	<0.00006	<0.00007	<0.00006	0.0004	<0.00005	<0.00006	<0.00006	<0.00006	0.00006	<0.00006	0.0002	<0.00006	0.00009	<0.00006	<0.00006	<0.00006	0.00008	<0.00005	<0.00006
Thorium-230 (Bq/g)	<0.0001	0.0002	<0.0001	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 6

Detailed fish flesh chemistry data from the EARMP community program (Uranium City), 2011 to 2023.

Chemical ¹	Uranium City (Prospectors Bay or Crackingstone Inlet)																	
	Lake Trout																	
	2016 (Prospectors Bay)			2018 (Prospectors Bay)					2019 (Prospectors Bay)					2020 (Prospectors Bay)				
	AN1-1	AN1-1	AN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT01	LT02	LT03	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05
Metals																		
Aluminum	0.6	0.5	0.7	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.09	0.08	0.19	0.06	0.04	0.04	0.16	0.29	0.15	0.12	0.1	0.04	0.06	0.11	0.06	0.03	0.05	0.12
Barium	0.01	0.04	0.03	0.04	0.06	0.04	0.05	0.03	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.03
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	0.004	0.003	0.003	<0.002	0.003	<0.002	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Copper	0.25	0.2	0.63	0.23	0.43	0.23	0.4	0.21	0.35	0.35	0.42	0.27	0.22	0.22	0.31	0.36	0.2	0.32
Iron	2.4	1.4	6.4	2.4	5	1.7	2.4	2.1	2	2.2	2.9	2.4	2.1	1.4	1.8	1.8	1.6	2.6
Lead	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	0.004	<0.002	<0.002
Manganese	0.05	0.08	0.11	0.1	0.08	0.09	0.08	0.08	0.06	0.05	0.07	0.06	0.06	0.05	0.1	0.05	0.09	0.08
Mercury	0.12	0.14	0.18	0.12	0.24	0.1	0.11	0.27	0.076	0.13	0.15	0.17	0.16	0.18	0.17	0.12	0.2	0.1
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.11	0.16	0.18	0.17	0.19	0.17	0.18	0.17	0.17	0.17	0.14	0.16	0.16	0.16	0.18	0.17	0.21	0.17
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.3	0.08	0.14	0.14	0.14	0.12	0.14	0.2	0.29	0.1	0.1	0.14	0.08	0.26	0.04	0.22	0.2	0.57
Thallium	<0.01	0.01	0.01	<0.01	0.01	<0.01	0.01	<0.01	0.01	0.02	0.01	0.01	<0.01	<0.01	0.01	<0.01	0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	0.03	0.04	0.04	0.04	0.07
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.2	3.2	6.1	2.9	6.6	3.8	4.6	2.7	3.7	3.6	3.2	4.3	2.9	4.4	3.1	3.1	3.6	5.2
Physical Properties																		
Moisture (%)	70.91	72.53	72.20	75.87	78.10	76.49	75.43	77.39	72.75	71.40	75.39	75.42	73.01	73.91	73.37	75.05	77.99	75.76
Fork Length (cm)	59.6	50.7	54.7	56.3	57.4	51.6	53.5	51	53.5	53.8	58.1	58.6	53.4	58.9	54.3	56.0	54.1	52.1
Weight (g)	2840	1760	2140	2120	2060	1500	1750	1620	1820	2040	2460	2720	1880	2360	2220	1880	1740	1620
Sex	F	M	M	F	M	M	M	F	M	M	F	M	M	F	M	M	M	M
Maturity	A	A	A	U	U	U	U	U	A	A	A	A	A	A	A	A	A	A
Age (years)	15	16	21	18	19	13	13	18	10	17	15	17	16	17	17	11	15	12
Radionuclides																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00006	<0.00005	<0.00006	<0.00008	<0.00006	<0.00006	<0.00005	<0.00006	<0.00007	<0.00006	<0.00008	<0.00006	<0.00006	<0.00007	<0.00008
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0002

APPENDIX C, TABLE 6

Detailed fish flesh chemistry data from the EARMP community program (Uranium City), 2011 to 2023.

Chemical ¹	Uranium City (Prospectors Bay or Crackingstone Inlet)														
	Lake Trout														
	2021 (Crackingstone Inlet)					2022 (Crackingstone Inlet)					2023 (Crackingstone Inlet)				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT07	LT08	LT09	LT10	LT11
Metals															
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.08	0.11	0.05	0.30	0.07	0.11	0.12	0.09	0.14	0.12	0.08	0.06	0.09	0.05	0.2
Barium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	0.02	0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.002	<0.002	<0.002	0.002	<0.002	<0.002	0.003	0.002	0.009	0.003	<0.002	0.002	<0.002	<0.002	<0.002
Copper	0.38	0.20	0.16	0.23	0.21	0.21	0.38	0.21	0.35	0.31	0.17	0.39	0.16	0.32	0.25
Iron	2.9	0.5	1.4	3.4	1.4	1.7	3.9	2.8	3.3	3.2	1.3	3.3	2	3.1	2.6
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.004	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.07	0.07	0.08	0.05	0.08	0.06	0.08	0.07	0.07	0.12	0.05	0.07	0.04	0.05	0.06
Mercury	0.19	0.15	0.18	0.17	0.13	0.18	0.18	0.35	0.17	0.24	0.28	0.24	0.44	0.26	0.2
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.20	0.15	0.15	0.64	0.20	0.16	0.17	0.2	0.17	0.19	0.13	0.2	0.16	0.17	0.21
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.22	0.08	0.13	0.36	0.17	0.09	0.3	0.17	0.34	0.19	0.1	0.14	0.08	0.14	0.26
Thallium	0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Uranium	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	0.001	<0.001	0.001	<0.001	0.002	0.005	<0.001	0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	7.4	3.0	2.8	6.2	3.9	3.4	5.9	3.8	5.1	4.9	2.4	5.4	3	4.5	4.4
Physical Properties															
Moisture (%)	80.11	75.70	74.80	73.69	74.46	74.5	78.7	79.6	76.7	78.7	75.1	76.8	81.6	78.7	75.4
Fork Length (cm)	52.8	54.1	50.5	58.7	54.3	57.8	55.4	64.7	59.5	58.1	59.2	53	61	56.2	49.8
Weight (g)	1500	2220	1660	2720	2070	2320	1960	3880	2680	2630	2640	1840	2520	2160	1500
Sex	M	F	M	F	F	M	M	F	F	M	F	M	F	M	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	9	16	19	14	10	12	15	25	13	27	15	16	23	20	11
Radionuclides															
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	0.002	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00005	<0.00006	<0.00006	<0.00007	<0.00006	<0.00008	<0.00005	<0.00007	<0.00007	<0.00006	<0.00005	<0.00006	<0.00005	<0.00005	<0.00005
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 6

Detailed fish flesh chemistry data from the EARMP community program (Uranium City), 2011 to 2023.

Chemical ¹	Uranium City (Prospectors Bay or Crackingstone Inlet)																	
	Lake Whitefish																	
	2011 (Crackingstone Inlet)					2012 (Prospectors Bay)					2013 (Prospectors Bay)			2014 (Prospectors Bay)				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LW06	LW07	LW08	LW09	LW10	LW06	LW07	LW08	LW09	LW10	LW01	LW02	LW03	LW01	LW02	LW03	LW04	LW05
Metals																		
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.12	0.05	0.12	0.11	0.11	0.08	0.03	0.09	0.05	0.1	0.17	0.18	0.22	0.23	0.06	0.07	0.05	0.07
Barium	0.63	0.6	0.01	0.17	0.04	0.01	0.02	0.01	0.01	0.01	0.02	<0.01	0.02	0.01	0.1	0.02	0.09	0.03
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.002	0.009	0.004	<0.002	0.004	<0.002	0.003	0.013	0.009	<0.002	0.004	0.006	0.016	0.004	0.004	0.007	0.016	0.008
Copper	0.19	0.25	0.15	0.19	0.2	0.12	0.13	0.17	0.18	0.14	0.22	0.18	0.39	0.48	0.22	0.28	0.26	0.23
Iron	1.3	2.1	4.4	1.8	4.3	1	2	1.8	1.6	1.4	2.3	1.8	2.9	4.3	1.8	2	4.4	2.4
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	0.003	<0.002	0.003	<0.002	0.005	0.011
Manganese	0.09	0.08	0.07	0.11	0.11	0.07	0.06	0.07	0.07	0.12	0.1	0.06	0.11	0.09	0.12	0.12	0.1	0.08
Mercury	0.04	0.04	0.09	0.02	0.02	0.05	0.13	0.06	0.12	0.11	0.05	0.02	0.02	0.051	0.033	0.053	0.026	0.034
Molybdenum	<0.02	<0.02	<0.02	<0.02	0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	0.08	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.02	0.01	0.01	0.05	0.02
Selenium	0.18	0.21	0.58	2.6	0.28	0.28	0.22	0.23	0.32	0.26	0.26	0.24	0.26	0.24	0.27	0.23	0.19	0.26
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.22	0.18	0.34	0.75	0.45	0.22	0.19	0.4	0.4	0.25	0.25	0.23	0.25	0.26	1.8	0.29	0.65	0.31
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01
Titanium	0.07	0.07	0.06	0.08	0.07	0.08	0.07	0.08	0.08	0.08	0.03	0.03	0.04	0.08	0.1	0.08	0.11	0.11
Uranium	<0.001	0.007	0.006	0.008	0.012	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.003	0.002	<0.001	0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.6	4.4	5.3	5	4.1	4.3	4.5	7.6	4.3	3.3	3.2	3.4	6.3	4	4.1	4.7	5.8	4.2
Physical Properties																		
Moisture (%)	75.91	75.86	76.21	73.83	74.66	79.31	78.40	75.72	73.83	76.89	79.25	76.91	72.22	74.04	74.06	76.04	75.15	76.82
Fork Length (cm)	40.1	41.4	43.4	40.4	41.3	46.7	49.6	48.8	55	50	46.9	47	42.9	47.2	41.5	45.9	41.7	36.5
Weight (g)	1090	1220	1260	1060	1150	640	980	1140	1520	1080	1480	1520	1300	1780	1090	1620	1310	750
Sex	F	M	M	F	F	M	M	F	F	F	M	M	F	M	F	M	F	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	14	8	13	14	19	12	29	14	17	21	23	14	11	19	10	15	10	10
Radionuclides																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	0.0007	0.0007	<0.0002	<0.0002	<0.0002	0.0006	<0.0002	<0.0002	0.0003	<0.0002	<0.0002	0.0006	0.0005	0.0004	0.0011	0.0007
Radium-226 (Bq/g)	<0.00008	<0.00006	0.0003	<0.00007	<0.00008	<0.00006	<0.00007	<0.00005	<0.00006	<0.00008	0.00006	<0.00006	<0.00006	0.0001	<0.00006	<0.00006	<0.00007	0.0001
Thorium-230 (Bq/g)	0.0004	<0.0001	<0.0002	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0002

APPENDIX C, TABLE 6

Detailed fish flesh chemistry data from the EARMP community program (Uranium City), 2011 to 2023.

Chemical ¹	Uranium City (Prospectors Bay or Crackingstone Inlet)																
	Lake Whitefish																
	2016 (Prospectors Bay)			2018 (Prospectors Bay)					2019 (Prospectors Bay)					2020 (Prospectors Bay)			
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LW01	LW02	LW03	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	LW06	LW07	LW08	LW09
Metals																	
Aluminum	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.04	0.12	0.05	0.08	0.16	0.05	0.04	0.05	0.06	0.07	0.05	0.08	0.14	0.15	0.05	0.04	0.05
Barium	0.11	0.04	0.02	0.05	0.1	0.05	0.05	0.09	<0.01	<0.01	0.02	<0.01	<0.01	0.02	<0.01	<0.01	0.1
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.005	0.003	0.004	0.004	0.004	0.004	0.006	0.007	0.002	0.003	0.004	0.002	0.003	0.005	0.007	0.011	0.018
Copper	0.21	0.22	0.16	0.23	0.3	0.21	0.33	0.21	0.18	0.13	0.18	0.13	0.16	0.39	0.21	0.35	1.4
Iron	1.9	1.5	1.9	2	2.6	2.3	2.5	1.4	1.7	1	3.3	1.5	1.6	4.3	1.8	3.5	10
Lead	0.006	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.01
Manganese	0.09	0.1	0.09	0.08	0.09	0.13	0.07	0.14	0.14	0.09	0.09	0.08	0.1	0.1	0.11	0.08	0.37
Mercury	0.063	0.037	0.074	0.041	0.04	0.043	0.026	0.028	0.083	0.038	0.094	0.061	0.052	0.027	0.026	0.028	0.027
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.03
Selenium	0.28	0.3	0.23	0.26	0.26	0.26	1.9	0.26	0.33	0.28	0.27	0.22	0.33	0.39	1.4	0.28	2.1
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.21	0.48	0.31	0.24	0.31	0.33	0.4	0.4	0.24	0.24	0.3	0.22	0.24	0.29	0.25	0.18	0.92
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	0.04	0.05	0.05
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	0.001	0.01	0.033
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	6.3	3.8	3.6	5.7	4.1	4.5	5.4	5.6	3.5	3.2	3.8	3.4	3.9	4.1	4.6	4.4	11
Physical Properties																	
Moisture (%)	68.43	76.07	73.75	75.53	75.03	73.10	78.38	77.34	75.21	73.42	75.93	76.37	74.76	74.64	77.98	74.98	76.71
Fork Length (cm)	57.8	43.6	53.1	41.1	38.4	37.7	46	46.5	48.3	46.3	50.8	49	51.1	48.1	38.5	38.4	29.6
Weight (g)	3380	1280	2440	1010	800	810	1520	1360	1840	1520	2060	1760	2080	1840	860	800	320
Sex	M	M	F	F	M	M	F	M	F	F	F	M	M	M	U	M	F
Maturity	A	A	A	U	U	U	U	U	A	A	A	A	A	A	A	A	A
Age (years)	18	13	32	11	5	5	13	7	12	14	26	23	17	13	6	8	5
Radionuclides																	
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	0.0003	<0.0002	0.0002	0.0006	0.0004	0.0005	0.001	0.0004	0.0004	0.0004	0.0004	0.0006	0.0006	0.0012	0.0003	0.0004
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00007	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	-

APPENDIX C, TABLE 6

Detailed fish flesh chemistry data from the EARMP community program (Uranium City), 2011 to 2023.

Chemical ¹	Uranium City (Prospectors Bay or Crackingstone Inlet)															
	Lake Whitefish															
	2021 (Crackingstone Inlet)					2022 (Crackingstone Inlet)					2023 (Crackingstone Inlet)					
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	LW06
Metals																
Aluminum	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	-
Arsenic	0.12	0.26	0.13	0.16	0.12	0.23	0.06	0.23	0.21	0.19	0.06	0.11	0.23	0.13	0.11	-
Barium	0.02	0.02	0.01	< 0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.05	<0.01	0.01	-
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	-
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	-
Cadmium	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	-
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	-
Cobalt	0.002	0.003	0.002	0.003	0.002	0.003	0.019	0.004	0.004	0.002	0.01	0.004	0.005	0.004	0.003	-
Copper	0.35	0.24	0.16	0.16	0.21	0.21	0.17	0.23	0.16	0.15	0.15	0.28	0.16	0.2	0.28	-
Iron	2.3	4.3	2.2	1.5	1.4	1.8	1.5	1.4	3.1	1.4	1.6	1.9	1.6	2.2	2.3	-
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	-
Manganese	0.08	0.08	0.11	0.10	0.07	0.08	0.09	0.09	0.06	0.06	0.07	0.09	0.09	0.06	0.08	-
Mercury	0.039	0.044	0.041	0.069	0.034	0.07	0.098	0.076	0.043	0.086	0.073	0.05	0.041	0.039	0.044	-
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	-
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.03	<0.01	0.01	0.01	0.01	<0.01	-
Selenium	0.61	0.31	1.8	0.4	1.1	0.72	0.23	0.81	1.8	0.51	0.34	1.6	0.34	1.5	1.8	-
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	-
Strontium	0.38	0.28	0.27	0.21	0.23	0.24	0.22	0.25	0.33	0.3	0.18	0.36	0.87	0.19	0.34	-
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-
Titanium	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-
Uranium	<0.001	0.002	0.002	<0.001	0.001	0.001	<0.001	0.002	0.002	0.002	0.002	0.002	0.006	0.002	0.003	-
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	-
Zinc	5.9	7.6	4.8	4.0	5.0	5.5	4.4	3.4	4.5	4	3.5	4.5	3.9	3.8	5.1	-
Physical Properties																
Moisture (%)	74.96	75.28	73.55	73.51	75.88	76.2	73	71.2	77	70.9	76.3	75	77.2	77.8	78.9	-
Fork Length (cm)	43.4	43.2	46.2	48.8	43.4	49	49.2	25.2	51	52.2	39.9	45.5	38.4	37.7	32.8	31
Weight (g)	1300	1320	1520	1770	1260	1900	1820	1580	1760	1800	1140	1540	860	840	500	480
Sex	M	F	M	M	M	F	M	F	M	F	M	M	F	M	F	F
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	U	U
Age (years)	8	11	19	15	7	12	8	15	28	12	9	8	8	9	4	7
Radionuclides																
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	-
Polonium-210 (Bq/g)	0.0008	0.0005	0.0006	0.0002	0.0010	0.0008	0.0003	0.0005	0.0003	0.0007	0.0003	0.001	0.0005	0.0004	0.001	-
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00008	<0.00008	<0.00008	<0.00007	<0.00008	<0.00006	<0.00006	<0.0001	<0.00006	<0.00006	-
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	0.0002	<0.0002	<0.0001	<0.0002	<0.0001	<0.0001	<0.0002	<0.0001	0.0002	-

¹All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.
GN = gill net; LT = lake trout; LW = lake whitefish; M = male; F = female; A = adult, U = unknown.

APPENDIX C, TABLE 7

Detailed fish flesh chemistry data from the EARMF community program (Wollaston Lake/Hatchet Lake), 2011 to 2023.

Chemical ¹	Wollaston Lake/Hatchet Lake (Welcome Bay, Wollaston Lake)														
	Lake Trout														
	2011					2012					2013				
	GN1-1	GN1-1	GN1-1	SP01-01	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT01	LT02	LT03	LT04	LT05	LT06	LT07	LT08	LT09	LT10	LT07	LT08	LT09	LT10	LT11
Metals															
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.06	0.03	0.04	0.02	0.04	0.05	0.04	0.04	0.08	0.02	0.02	0.04	0.03	0.06	0.02
Barium	0.02	0.02	0.02	0.02	<0.01	0.02	0.01	<0.01	0.02	<0.01	<0.01	0.02	<0.01	<0.01	0.02
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Copper	0.62	0.48	0.53	0.31	0.3	0.52	0.39	0.4	0.69	0.24	0.35	0.38	0.34	0.3	0.32
Iron	6	4	2.6	1.8	1.9	3.1	2.8	2.2	3.8	1.6	2.3	3	2.6	2.2	2.1
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.005
Manganese	0.1	0.1	0.07	0.06	0.07	0.08	0.06	0.08	0.07	0.05	0.08	0.09	0.1	0.1	0.09
Mercury	0.15	0.16	0.16	0.2	0.12	0.24	0.15	0.13	0.16	0.14	0.14	0.1	0.09	0.1	0.18
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.17	0.28	0.19	0.18	0.19	0.27	0.21	0.22	0.22	0.21	0.21	0.2	0.2	0.18	0.2
Silver	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.09	0.22	0.09	0.15	0.05	0.19	0.09	0.07	0.11	0.03	0.19	0.1	0.05	0.04	0.05
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.09	0.09	0.09	0.09	0.07	0.07	0.07	0.07	0.08	0.07	0.03	0.03	0.03	0.07	0.04
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	5.5	6.6	3.9	3.1	3.3	5.8	3.6	3.8	4.8	3.1	5.7	4.2	3.8	4.8	3.7
Physical Properties															
Moisture (%)	78.93	75.50	76.46	75.65	75.48	75.41	73.15	73.02	79.09	75.73	76.78	72.75	72.82	71.52	74.12
Fork Length (cm)	51.5	46.3	46.8	47.9	46.6	55.6	50.5	50.8	50.5	52	45.3	46.5	44.1	45.4	48.5
Weight (g)	1730	1220	1440	1410	1430	1760	1420	1360	1400	1520	1200	1340	1060	1060	1400
Sex	F	M	M	F	M	M	M	M	M	M	M	M	F	F	F
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	7	7	7	8	6	6	7	7	9	7	8	7	8	8	8
Radionuclides															
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	0.0003	0.00009	<0.00006	<0.00006	<0.00005	<0.00007	<0.00005	0.0002	0.00007	<0.00006	<0.00006	0.00008
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.00009	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 7

Detailed fish flesh chemistry data from the EARMF community program (Wollaston Lake/Hatchet Lake), 2011 to 2023.

Chemical ¹	Wollaston Lake/Hatchet Lake (Welcome Bay, Wollaston Lake)																	
	Lake Trout																	
	2014					2016			2018					2019				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	SP01-01	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT07	LT08	LT09	LT10	LT11	LT01	LT02	LT03	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05
Metals																		
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.01	0.03	0.02	0.03	0.05	0.03	0.02	0.09	0.08	0.09	0.04	0.12	0.06	0.1	0.03	0.03	0.04	0.17
Barium	0.02	0.03	0.02	0.01	0.03	<0.01	<0.01	<0.01	0.13	0.14	0.09	0.03	0.01	0.01	<0.01	<0.01	0.02	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.003	<0.002	<0.002	0.006	0.002	0.004	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	0.002	0.003	<0.002
Copper	0.44	0.25	0.29	0.26	0.29	0.32	0.33	0.2	0.62	0.31	0.32	0.29	0.56	0.25	0.26	0.18	0.62	0.21
Iron	2	1.9	1.7	1.6	2.7	3.2	3.4	1.4	4.6	2.3	3.4	4.7	2.7	2.2	1.8	1.3	4.7	1.6
Lead	<0.002	<0.002	0.004	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.004	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.08	0.11	0.06	0.1	0.09	0.11	0.09	0.1	0.09	0.1	0.08	0.11	0.12	0.1	0.07	0.06	0.08	0.09
Mercury	0.18	0.26	0.2	0.19	0.38	0.16	0.22	0.22	0.22	0.14	0.14	0.11	0.16	0.072	0.17	0.17	0.17	0.16
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.05	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.19	0.18	0.2	0.21	0.16	0.21	0.24	0.24	0.17	0.19	0.14	0.2	0.29	0.43	0.18	0.21	0.22	0.16
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.12	0.24	0.08	0.04	0.16	0.06	0.03	0.02	0.24	0.3	0.36	0.1	0.14	0.14	0.05	0.06	0.21	0.1
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.08	0.08	0.07	0.08	0.08	0.01	<0.01	0.01	0.02	0.01	0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01
Uranium	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.6	3	2.5	2.6	4.5	4	2.7	2.4	6.2	5.4	5	4.3	3.7	3.1	2.9	3.7	5.8	4.1
Physical Properties																		
Moisture (%)	78.37	75.48	75.05	77.38	74.92	75.20	77.38	77.09	76.68	75.09	76.32	76.31	76.97	75.27	74.33	73.39	77.05	73.18
Fork Length (cm)	48.4	49.8	52.2	50.6	55.9	48	52	52.4	58	47	53.4	54.1	51	49.1	50	56.8	52.7	49.4
Weight (g)	1580	1610	1850	1780	2020	1600	1800	1980	2360	1520	1860	1840	1900	1680	1560	2260	1920	1600
Sex	M	F	M	M	F	F	F	F	F	M	F	F	F	F	F	F	M	F
Maturity	A	A	A	A	A	A	A	A	A	U	A	U	U	A	A	A	A	A
Age (years)	8	9	9	9	12	11	9	11	13	12	12	10	9	9	10	14	-	13
Radionuclides																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.001	<0.0002	<0.0002	0.0002	0.0002
Radium-226 (Bq/g)	<0.00004	<0.00006	<0.00005	<0.00005	<0.00005	<0.00006	<0.00006	<0.00005	<0.00007	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00005	<0.00006	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.00008	<0.0001	<0.00009	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 7

Detailed fish flesh chemistry data from the EARMF community program (Wollaston Lake/Hatchet Lake), 2011 to 2023.

Chemical ¹	Wollaston Lake/Hatchet Lake (Welcome Bay, Wollaston Lake)																			
	Lake Trout																			
	2020					2021					2022					2023				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN 2-1	GN1-1	GN1-1	GN1-1	GN1-1	GN 2-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT06	LT07	LT08	LT09	LT10
Metals																				
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.02	0.03	0.02	0.03	0.06	0.04	0.09	0.04	0.04	0.04	0.11	0.08	0.12	0.1	0.05	0.03	0.02	0.06	0.03	0.02
Barium	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	0.01	<0.01	0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	<0.002	0.003	0.002	0.002	<0.002	0.002	<0.002	<0.002	0.002	<0.002	0.008	<0.002	0.002	<0.002	<0.002	0.002	0.002	0.005
Copper	0.31	0.33	0.31	0.24	0.48	0.23	0.26	0.27	0.25	0.19	0.48	0.36	0.76	0.39	0.22	0.2	0.24	0.22	0.26	0.21
Iron	1.9	1.9	2	1.9	4.1	2.5	1.9	1.9	1.6	1.4	4.5	3.7	5.2	3	1.4	1.7	1.3	1.3	1.9	1.7
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.08	0.11	0.08	0.07	0.07	0.10	0.06	0.12	0.08	0.07	0.09	0.12	0.08	0.09	0.07	0.1	0.05	0.04	0.04	0.09
Mercury	0.13	0.19	0.1	0.22	0.16	0.14	0.10	0.11	0.13	0.32	0.18	0.25	0.15	0.14	0.15	0.34	0.21	0.24	0.22	0.17
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.02
Selenium	0.22	0.22	0.24	0.22	0.25	0.23	0.16	0.28	0.22	0.18	0.21	0.22	0.18	0.16	0.16	0.18	0.18	0.15	0.16	0.18
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.11	0.14	0.15	0.1	0.24	0.18	0.15	0.17	0.07	0.04	0.08	0.16	0.06	0.08	0.19	0.08	0.06	0.04	0.04	0.04
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.04	0.04	0.05	0.07	0.08	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	4.7	3.3	3.7	3.3	7	4.2	4.8	4.0	3.5	3.9	5.8	5.9	5.4	4	3.6	2.8	3.3	2.4	2.6	2.8
Physical Properties																				
Moisture (%)	75.29	73.85	75.24	74.46	77.26	76.81	73.88	76.67	76.38	78.71	76.4	73.7	76.2	75.6	75.6	75.8	76.2	79.6	78.8	76.7
Fork Length (cm)	46.1	48.1	43.3	44.5	48.7	45.1	42.8	46.2	46.5	51.5	47.4	49.9	46.6	45	42.6	50	50.6	52.6	49	52.1
Weight (g)	1300	1440	1220	2160	1400	1120	1180	1240	1300	1940	1580	1920	1640	1390	1250	1820	1680	2020	1520	1880
Sex	M	M	M	M	M	F	M	F	M	F	M	M	M	M	M	M	M	M	M	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	7	9	7	15	10	10	6	7	8	15	9	13	7	7	7	13	10	11	7	9
Radionuclides																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00008	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00008	<0.00007	<0.00008	<0.00006	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 7

Detailed fish flesh chemistry data from the EARMF community program (Wollaston Lake/Hatchet Lake), 2011 to 2023.

Chemical ¹	Wollaston Lake/Hatchet Lake (Welcome Bay, Wollaston Lake)														
	Lake Whitefish														
	2011					2012					2013				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LW06	LW07	LW08	LW09	LW10	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW05	LW06
Metals															
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.24	0.13	0.17	0.09	0.18	0.19	0.12	0.17	0.16	0.13	0.15	0.18	0.17	0.09	0.14
Barium	0.11	0.01	0.01	0.02	0.02	0.02	0.02	0.04	0.02	0.02	0.02	0.01	0.12	0.05	0.03
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	<0.002	0.005	<0.002	<0.002	<0.002	0.002	<0.002	0.003	<0.002	<0.002	<0.002	0.002	<0.002
Copper	0.26	0.16	0.18	0.12	0.14	0.12	0.18	0.13	0.14	0.21	0.13	0.16	0.16	0.14	0.13
Iron	2.2	1.3	1.5	3.1	1.4	1.1	1	1.5	1	3	1.8	1.7	2.5	3	1.7
Lead	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002
Manganese	0.15	0.09	0.09	0.12	0.1	0.09	0.07	0.14	0.1	0.13	0.11	0.09	0.1	0.25	0.11
Mercury	0.06	0.05	0.05	0.05	0.08	0.03	0.02	0.07	0.03	0.05	0.02	0.02	0.06	0.07	0.03
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	0.01	<0.01
Selenium	0.39	0.41	0.34	0.38	0.38	0.5	0.53	0.38	0.68	0.51	0.31	0.34	0.32	0.41	0.4
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.47	0.08	0.11	0.24	0.14	0.11	0.13	0.25	0.15	0.18	0.16	0.12	0.14	0.62	0.21
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.07	0.08	0.08	0.11	0.08	0.07	0.07	0.07	0.07	0.07	0.04	0.04	0.03	0.03	0.04
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	5.1	3	3.8	4.7	4.3	3.7	4.5	3.2	4.5	4	3.7	3.7	5.5	3.3	3.6
Physical Properties															
Moisture (%)	73.60	75.29	75.27	76.01	73.60	73.90	70.19	74.68	71.83	76.61	73.91	73.39	75.49	79.53	78.40
Fork Length (cm)	36.5	38	40.6	36.9	39.2	47.9	43.3	46.2	44.4	43.6	36.2	37.4	37.5	39.5	40.1
Weight (g)	780	820	940	810	825	1380	880	1060	860	840	620	620	640	700	720
Sex	M	M	M	M	F	M	F	F	F	M	M	F	F	F	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	16	16	14	12	17	19	11	21	12	18	12	12	15	13	18
Radionuclides															
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.004	<0.001	<0.004	<0.004	0.0003	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0003	0.0004	<0.0002	0.0002	0.0004	<0.0002	<0.001	<0.0002	<0.001	<0.001	<0.001	<0.0002	<0.0002	0.0002	0.0006
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00008	<0.00006	<0.00006	<0.00006	0.001	<0.00005	0.002	0.002	<0.001	0.0001	<0.0001	0.0001	0.0001
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.002	<0.0001	<0.002	<0.002	<0.00002	<0.0001	<0.0002	<0.0001	<0.0001

APPENDIX C, TABLE 7

Detailed fish flesh chemistry data from the EARMF community program (Wollaston Lake/Hatchet Lake), 2011 to 2023.

Chemical ¹	Wollaston Lake/Hatchet Lake (Welcome Bay, Wollaston Lake)																	
	Lake Whitefish																	
	2014					2016			2018					2019				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	SP01-01	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	
	LW01	LW02	LW03	LW05	LW06	LW04	LW05	LW06	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05
Metals																		
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.14	0.15	0.11	0.11	0.06	0.13	0.18	0.03	0.13	0.08	0.11	0.16	0.08	0.02	0.1	0.11	0.07	0.1
Barium	0.02	0.02	0.04	0.08	0.02	<0.01	<0.01	<0.01	0.26	0.29	0.28	0.23	0.16	<0.01	<0.01	0.01	<0.01	0.02
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	0.006	0.003	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.004	0.002	0.005	<0.002	0.002	0.003	0.004	0.003	0.004	0.004	0.002	0.004	0.003	<0.002	0.004	<0.002	0.002	<0.002
Copper	0.17	0.17	0.14	0.14	0.14	0.15	0.45	0.19	0.27	0.29	0.22	0.26	0.17	0.32	0.21	0.18	0.27	0.17
Iron	1.7	1.5	2	2.9	1.6	2.9	5.9	2.5	3.3	5.5	4.2	5.7	2.2	2	3.2	2.3	2.6	1.7
Lead	0.002	0.004	0.004	<0.002	<0.002	<0.002	<0.002	<0.002	0.007	0.004	0.008	0.004	0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.12	0.1	0.11	0.24	0.1	0.12	0.11	0.1	0.29	0.09	0.11	0.14	0.13	0.07	0.1	0.08	0.07	0.09
Mercury	0.086	0.094	0.11	0.07	0.082	0.063	0.059	0.12	0.061	0.086	0.093	0.078	0.095	0.17	0.064	0.08	0.065	0.069
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.01	0.02	0.01	0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.44	0.34	0.36	0.39	0.36	1	0.41	0.24	0.38	0.45	0.45	0.4	0.44	0.18	0.77	0.63	0.54	0.35
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.15	0.15	0.16	0.54	0.11	0.1	0.09	0.14	1.1	0.2	0.28	0.41	0.38	0.08	0.12	0.13	0.08	0.16
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.1	0.07	0.08	0.09	0.08	0.02	0.01	0.01	0.02	0.02	0.03	0.02	<0.01	<0.01	0.01	<0.01	<0.01	<0.01
Uranium	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.003	0.002	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	4.9	3.3	4.1	2.8	2.9	3.5	3.6	7.7	3.9	7.6	4.6	5.8	3.2	3.1	3.6	3.9	3.2	3.4
Physical Properties																		
Moisture (%)	71.26	72.78	76.40	76.45	79.18	77.36	76.23	77.69	79.62	80.94	81.17	82.01	79.00	74.45	74.87	75.99	77.04	72.64
Fork Length (cm)	43.4	37.9	42.4	38.6	41.9	38.7	40.5	39.7	42.8	42	41	44.2	44	41.6	46.8	42	43.4	39
Weight (g)	1230	850	930	950	1010	700	920	1020	880	820	910	940	980	1020	1300	1040	1100	820
Sex	M	F	M	F	M	M	M	M	F	F	M	M	M	F	F	F	M	F
Maturity	A	A	A	A	A	A	A	A	U	U	U	U	U	A	A	A	A	A
Age (years)	12	13	18	13	10	17	14	9	17	22	25	27	22	18	19	18	24	15
Radionuclides																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0005	<0.0002	0.0004	0.0002	0.0003	0.0008	<0.0002	0.0002	0.0008	0.0004	0.0008	0.0005	0.0008	<0.0002	0.0009	0.0004	0.0014	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00006	0.0001	<0.00006	<0.00006	<0.00006	<0.00005	<0.00006	<0.00005	<0.00006	<0.00006	<0.00005	<0.00007	<0.00006	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 7

Detailed fish flesh chemistry data from the EARMF community program (Wollaston Lake/Hatchet Lake), 2011 to 2023.

Chemical ¹	Wollaston Lake/Hatchet Lake (Welcome Bay, Wollaston Lake)																			
	Lake Whitefish																			
	2020					2021					2022					2023				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LW06	LW07	LW08	LW09	LW10	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05
Metals																				
Aluminum	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.02	0.18	0.24	0.05	0.21	0.22	0.18	0.18	0.27	0.18	0.13	0.06	0.19	0.26	0.24	0.15	0.24	0.21	0.22	0.21
Barium	<0.01	0.03	0.07	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	0.01	0.03	0.01	<0.01	0.02	<0.01	<0.01	0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	0.003	0.002	0.003	0.003	0.004	0.004	0.004	<0.002	<0.002	0.002	<0.002	0.003	0.005	<0.002	0.003	<0.002	<0.002	<0.002	0.002
Copper	0.12	0.2	0.17	0.19	0.41	0.16	0.16	0.16	0.16	0.24	0.16	0.12	0.15	0.35	0.17	0.13	0.17	0.17	0.15	0.15
Iron	1.1	1.8	2.6	2.6	2.8	2.2	1.2	2.4	2.6	2.7	2.6	1.6	2.2	3.1	2.3	1.3	1.8	2.1	1.2	1.7
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.004	<0.002	0.003	<0.002	<0.002	<0.002
Manganese	0.08	0.1	0.14	0.06	0.06	0.08	0.14	0.11	0.14	0.12	0.13	0.18	0.06	0.14	0.09	0.08	0.14	0.1	0.07	0.09
Mercury	0.22	0.06	0.06	0.06	0.06	0.089	0.092	0.060	0.072	0.063	0.12	0.088	0.11	0.063	0.092	0.053	0.079	0.073	0.057	0.077
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.24	0.43	0.55	0.32	0.46	0.45	0.39	0.62	0.41	0.46	0.24	0.29	0.44	0.46	0.4	0.62	0.43	0.56	0.58	0.53
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.07	0.16	0.32	0.1	0.15	0.11	0.08	0.09	0.10	0.10	0.21	0.48	0.14	0.27	0.08	0.11	0.19	0.13	0.16	0.21
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.05	0.06	0.06	0.07	0.06	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Uranium	<0.001	0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.2	4.7	5	4.5	4.3	5.2	3.0	4.0	3.8	4.2	3.4	3.5	5.4	5.1	4.1	3.1	3.1	3.4	3.7	3.9
Physical Properties																				
Moisture (%)	78.76	74.54	74.78	77.17	76.73	77.77	80.55	78.37	76.14	78.60	79	80.3	79.7	74.6	77.4	75.4	77.6	76.6	73.2	77.1
Fork Length (cm)	45.0	39.7	40.0	43.0	42.8	40.7	42.6	39.8	39.6	38.8	46.6	47.4	39.6	42.2	41.5	42	39.5	42.2	40.1	39.3
Weight (g)	1240	1020	1060	1160	1300	1040	1100	1060	1060	940	1580	1680	810	1220	1320	1300	1060	1160	1080	1040
Sex	F	M	F	F	F	F	M	M	M	F	M	F	F	M	F	M	M	M	M	F
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	14	15	19	13	18	22	19	18	20	16	15	12	27	17	21	18	19	18	13	20
Radionuclides																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	0.0002	0.0004	<0.0002	0.0002	0.0004	<0.0002	<0.0002	0.0004	0.0004	<0.0002	<0.0002	0.0002	0.0004	0.0003	0.0005	0.0012	0.0015	0.0011	0.0021
Radium-226 (Bq/g)	<0.00008	<0.00006	<0.00005	<0.00007	<0.00006	<0.00006	<0.00005	<0.00005	<0.00006	<0.00005	<0.00008	<0.00007	<0.00005	<0.00006	<0.00005	<0.00006	<0.00005	<0.00005	<0.00005	<0.00006
Thorium-230 (Bq/g)	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

¹All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.
GN = gill net; LT = lake trout; LW = lake whitefish; M = male; F = female; A = adult, U = Unknown.

APPENDIX C, TABLE 8

Detailed blueberry chemistry results from the EARMF community program, 2011 to 2022.

Chemical ¹	Black Lake														
	2011					2012					2013				
	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5
Metals															
Aluminum	6	8.6	7.9	8.6	6	13	6	7.1	7.9	7.7	11	7.1	11	8.9	7.8
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	12	15	13	11	15	13	14	17	15	15	11	12	14	14	7
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	6	5	5	3	5	6	8	5	5	7	8	4	7	5	13
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	0.05	0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
Copper	3.3	3.2	2.5	2.6	3.1	2.8	3.8	3.5	3.4	3.8	3.2	1.8	1.8	1.8	1.6
Iron	8.4	11	8.6	11	10	20	10	8.1	8.8	9.8	10	6	8	8	5
Lead	0.07	0.02	0.02	0.07	<0.01	0.03	<0.01	<0.01	0.02	<0.01	0.02	0.02	<0.01	0.02	<0.01
Manganese	160	130	120	180	220	100	100	170	170	120	160	220	200	250	160
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	0.2	0.2	0.1	0.1	0.2	<0.1	<0.1	<0.1	<0.1	0.1	0.1	0.1	0.2	0.1	<0.1
Nickel	0.66	0.68	0.54	0.56	0.38	0.32	0.56	0.58	0.66	0.54	0.58	0.38	0.41	0.37	0.34
Selenium	<0.05	0.08	<0.05	<0.05	0.06	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	2.1	4.4	3.5	2.1	1.2	1.1	1.7	1.7	2	1.8	1.7	1.8	3	2	2
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Titanium	<0.05	0.08	0.06	0.1	0.15	0.1	0.05	0.05	0.08	<0.05	0.11	<0.05	0.12	0.07	0.06
Uranium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	4.8	6.1	5	3.9	5.5	3.9	6.1	6	5.3	6.4	5.8	6.2	6.7	7	3.6
Physical Properties															
Moisture (%)	86.24	86.69	85.12	86.04	87.39	86.19	85.89	84.95	84.99	84.86	84.23	83.47	84.32	83.26	84.73
Radionuclides															
Lead-210 (Bq/g)	0.009	0.005	0.007	0.009	0.012	0.002	0.002	<0.001	0.002	<0.001	0.002	<0.001	0.002	<0.001	<0.001
Polonium-210 (Bq/g)	0.001	0.002	0.001	0.002	<0.0009	0.0015	0.002	0.0024	0.0014	0.0012	0.0008	0.0008	0.0005	0.0008	0.0008
Radium-226 (Bq/g)	0.002	0.004	0.004	0.002	0.002	<0.00003	0.0012	<0.00003	0.0028	0.001	0.0025	0.0042	0.0029	0.0028	0.0022
Thorium-230 (Bq/g)	<0.002	<0.002	<0.002	<0.002	<0.002	<0.001	0.002	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.002	<0.002

APPENDIX C, TABLE 8

Detailed blueberry chemistry results from the EARMF community program, 2011 to 2022.

Chemical ¹	Black Lake													
	2014					2015			2016			2022		
	1	2	3	4	5	1	2	3	1	2	3	1	2	3
Metals														
Aluminum	19	16	12	12	12	45	19	5.7	6.8	13	7.7	53	62	46
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	21	18	24	22	24	14	15	12	16	18	12	8.9	15	13
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	4	4	4	4	4	4	4	6	5	4	3	7	5	5
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	0.02	0.02	0.01	0.01	0.01	0.03	0.02	<0.01	0.02	0.02	0.01	0.02	0.02	0.02
Copper	3.7	3.6	4	3.6	4	3.5	3.4	3.4	2.7	3.6	2.6	2.4	2.6	2.8
Iron	31	21	18	18	17	51	22	10	11	16	12	37	43	38
Lead	0.03	0.03	0.02	0.02	<0.01	0.02	0.01	<0.01	0.13	0.02	<0.01	0.01	0.02	0.02
Manganese	220	200	89	98	83	300	390	200	150	139	182	520	670	690
Mercury	-	-	-	-	-	-	-	-	-	-	-	<0.005	<0.005	<0.005
Molybdenum	<0.1	<0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.3	0.2	0.2	<0.1	<0.1	<0.1
Nickel	0.47	0.55	0.78	0.59	0.72	0.69	0.6	0.28	0.49	0.68	0.46	0.69	0.85	0.81
Selenium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	3.7	3.6	11	9.8	9.9	1.5	1.6	0.9	1.5	3	1.2	1.6	2.8	1.9
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Titanium	0.69	0.52	0.23	0.22	0.34	3.4	0.98	0.2	0.1	0.29	0.1	2	2.1	1.7
Uranium	<0.01	0.01	0.03	0.02	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	8.8	7.1	6.2	5.7	5.7	5.6	5.1	4.8	6.4	6.7	5.8	4.5	6.1	6.2
Physical Properties														
Moisture (%)	85.74	85.93	87.13	86.97	87.28	85.47	85.47	84.86	84.76	85.97	84.71	83.70	82.80	82.40
Radionuclides														
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	0.002	<0.001	0.003	0.001	0.002	<0.001	0.002	0.001	0.001	<0.001	0.001
Polonium-210 (Bq/g)	0.0007	0.0007	0.0011	0.0005	0.0007	0.0017	0.0014	0.0014	0.0008	0.0006	0.0007	0.0004	0.0002	0.0004
Radium-226 (Bq/g)	0.002	0.0008	0.001	0.001	0.002	0.0059	0.0066	0.0022	0.002	0.002	0.001	0.0002	0.0008	0.001
Thorium-230 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	0.0009	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.002	<0.0007	<0.0008

APPENDIX C, TABLE 8

Detailed blueberry chemistry results from the EARMF community program, 2011 to 2022.

Chemical ¹	Camsell Portage															
	2012					2013					2014			2022		
	1	2	3	4	5	1	2	3	4	5	1	2	3	1	2	3
Metals																
Aluminum	7.2	7.3	7	7.4	6	6.8	7.7	6.7	7.1	7.2	10	13	8.6	5.2	5.3	5
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	12	24	20	22	20	11	13	12	12	13	22	24	20	13	12	12
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	5	8	8	8	6	4	4	4	4	4	5	6	5	3	5	4
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
Copper	3.5	3	3.4	3.5	2.6	2.2	2.2	2.2	2.2	2.4	3.8	3.8	3.5	2.9	2.8	2.8
Iron	11	8.7	9.7	18	13	8	10	10	13	9	15	17	16	11	13	9
Lead	<0.01	0.04	<0.01	<0.01	<0.01	0.03	0.02	0.03	<0.01	0.02	0.01	0.02	0.01	<0.01	<0.01	<0.01
Manganese	280	490	490	480	580	350	390	360	380	360	430	470	370	488	462	446
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.005	<0.005	<0.005
Molybdenum	0.1	0.1	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	<0.1	<0.1	<0.1
Nickel	0.44	0.37	0.6	0.79	0.44	0.12	0.17	0.16	0.14	0.14	0.36	0.36	0.39	0.32	0.36	0.3
Selenium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	1.4	1.4	1.4	1.6	1.5	0.9	1	1	1	1.1	1.9	1.8	2	1.7	1.8	1.6
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.1
Titanium	0.07	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.06	<0.05	0.15	0.21	0.14	0.11	0.15	0.06
Uranium	0.01	0.08	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.01	0.01	<0.01	<0.01	<0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	13	6.5	8.9	8	5.9	6	6.7	5.6	8.4	6.2	7.6	7.8	6.9	5.8	5.8	6
Physical Properties																
Moisture (%)	83.98	85.16	84.30	84.62	85.57	84.78	84.99	84.99	84.76	84.82	84.37	84.90	83.77	82.20	82.30	82.20
Radionuclides																
Lead-210 (Bq/g)	0.001	0.004	<0.001	0.001	0.002	<0.004	0.013	0.004	0.008	<0.004	0.002	0.002	0.002	0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0014	0.0017	0.0013	0.001	0.0016	<0.001	0.001	<0.001	<0.001	<0.001	0.0018	0.0013	0.0012	<0.0002	0.0002	0.0002
Radium-226 (Bq/g)	0.0025	0.0028	0.0025	0.0049	0.0045	0.003	0.002	0.002	0.004	0.003	0.003	0.004	0.003	0.0019	0.0018	0.0013
Thorium-230 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.002	<0.002	<0.001	<0.0009	<0.001	<0.0008	<0.0008	<0.0007

APPENDIX C, TABLE 8

Detailed blueberry chemistry results from the EARMF community program, 2011 to 2022.

Chemical ¹	Fond du Lac																			
	2011					2012					2013					2014				
	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5
Metals																				
Aluminum	4.4	9.5	6.2	7	6.2	14	20	7.3	13	5.9	10	21	13	14	15	29	13	33	12	39
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	12	12	13	13	12	12	9.9	14	11	11	14	14	16	18	15	20	16	22	14	29
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	8	6	7	8	6	14	6	5	8	5	6	4	5	4	6	6	7	6	5	7
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	<0.5	<0.5	<0.5
Cobalt	0.01	0.02	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	0.02	<0.01	<0.01	0.02	0.02	0.02	0.01	0.05	0.03	0.05	0.03	0.06
Copper	2.7	3	3.6	3.2	3.9	2.8	3.9	3.3	3.9	2.8	1.8	2.4	2.8	1.8	2.1	5.2	5	5.6	5.2	5.6
Iron	10	8.2	9.7	11	9.3	14	21	12	16	10	10	23	17	17	10	48	23	40	22	44
Lead	<0.01	0.02	<0.01	0.03	0.01	0.03	0.01	<0.01	0.01	<0.01	0.04	0.02	0.02	0.01	0.02	0.02	0.03	0.17	0.14	0.04
Manganese	140	150	140	140	130	280	460	240	370	310	460	410	660	700	460	400	380	400	390	390
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	0.4	0.2	0.4	0.4	0.4	0.2	0.2	<0.1	0.2	<0.1	0.2	0.3	0.3	0.3	0.2	0.5	0.5	0.6	0.4	0.6
Nickel	0.97	0.67	0.75	0.8	0.74	0.48	0.55	0.54	0.6	0.5	0.4	0.7	0.62	0.53	0.48	2.2	0.89	2.3	0.89	2.1
Selenium	<0.05	<0.05	<0.05	0.08	0.07	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	1.3	1.3	1.4	1.6	1.3	2.8	1.8	1.8	2.6	1.6	1.8	2.4	1.8	1.8	2	6.4	2.5	6.3	1.9	5
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.09	<0.05	0.07	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.15	<0.05
Titanium	<0.05	0.08	0.08	0.08	0.1	0.35	0.88	0.07	0.42	0.05	0.21	0.86	0.43	0.4	0.21	1.5	0.46	2	0.33	1.7
Uranium	<0.01	0.02	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.01	0.01	0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	5.6	6	7.5	7	7.1	4.4	5.1	10	5.4	5.8	6.7	6.2	7.1	8.4	6.4	7.7	7.7	8.6	6.5	8.2
Physical Properties																				
Moisture (%)	87.1	85.5	86.68	84.6	86.31	83.99	83.87	84.56	83.79	84.11	84.33	83.47	84.18	84.47	83.71	84.83	82.79	84.76	82.2	84.79
Radionuclides																				
Lead-210 (Bq/g)	<0.004	0.007	0.01	0.011	0.006	<0.001	<0.001	<0.001	<0.001	<0.001	<0.004	0.002	<0.001	0.009	0.005	<0.001	<0.001	0.001	0.001	<0.001
Polonium-210 (Bq/g)	0.001	0.002	0.001	0.004	0.002	0.0012	0.0009	0.0015	0.0012	0.0014	0.001	0.0066	0.0008	0.002	<0.001	0.001	0.001	0.0008	0.0007	0.0018
Radium-226 (Bq/g)	0.002	0.004	0.003	0.001	0.005	0.0023	0.0018	0.0026	0.0021	0.0026	0.003	0.0033	0.0038	0.006	0.005	0.001	0.004	<0.0005	0.002	0.003
Thorium-230 (Bq/g)	<0.002	<0.002	<0.002	<0.002	<0.002	<0.001	<0.001	<0.0004	<0.001	<0.0003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.001	<0.001	<0.0009	<0.0009	<0.0009

APPENDIX C, TABLE 8

Detailed blueberry chemistry results from the EARMF community program, 2011 to 2022.

Chemical ¹	Fond du Lac																			
	2015			2016			2018					2019					2022			
	1	2	3	1	2	3	1	2	3	4	5	1	2	3	4	5	1	2	3	
Metals																				
Aluminum	47	18	23	34	15	11	16	10	9.5	8.9	9	7.8	6.8	6	7.8	6	11	8.9	11	
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	<0.1	<0.1	<0.1	
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	<0.05	<0.05	<0.05	
Barium	18	14	18	16	27	19	14	15	15	16	17	15	16	13	8.8	16	18	17	17	
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	<0.01	<0.01	<0.01	
Boron	5	5	6	4	5	4	7	5	6	5	6	6	6	6	3	6	5	5	17	
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	<0.01	<0.01	<0.01	
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<0.5	<0.5	<0.5	
Cobalt	0.03	0.02	0.02	0.03	0.01	<0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	< 0.01	0.02	0.02	0.02	
Copper	3.9	3.8	3.1	4.6	4.2	3.7	2.8	2.3	2.4	2.3	2.4	2.6	2.4	2.4	3.2	2.3	2.7	2.8	2.8	
Iron	54	18	22	30	20	14	11	10	10	10	9.8	9.2	8.9	7.9	11	7.2	27	21	22	
Lead	0.04	0.01	0.03	0.03	0.02	0.02	0.03	0.02	0.06	0.03	0.02	0.02	< 0.01	< 0.01	< 0.01	< 0.01	0.21	<0.01	0.02	
Manganese	290	340	480	336	94	113	227	202	210	197	204	195	172	174	389	223	161	183	153	
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.005	<0.005	<0.005	
Molybdenum	0.3	0.3	0.2	0.4	1.4	1.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.4	0.1	0.2	0.2	0.2	
Nickel	1.3	0.69	0.77	1.7	1.2	0.96	0.77	0.51	0.55	0.55	0.55	1	0.99	0.94	0.82	0.79	1	1	1	
Selenium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	<0.05	<0.05	<0.05	
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	<0.01	<0.01	<0.01	
Strontium	4.4	2.6	2.5	3.1	3.8	2.5	1.4	1.2	1.2	1.2	1.2	1.4	1.5	1.4	1.8	1.4	1.7	1.8	1.8	
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	<0.05	<0.05	<0.05	
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	<0.05	0.2	<0.05	
Titanium	3.3	0.76	0.77	1.2	0.49	0.19	0.08	0.14	0.11	0.19	0.08	0.09	0.08	0.06	0.12	0.06	0.26	0.3	0.38	
Uranium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	<0.01	<0.01	<0.01	
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	<0.1	<0.1	<0.1	
Zinc	6.6	6.6	7.4	7.9	7.9	6.5	6.1	5.2	5.4	5.6	5.7	5.9	5.7	5.3	5.3	4.8	9.6	10	9.2	
Physical Properties																				
Moisture (%)	86.12	86.14	86.17	83.54	82.53	82.76	85.32	84.42	84.34	84.54	84.55	85	84.77	85.04	85.53	85.1	82.5	82.3	82.3	
Radionuclides																				
Lead-210 (Bq/g)	0.003	0.004	0.004	0.002	<0.001	<0.001	<0.001	<0.001	0.001	0.001	<0.001	0.003	0.004	0.01	0.004	< 0.001	<0.001	<0.001	0.001	
Polonium-210 (Bq/g)	0.001	0.0021	0.0032	0.0012	0.0007	0.0005	0.0018	0.0011	0.0011	0.0012	0.0017	0.0008	0.001	0.0008	0.0009	0.0008	<0.0002	<0.0002	0.0002	
Radium-226 (Bq/g)	0.0022	0.0031	0.0038	0.003	0.002	0.004	0.0046	0.0034	0.0032	0.0026	0.0052	0.0044	0.0051	0.0041	0.0026	0.0066	0.0081	0.0069	0.0063	
Thorium-230 (Bq/g)	0.002	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	<0.002	<0.002	<0.002	

APPENDIX C, TABLE 8

Detailed blueberry chemistry results from the EARMF community program, 2011 to 2022.

Chemical ¹	Stony Rapids														
	2011					2012					2013				
	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5
Metals															
Aluminum	21	8	27	37	10	9.6	8.9	7	11	7.6	300	180	250	240	250
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	15	15	16	8.9	13	14	12	12	10	13	10	9	13	14	13
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	12	5	4	3	4	5	4	11	14	6	4	4	4	5	5
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	0.01	0.07	0.01	0.02	0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Copper	2.9	3.2	3	2.4	2.9	1.9	2	2.3	2.1	2	2.4	2.8	2.1	2.5	2.4
Iron	16	12	23	32	11	12	12	11	10	9.9	9.9	10	10	11	12
Lead	0.01	<0.01	0.02	0.04	<0.01	0.1	<0.01	0.03	0.03	<0.01	<0.01	0.02	<0.01	<0.01	0.01
Manganese	140	100	130	70	180	290	250	230	240	260	210	200	270	340	300
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	0.1	0.2	<0.1	<0.1	<0.1	0.1	<0.1	0.4	0.3	0.3	0.2	0.1	<0.1	<0.1	0.1
Nickel	0.75	0.68	0.84	0.82	0.74	0.39	0.48	0.47	0.37	0.4	0.38	0.42	0.24	0.3	0.29
Selenium	<0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	2.6	1.7	2.9	2.5	2	1.7	1.5	2.9	2.6	2.4	3.4	3	3.5	4.5	3.8
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Titanium	0.26	0.12	1.6	1.4	0.19	0.2	0.23	0.09	0.26	0.11	0.08	0.14	0.07	0.06	0.06
Uranium	<0.01	<0.01	0.02	0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	5.8	6.4	5.1	4.9	5.3	3.3	3.7	4.9	3.4	4	5.9	5.8	5.9	7.6	6.4
Physical Properties															
Moisture (%)	85.84	85.47	84.14	85.08	86.57	85.35	85.14	84.42	85.08	84.82	85.92	85.78	86.59	86.18	86.45
Radionuclides															
Lead-210 (Bq/g)	<0.004	0.005	0.012	0.006	<0.004	<0.01	<0.01	<0.01	<0.01	<0.01	0.007	<0.004	<0.004	<0.004	<0.004
Polonium-210 (Bq/g)	0.002	0.002	0.002	0.003	0.002	0.001	<0.001	0.001	0.001	<0.001	<0.001	<0.001	0.001	<0.001	0.001
Radium-226 (Bq/g)	0.003	0.006	0.001	<0.0009	0.001	0.003	<0.001	0.003	0.003	0.004	0.015	0.014	0.016	0.012	0.015
Thorium-230 (Bq/g)	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002

APPENDIX C, TABLE 8

Detailed blueberry chemistry results from the EARMF community program, 2011 to 2022.

Chemical ¹	Stony Rapids														
	2014					2015			2016			2019	2022		
	1	2	3	4	5	1	2	3	1	2	3	1	1	2	3
Metals															
Aluminum	7.8	9.3	10	8.3	8.9	22	18	9.5	13	16	18	6.8	1	1.6	2.1
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	< 0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	< 0.05	<0.05	<0.05	<0.05
Barium	22	21	21	18	21	13	15	15	14	15	15	17	<0.05	<0.05	<0.05
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	< 0.01	<0.01	<0.01	<0.01
Boron	4	5	5	5	16	5	5	7	12	5	5	6	<1	<1	<1
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	< 0.01	<0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	< 0.5	<0.5	<0.5	<0.5
Cobalt	0.01	0.02	0.1	<0.01	0.02	<0.01	<0.01	0.01	0.01	0.01	0.01	< 0.01	<0.01	<0.01	<0.01
Copper	4.5	4.2	4.2	4	4.4	3.6	3.3	3.2	3	3.4	3.4	2.9	0.61	0.98	1.2
Iron	14	15	14	13	15	19	19	13	22	17	18	9.1	<0.5	<0.5	<0.5
Lead	<0.01	0.01	<0.01	0.02	0.01	0.26	0.02	0.02	0.06	0.01	0.03	< 0.01	<0.01	<0.01	<0.01
Manganese	130	150	140	270	140	130	150	220	229	337	357	226	0.1	<0.1	<0.1
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	<0.005	<0.005	<0.005
Molybdenum	0.2	0.2	0.2	0.2	0.2	<0.1	<0.1	0.1	0.1	0.1	0.1	0.2	<0.1	<0.1	<0.1
Nickel	1.1	1.1	1.4	0.54	1	0.68	0.65	0.8	0.68	0.57	0.57	0.58	0.17	0.3	0.35
Selenium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	< 0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	< 0.01	<0.01	<0.01	<0.01
Strontium	2.5	2.5	2.2	5.3	2.6	1.6	1.7	3.1	3	1.7	1.8	1.6	0.41	0.66	0.84
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	< 0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.07	<0.05	<0.05	<0.05	< 0.05	<0.05	<0.05	<0.05
Titanium	0.12	0.3	0.17	0.08	0.26	0.7	0.81	0.28	0.29	0.37	0.47	0.07	<0.05	<0.05	0.06
Uranium	0.03	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	< 0.01	<0.01	<0.01	<0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	< 0.1	<0.1	<0.1	<0.1
Zinc	5.2	5.2	5.5	6.1	5.3	5.2	5.4	5.6	5.5	6.7	6.6	6.4	<0.5	<0.5	<0.5
Physical Properties															
Moisture (%)	86.37	86.04	86.10	86.52	86.16	86.67	86.62	86.11	85.76	83.59	83.88	84.52	84.00	84.20	84.00
Radionuclides															
Lead-210 (Bq/g)	0.001	0.001	<0.001	<0.001	<0.001	0.003	0.002	0.002	0.002	<0.001	0.002	0.004	0.002	<0.001	0.006
Polonium-210 (Bq/g)	<0.0002	0.0008	0.0007	0.0008	0.0006	0.0012	0.0014	0.0012	0.0011	0.0009	0.001	0.0012	0.0016	<0.0003	<0.0003
Radium-226 (Bq/g)	0.003	0.002	0.002	0.013	0.002	0.004	0.0039	0.0018	0.002	0.002	0.001	0.0016	0.0016	0.0015	0.0022
Thorium-230 (Bq/g)	<0.0009	<0.001	<0.001	<0.001	<0.001	<0.0005	0.0007	<0.0005	<0.0009	<0.0009	<0.001	< 0.0007	-	-	-

APPENDIX C, TABLE 8

Detailed blueberry chemistry results from the EARMF community program, 2011 to 2022.

Chemical ¹	Wollaston Lake/Hatchet Lake														
	2011					2012					2013				
	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5
Metals															
Aluminum	6.1	3.9	8.7	6.2	5.9	14	20	12	26	22	7.4	6.8	6.8	6.7	7.3
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	16	17	15	14	15	10	9.9	7.7	16	16	13	13	11	12	10
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	7	4	7	13	6	5	7	17	7	8	4	5	4	5	5
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.02	0.01	<0.01	0.01	<0.01	<0.01	0.01	<0.01
Copper	2.9	1.7	3	3	2.6	3.4	2.9	2.5	2.6	3.5	1.8	1.7	2.1	1.6	1.6
Iron	6.8	5.4	12	9.5	9	17	17	15	21	20	10	9	10	9	9
Lead	0.04	<0.01	0.01	<0.01	<0.01	<0.01	0.01	0.03	0.02	0.02	0.03	<0.01	0.02	<0.01	<0.01
Manganese	270	290	300	290	260	150	160	110	180	190	150	140	150	140	150
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	<0.1	<0.1	<0.1	0.1	0.1	0.3	0.1	0.1	0.2	0.2	0.1	<0.1	0.2	<0.1	<0.1
Nickel	0.66	0.28	0.59	0.5	0.59	0.66	0.44	0.68	0.5	0.68	0.23	0.19	0.24	0.19	0.24
Selenium	<0.05	<0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	3.4	1.2	3.1	3.8	3.6	1.3	1.2	1.1	1.4	2.8	1.8	2.3	1.6	1.8	1.5
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Titanium	<0.05	0.07	0.13	0.09	0.09	0.38	1.3	0.4	0.91	0.51	0.1	0.05	0.05	0.11	0.09
Uranium	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	5.7	3	5.5	5.1	4.4	6.6	7.7	4.7	6.7	8	6.4	6	6.2	5.6	5.3
Physical Properties															
Moisture (%)	85.31	84.46	84.79	84.44	85.11	84.44	84.81	84.13	85.40	84.17	85.61	85.47	85.66	85.56	85.51
Radionuclides															
Lead-210 (Bq/g)	0.005	0.009	0.008	0.01	0.004	<0.001	0.001	0.001	<0.001	<0.01	0.008	0.002	<0.002	0.012	<0.004
Polonium-210 (Bq/g)	0.002	0.002	0.004	0.004	0.004	0.0012	0.0012	0.0008	0.0017	<0.001	<0.001	<0.001	<0.001	<0.001	0.002
Radium-226 (Bq/g)	<0.001	0.001	<0.001	0.006	<0.001	0.0024	0.0032	0.0032	0.0057	0.004	0.008	0.005	0.006	0.009	0.004
Thorium-230 (Bq/g)	<0.002	<0.002	<0.002	<0.002	<0.002	<0.001	<0.001	<0.0009	<0.001	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002

APPENDIX C, TABLE 8

Detailed blueberry chemistry results from the EARMP community program, 2011 to 2022.

Chemical ¹	Wollaston Lake/Hatchet Lake													
	2014					2015			2016			2022		
	1	2	3	4	5	1	2	3	1	2	3	1	2	3
Metals														
Aluminum	11	11	10	12	12	28	13	16	13	10	15	7.9	7	7.5
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	21	19	15	22	18	17	13	14	20	13	22	19	17	16
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	5	5	8	6	5	6	7	6	5	4	6	12	5	6
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	0.02	0.01	0.2	0.03	0.14	0.03	0.01	0.01	0.01	0.02	0.01	0.01	0.01	<0.01
Copper	4.5	4.4	4.5	4.8	4.5	3.5	3.3	3.6	3.4	3.9	3.2	3.6	3.4	3.3
Iron	17	18	18	17	17	29	15	17	12	14	12	11	9.9	12
Lead	<0.01	0.02	0.02	<0.01	0.02	0.02	0.02	0.03	0.02	0.01	0.05	0.04	<0.01	0.01
Manganese	100	81	90	84	59	160	170	180	88	317	118	69	67	66
Mercury	-	-	-	-	-	-	-	-	-	-	-	<0.005	<0.005	<0.005
Molybdenum	0.3	0.4	0.3	0.4	0.4	0.2	0.1	0.1	0.2	0.3	0.2	0.4	0.4	0.4
Nickel	1.1	0.92	1.2	1.3	1.5	1.6	0.82	0.94	0.69	0.59	0.56	0.73	0.72	0.72
Selenium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	2.6	3.7	1.5	2.6	5.4	3.1	1.4	1.6	5.4	2.6	4.2	3.4	3.4	3.3
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.07	<0.05	<0.05
Titanium	0.16	0.17	0.14	0.17	0.25	1.1	0.34	0.88	0.1	0.19	0.14	0.14	0.12	0.11
Uranium	<0.01	0.01	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	7.3	8.1	7.3	7.5	7.4	6	6.8	7	5.8	5.3	5.8	5.4	5.5	4.2
Physical Properties														
Moisture (%)	86.34	86.99	86.93	87.01	86.51	88.00	84.22	84.43	85.72	86.66	86.27	84.10	84.00	84.00
Radionuclides														
Lead-210 (Bq/g)	0.001	<0.001	<0.001	<0.001	<0.001	0.004	0.002	<0.001	0.004	0.004	0.003	<0.002	<0.001	<0.001
Polonium-210 (Bq/g)	0.0006	0.001	0.0005	0.0008	0.0007	0.0016	0.001	0.0014	0.0018	0.0011	0.0015	<0.0004	<0.0003	<0.0003
Radium-226 (Bq/g)	0.004	0.002	0.004	0.005	0.004	0.006	0.0046	0.0045	0.002	<0.0005	0.003	0.0028	0.0033	0.0034
Thorium-230 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.0009	<0.0006	<0.0005	<0.0005	<0.0009	<0.001	<0.001	-	-	-

APPENDIX C, TABLE 8

Detailed blueberry chemistry results from the EARMF community program, 2011 to 2022.

Chemical ¹	Uranium City												
	2012					2014			2018			2019	
	1	2	3	4	5	1	2	3	1	2	3	1	2
Metals													
Aluminum	5.3	5.6	8.7	4.4	5.4	9.2	7.7	11	4.6	4.2	4.8	7.7	6.3
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	12	11	12	12	9.9	14	14	14	11	11	11	12	11
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	8	8	9	6	7	3	4	3	6	5	5	5	6
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	0.01	<0.01	0.01	<0.01	0.02	<0.01	<0.01	0.06	0.01	0.01	0.02	0.02	0.02
Copper	3.9	3.4	3.7	3.5	2.9	4.1	4.1	4.1	3.3	3.4	3.3	3.5	3.1
Iron	11	9.7	10	12	8.7	14	14	14	9.4	9.2	9	12	9.7
Lead	0.01	0.01	0.02	0.01	<0.01	<0.01	0.06	0.01	<0.01	0.01	0.07	<0.01	<0.01
Manganese	280	330	280	200	140	430	440	450	530	460	550	680	640
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	0.2	0.2	0.3	0.4	<0.1	0.2	0.2	0.2	0.3	0.4	0.3	0.2	0.3
Nickel	0.54	0.47	0.58	0.44	0.51	0.37	0.41	0.5	0.32	0.3	0.32	0.46	0.34
Selenium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	1.3	1.1	1.4	1.3	1.6	1.3	1.3	1.4	1.5	1.5	1.5	1.6	1.6
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Titanium	<0.05	<0.05	<0.05	0.05	0.05	0.17	0.13	0.21	<0.05	<0.05	<0.05	0.16	0.08
Uranium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	6.3	5.9	6.2	6.3	4.2	6.7	6.5	6.4	5.1	4.9	4.7	4.9	4.3
Physical Properties													
Moisture (%)	84.40	83.99	84.04	85.06	84.43	89.62	89.29	89.56	81.80	81.73	81.57	84.16	84.46
Radionuclides													
Lead-210 (Bq/g)	0.002	0.004	0.003	0.002	0.02	0.001	0.005	0.002	<0.001	<0.001	<0.001	0.002	0.002
Polonium-210 (Bq/g)	0.0021	0.005	0.0032	0.0015	0.002	0.0031	0.003	0.0028	0.001	0.0009	0.0008	0.0014	0.0016
Radium-226 (Bq/g)	0.0014	0.006	0.0016	0.1	0.001	0.0007	0.003	0.001	<0.0003	<0.0003	<0.0003	0.0005	<0.0002
Thorium-230 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.002	<0.001	<0.001	<0.001	<0.0007	<0.0007	<0.0007	<0.0005	<0.0005

¹All concentrations are in µg/g dry weight, unless specified otherwise.

APPENDIX C, TABLE 9

Detailed bog cranberry chemistry results from the EARMP community program, 2011 to 2022.

Chemical ¹	Black Lake		Camsell Portage																		
	2019		2011					2014		2015			2016			2018			2022		
	1	2	1	2	3	4	5	1	2	1	2	3	1	2	3	1	2	3	1	2	3
Metals																					
Aluminum	110	33	17	17	19	19	16	17	16	16	19	21	22	21	22	20	25	22	17	18	17
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	11	14	14	13	14	15	9.1	15	15	18	19	19	7.6	8.5	8.6	8.1	9	8.2	8.8	10	8.7
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	8	8	9	8	8	10	9	6	5	10	6	6	6	7	6	9	8	9	7	8	6
Cadmium	<0.01	0.03	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	0.01	0.02	<0.01	<0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.02	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	0.02	0.01
Copper	3.5	3.6	4.5	4.2	4.8	4.9	3.6	4	4.3	4.3	3.8	4.8	3.6	3.6	3.7	3.3	3.5	3.2	4	4	4.1
Iron	68	15	9.7	9.7	10	10	11	15	14	16	12	13	9.3	8.8	9	9	9.6	8.7	11	11	11
Lead	0.04	0.03	<0.01	<0.01	<0.01	0.01	0.02	0.02	<0.01	0.03	<0.01	<0.01	<0.01	0.02	0.01	0.04	0.01	0.01	<0.01	<0.01	<0.01
Manganese	192	148	110	120	100	100	80	170	170	140	200	220	171	124	155	116	126	127	69	81	66
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.005	<0.005	<0.005
Molybdenum	0.5	<0.1	0.1	0.1	0.2	0.2	<0.1	<0.1	<0.1	0.2	0.1	0.2	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Nickel	0.47	0.36	0.46	0.46	0.49	0.65	0.37	0.54	0.52	0.36	0.36	0.41	0.23	0.32	0.27	0.36	0.34	0.31	0.41	0.47	0.42
Selenium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	1.5	2.7	2.3	2	2.1	2.5	1.8	2.3	2.3	3.1	3.8	4.5	1	1.2	1.1	1.5	1.7	1.5	1.7	2	1.8
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.9	<0.05	1.3	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.1	<0.05
Titanium	4.4	0.49	0.06	0.06	<0.05	0.08	0.17	0.08	0.08	0.1	0.11	0.12	0.07	0.22	<0.05	0.07	0.11	0.08	0.08	0.13	0.1
Uranium	<0.01	<0.01	0.01	<0.01	0.01	<0.01	0.02	<0.01	0.01	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	<0.01
Vanadium	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	6.7	5.8	6.6	6.4	6.5	6.7	5.3	6.2	6.2	7.8	7.8	8	7.2	7	6.9	6.5	7.2	6.5	7.5	7.5	8.4
Physical Properties																					
Moisture (%)	87.22	84.62	87.53	87.36	87.13	86.87	86.78	86.06	86.2	87.73	87.24	87.37	85.66	85.54	85.58	84.77	84.84	84.79	83.90	83.10	84.10
Radionuclides																					
Lead-210 (Bq/g)	0.007	0.004	0.007	0.006	0.02	0.013	0.018	0.001	<0.001	0.002	0.002	0.002	0.002	0.004	0.003	0.001	0.001	0.002	0.001	0.002	0.002
Polonium-210 (Bq/g)	0.002	0.0039	0.003	0.002	0.001	0.002	0.003	0.0011	0.0011	0.0015	0.0014	0.0015	0.0009	0.0011	0.001	0.0024	0.0021	0.0019	<0.0002	0.0007	0.0005
Radium-226 (Bq/g)	0.0078	0.0046	0.004	0.002	0.006	0.004	0.002	0.0008	<0.0005	0.0016	0.0017	0.0007	0.002	0.002	0.002	0.0014	0.0016	0.0009	0.001	0.0024	0.0009
Thorium-230 (Bq/g)	<0.0005	<0.0005	<0.002	<0.002	<0.002	<0.002	<0.002	<0.001	<0.001	<0.0006	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0007	<0.0007	<0.0007	<0.0007	<0.0008	<0.0006

APPENDIX C, TABLE 9

Detailed bog cranberry chemistry results from the EARMP community program, 2011 to 2022.

Chemical ¹	Fond du Lac					Stony Rapids								Wollaston Lake				
	2018			2022		2018			2019				2018		2019			
	1	2	3	1	2	1	2	3	1	2	3	4	1	2	1	2	3	4
Metals																		
Aluminum	25	25	25	43	58	87	90	97	110	51	49	56	84	28	35	36	32	33
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	9.7	10	9.7	11	15	16	16	16	10	10	8.7	12	16	10	12	11	12	11
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	10	11	5	6	5	16	14	9	7	5	6	7	8	9	6	5	6	6
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	0.03	0.04	0.03	<0.01	<0.01	<0.01	<0.01	0.06	0.03	0.02	0.02	0.04	0.03
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.02	0.01	0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01
Copper	2.9	2.9	2.9	2.8	3.2	3	3.2	3.2	3.2	2.9	2.9	2.8	3.9	2.8	3.8	3.1	4	3.9
Iron	12	13	13	25	35	45	45	47	67	29	31	32	44	10	14	15	14	16
Lead	<0.01	0.01	0.03	0.08	0.1	0.09	0.13	0.13	0.04	0.03	0.02	0.02	0.06	0.02	<0.01	0.02	0.04	0.01
Manganese	157	164	157	85	100	133	129	127	164	192	163	174	139	114	83	138	132	101
Mercury	-	-	-	<0.005	<0.005	-	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	0.1	<0.1	<0.1	0.3	0.3	<0.1	<0.1	0.1	0.4	0.1	0.2	0.2	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Nickel	0.23	0.22	0.23	0.56	0.59	0.46	0.48	0.65	0.49	0.38	0.28	0.31	0.68	0.32	0.7	0.4	0.72	0.9
Selenium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	1.8	1.8	1.9	2.6	3.2	3.9	3.7	3.2	1.6	2	1.2	1.4	2.6	2.1	2.4	1.9	2	2.4
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.06	<0.05
Titanium	0.38	0.36	0.37	1.5	2.4	2.2	2.4	2.9	4.1	1.5	1.7	1.9	2.6	0.41	0.52	0.71	0.55	0.56
Uranium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	6.7	6.9	7.2	5.8	7	7.2	7	6.8	6.6	7.4	6.3	6.1	11	5.9	6	5.1	6.4	5.8
Physical Properties																		
Moisture (%)	84.40	84.42	84.37	85.50	85.20	86.12	86.09	85.23	85.39	86.37	85.83	86.01	85.36	84.56	84.84	85.00	84.51	85.14
Radionuclides																		
Lead-210 (Bq/g)	0.001	0.001	0.001	<0.002	0.003	<0.001	0.004	0.005	0.004	0.003	0.003	0.004	0.004	0.003	0.003	0.004	0.002	0.002
Polonium-210 (Bq/g)	0.0015	0.0008	0.0013	0.0007	0.001	0.0015	0.0035	0.0049	0.0022	0.0018	0.0028	0.0028	0.0034	0.0023	0.002	0.0039	0.0012	0.0022
Radium-226 (Bq/g)	0.0013	0.0009	0.001	0.0045	0.0054	0.0019	0.0017	0.0014	0.01	0.0031	0.0064	0.0067	0.0021	0.0031	0.0013	0.0014	0.0017	0.0026
Thorium-230 (Bq/g)	<0.0007	<0.0007	<0.0007	-	-	<0.0007	<0.0007	<0.0007	<0.0005	<0.0007	<0.0005	<0.0005	<0.0007	<0.0007	<0.0005	<0.0005	<0.0005	<0.0007

APPENDIX C, TABLE 9

Detailed bog cranberry chemistry results from the EARMP community program, 2011 to 2022.

Chemical ¹	Uranium City																
	2011					2013					2014		2015	2016			2019
	1	2	3	4	5	1	2	3	4	5	1	2	1	1	2	3	1
Metals																	
Aluminum	20	29	15	19	27	21	56	50	45	28	22	23	20	18	25	17	9.9
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	13	9.1	11	9.4	13	10	12	14	12	10	13	12	15	11	10	10	11
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	10	9	8	14	10	18	16	15	7	5	6	6	9	6	4	7	6
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	0.02	0.02	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	0.02	0.14	0.02	0.02	0.02	0.01	0.02	0.02	0.02	0.02	0.05	0.04	<0.01	0.02	0.03	0.02	<0.01
Copper	5.9	3.6	2.6	2.6	3.2	2.6	2.1	2.3	2.4	3.2	5.6	6.4	3.4	4.2	5.4	4.2	2.7
Iron	16	20	9.5	13	14	13	12	26	26	14	12	14	12	11	14	10	7.3
Lead	0.01	0.01	0.01	0.01	0.02	0.02	0.2	0.03	0.02	0.03	0.04	0.03	0.02	0.11	0.04	0.01	<0.01
Manganese	150	110	300	210	220	210	150	100	81	100	160	160	90	158	103	120	200
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.7	0.1	0.7	<0.1
Nickel	1.1	0.8	0.28	0.5	0.42	0.2	0.28	0.42	0.46	0.36	0.59	0.59	0.74	0.34	0.72	0.38	0.21
Selenium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	3.4	2.5	2.5	2.4	1.8	2.1	2.2	2.2	2.1	1.5	1.6	1.5	3.7	1.9	1.3	2	2.1
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Titanium	0.07	0.47	0.06	0.18	0.14	0.11	0.56	0.6	0.7	0.33	0.16	0.11	0.19	0.1	0.14	<0.05	0.06
Uranium	0.01	0.02	<0.01	0.01	<0.01	<0.01	0.03	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	8.9	7.3	5.7	5.2	6.8	7.2	8.9	7.4	7	7	6.2	7.1	5.3	6.7	7.6	6.6	4.5
Physical Properties																	
Moisture (%)	88.39	87.69	87.22	86.90	87.44	84.89	85.40	85.63	85.57	85.84	86.38	86.63	85.92	85.20	86.48	84.88	84.02
Radionuclides																	
Lead-210 (Bq/g)	0.005	0.005	0.016	0.01	0.016	0.016	0.009	<0.004	<0.004	<0.004	0.005	0.002	0.003	0.005	0.002	0.003	0.004
Polonium-210 (Bq/g)	0.003	0.003	0.013	0.002	0.005	0.002	0.001	0.001	<0.001	0.001	0.0039	0.0036	0.0027	0.0024	0.0015	0.0013	0.0012
Radium-226 (Bq/g)	0.002	0.007	<0.0009	<0.0009	<0.0009	<0.001	0.002	0.003	0.002	0.003	0.003	0.002	0.0034	0.0008	0.0008	0.0009	0.0013
Thorium-230 (Bq/g)	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.001	<0.001	<0.0005	<0.001	<0.001	<0.001	<0.0007

¹All concentrations are in µg/g dry weight, unless specified otherwise.

APPENDIX C, TABLE 10

Detailed barren-ground caribou flesh chemistry results from the EARMP community program, 2012 to 2023.

Chemical ¹	Black Lake																								
	2012					2013					2014					2015					2017		2023		
	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5	1	2	1	2	3
Metals																									
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.04	<0.02	<0.02	<0.02	<0.02	0.06	0.04	0.38	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.02	0.01	0.02	0.02	0.02	0.04	0.02	0.03	0.02	0.02	0.01	0.01	0.01	<0.01	<0.01	0.02	0.03	0.02	0.04	0.02	0.03	0.02	0.01	0.02	0.01
Barium	0.2	0.03	0.04	0.03	0.25	0.04	0.02	0.02	0.01	<0.01	0.02	0.05	0.11	0.33	0.02	0.04	0.03	0.02	0.03	0.02	0.21	0.17	0.1	0.14	0.04
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	0.7	0.2	0.6	<0.2	0.9	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.002	0.004	0.002	<0.002	<0.002	0.004	0.003	0.002	0.006	0.005	0.002	<0.002	0.003	0.005	0.004	0.002	<0.002	<0.002	<0.002	<0.002	0.003	0.005	0.014	0.014	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.005	0.004	0.003	0.003	0.003	0.008	0.005	0.004	0.004	0.005	<0.002	0.002	0.002	<0.002	0.002	0.009	0.006	0.009	0.008	0.016	0.004	0.006	0.005	0.007	0.005
Copper	4.3	2.6	3	3	3.3	3.3	4.2	3.4	3	3.1	4.6	3.3	3.2	2.4	4.6	4.9	3.5	4.6	4.8	2.5	2.5	2.6	1.7	2.2	4.3
Iron	43	29	40	38	45	33	49	44	50	43	49	38	58	37	52	46	32	53	48	37	35	33	28	26	48
Lead	0.013	<0.002	0.008	<0.002	0.005	0.003	0.31	0.003	0.48	0.013	<0.002	0.008	0.56	0.028	0.004	0.015	0.009	0.007	0.005	0.006	0.043	0.006	0.013	0.01	0.015
Manganese	0.45	0.29	0.35	0.38	0.42	0.28	0.53	0.34	0.3	0.26	0.48	0.56	0.48	0.34	0.42	0.49	0.34	0.54	0.48	0.3	0.24	0.32	0.17	0.24	0.47
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.011	0.01	0.01
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.01	<0.01	<0.01	0.02	0.02	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.01	<0.01	0.04	0.04	0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.15	0.2	0.21	0.19	0.2	0.15	0.27	0.18	0.2	0.18	0.24	0.15	0.21	0.17	0.21	0.22	0.18	0.24	0.22	0.18	0.17	0.18	0.11	0.2	0.24
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.03	0.03	0.02	0.02	0.03	0.05	0.04	0.03	0.03	0.03	0.03	0.06	0.12	0.27	0.05	0.04	0.03	0.02	0.02	0.03	0.07	0.04	0.05	0.08	0.03
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	-	-	-	-	-	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.08	0.08	0.07	0.07	0.08	0.09	0.11	0.08	0.08	0.08	0.06	0.1	0.07	0.1	0.09	0.07	0.07	0.07	0.07	0.06	<0.01	<0.01	0.01	0.03	0.02
Uranium	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	17	31	21	16	29	26	29	33	30	32	19	21	23	30	20	14	23	15	15	46	35	46	26	43	19
Physical Properties																									
Moisture (%)	74.06	74.11	74.21	73.58	72.53	76.52	73.84	75.07	75.50	74.1	70.87	67.93	65.21	69.85	71.08	73.58	73.63	72.12	72.03	73.79	75.45	72.45	60.6	74.4	71.2
Radionuclides																									
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	0.002	<0.001	<0.001
Polonium-210 (Bq/g)	0.011	0.0095	0.0083	0.01	0.011	0.0007	0.0052	0.0065	0.0085	0.0094	0.023	0.014	0.013	0.015	0.012	0.019	0.014	0.015	0.016	0.013	0.0081	0.0063	0.0019	0.002	0.018
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	0.008	<0.005	<0.005	<0.005	<0.005	<0.00006	0.0003	<0.00006	0.0003	0.0001	0.0002	0.0002	<0.00008	0.0001	<0.00006	<0.00007	<0.00005	<0.00005	<0.00007	<0.00008
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002

APPENDIX C, TABLE 10

Detailed barren-ground caribou flesh chemistry results from the EARMP community program, 2012 to 2023.

Chemical ¹	Camsell Portage		Fond du Lac																						
	2013		2012					2013						2014					2015			2017		2023	
	1	2	1	2	3	4	5	1	2	3	4	5	6	1	2	3	4	5	1	2	3	1	2	1	2
Metals																									
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	0.6	<0.5	<0.5	0.6	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	0.02	0.01	0.01	0.02	0.02	0.02	0.01	<0.01	<0.01	0.03	<0.01	<0.01	0.01	<0.01	0.01	0.03	<0.01	0.02	0.03
Barium	0.02	<0.01	0.08	0.02	0.03	0.04	0.02	0.05	0.14	0.11	0.08	0.12	0.32	0.01	<0.01	0.02	0.02	0.04	<0.01	<0.01	0.18	0.04	0.17	0.05	0.19
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	0.4	0.5	0.3	0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.004	0.003	0.004	0.002	0.003	0.002	<0.002	0.004	0.002	0.005	<0.002	0.003	0.14	0.004	0.004	<0.002	0.003	0.002	0.004	0.004	0.008	0.004	0.004	<0.002	0.003
Chromium	<0.1	<0.1	0.3	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.002	<0.002	0.004	0.006	0.006	0.003	0.003	0.003	<0.002	0.003	0.002	0.006	0.013	0.005	0.004	0.005	0.004	<0.002	0.004	0.004	0.006	0.005	0.003	0.006	0.004
Copper	3.7	3.7	3.9	2.3	2.2	4.1	3.1	1.8	2.6	3.2	3.3	3.9	4.3	4.2	4.3	2.6	4	4.2	3.5	2.6	1.9	2.4	3.4	4.6	3.5
Iron	50	46	48	31	29	48	32	30	36	43	50	39	45	46	47	27	48	49	47	36	36	34	61	48	38
Lead	<0.002	<0.002	0.008	<0.002	<0.002	<0.002	<0.002	0.006	0.006	0.008	<0.002	0.014	0.004	0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	0.004	0.004	0.005	0.004	0.009
Manganese	0.35	0.26	0.39	0.26	0.25	0.43	0.32	0.24	0.26	0.33	0.37	0.53	0.8	0.38	0.35	0.32	0.39	0.44	0.41	0.33	0.29	0.21	0.31	0.56	0.36
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.012	0.011
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	0.08	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.23	0.22	0.15	0.15	0.15	0.18	0.15	0.12	0.13	0.16	0.2	0.14	0.34	0.19	0.17	0.17	0.18	0.22	0.19	0.17	0.16	0.15	0.2	0.2	0.19
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.04	0.04	0.07	0.05	0.06	0.05	0.03	0.06	0.07	0.07	0.05	0.08	0.14	0.04	0.04	0.03	0.05	0.05	0.03	0.04	0.07	0.04	0.09	0.06	0.04
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01						0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.08	0.07	0.08	0.08	0.07	0.08	0.09	0.08	0.05	0.09	0.08	0.08	0.08	0.06	0.13	0.12	0.05	0.13	0.07	0.07	0.08	<0.01	0.02	0.02	0.03
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	0.005
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	26	25	22	56	59	16	49	40	15	23	12	16	18	28	22	30	26	24	22	28	59	39	14	24	38
Physical Properties																									
Moisture (%)	72.15	72.11	71.24	76.19	74.05	73.91	73.77	71.94	71.95	72.90	73.46	71.99	68.45	62.73	71.46	75.61	72.28	70.81	73.17	73.00	71.99	76.17	73.17	72.8	73
Radionuclides																									
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.003	0.002	0.002	<0.001	<0.001	0.008	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.017	0.015	0.0042	0.0084	0.0098	0.0096	0.0021	0.015	0.015	0.015	0.016	0.016	0.021	0.012	0.012	0.011	0.01	0.014	0.0071	0.008	0.0075	0.0071	0.012	0.0037	0.0028
Radium-226 (Bq/g)	<0.00008	<0.0001	<0.00005	0.0002	0.0001	<0.00004	0.00008	<0.00006	<0.00006	<0.00006	<0.00007	<0.00007	0.00009	<0.00006	<0.00006	<0.00006	0.00007	0.00008	<0.00006	0.00008	<0.00006	<0.00008	<0.00009	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0002	<0.0002	<0.0001	0.0003	<0.0002	<0.00008	<0.0001	<0.0001	<0.0001	0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	-	<0.0001

APPENDIX C, TABLE 10

Detailed barren-ground caribou flesh chemistry results from the EARMP community program, 2012 to 2023.

Chemical ¹	Stony Rapids													Uranium City		
	2013					2014			2015					2019		
	1	2	3	4	5	1	2	3	1	2	3	4	5	1	2	3
Metals																
Aluminum	<0.5	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.01	0.01	0.01	0.02	0.01	0.03	0.02	0.01	0.02	0.02	0.03	0.02	0.01	<0.01	<0.01	0.01
Barium	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	0.04	0.12	0.03	0.01	0.02	0.02	0.01	0.05	0.1	0.03
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	0.8	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.003	0.004	0.002	0.003	0.002	<0.002	0.002	0.008	0.007	<0.002	<0.002	0.006	0.003	0.003	0.008	0.003
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.2	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	0.1	<0.1
Cobalt	0.006	0.003	0.004	0.004	0.003	0.004	0.002	0.003	0.005	0.004	0.002	0.005	0.004	0.004	0.004	0.005
Copper	4	4.6	4.7	3.3	4.1	2.4	3.4	1.8	2.4	4.3	3.6	3.8	3.5	1.7	1.3	2.4
Iron	52	55	46	51	55	38	38	40	34	43	46	47	50	37	32	36
Lead	0.002	0.065	0.009	0.003	0.004	0.005	0.052	0.032	0.004	0.002	<0.002	0.009	<0.002	<0.002	0.004	<0.002
Manganese	0.46	0.55	0.42	0.44	0.44	0.3	0.28	0.36	0.21	0.47	0.41	0.42	0.51	0.21	0.17	0.32
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	0.01	<0.01	<0.01	0.18	<0.01	0.06	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.21	0.26	0.21	0.21	0.21	0.16	0.14	0.11	0.17	0.18	0.22	0.2	0.19	0.13	0.11	0.16
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.02	0.03	0.02	<0.02	<0.02	0.05	0.04	0.17	0.03	0.02	0.03	0.04	0.03	0.04	0.06	0.04
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.03	0.12	0.2	0.09	0.11	0.13	0.04	0.08	0.07	0.07	0.06	0.08	0.07	<0.01	<0.01	0.01
Uranium	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	22	13	16	29	15	40	17	48	41	15	15	18	20	53	29	59
Physical Properties																
Moisture (%)	70.86	70.20	70.00	70.40	71.00	74.41	74.78	67.52	73.27	73.71	72.62	72.05	71.78	75.66	66.73	75.99
Radionuclides																
Lead-210 (Bq/g)	<0.001	0.001	<0.002	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.026	0.001	<0.001	0.012	0.025	0.0083	0.01	0.0059	0.013	0.017	0.025	0.033	0.02	0.0055	0.0059	0.0048
Radium-226 (Bq/g)	0.002	<0.001	<0.001	0.002	0.001	<0.00006	<0.00006	<0.00005	<0.00007	0.0001	0.00008	<0.00007	0.0001	<0.0002	<0.0002	<0.0002
Thorium-230 (Bq/g)	<0.002	<0.002	<0.002	<0.002	<0.002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0002	<0.0005	<0.0005	<0.0005

APPENDIX C, TABLE 10

Detailed barren-ground caribou flesh chemistry results from the EARMP community program, 2012 to 2023.

Chemical ¹	Wollaston Lake/Hatchet Lake																		
	2012					2013					2014					2015			
	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5	1	2	3	4
Metals																			
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.03	<0.02	<0.02
Arsenic	<0.01	<0.01	0.01	0.02	0.02	0.02	0.02	0.01	0.01	<0.01	0.02	<0.01	0.01	0.02	<0.01	<0.01	0.01	0.02	<0.01
Barium	0.04	0.09	0.03	0.04	0.09	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	0.4	<0.2	0.4	0.3	0.4	0.3	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.005	0.008	0.002	0.004	0.002	0.008	0.003	<0.002	0.004	0.003	0.002	0.002	<0.002	<0.002	0.003	0.003	0.003	0.005	0.027
Chromium	0.2	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.003	0.003	0.007	0.005	0.004	0.008	0.006	0.006	0.004	0.006	0.003	0.006	<0.002	0.003	0.004	0.017	0.006	0.003	0.008
Copper	3.1	3.2	2.5	3.9	3.1	4.4	2.3	2.4	3.6	3.5	3.6	3.3	2.3	3.8	3.5	3.1	3	2.8	3.9
Iron	37	35	26	45	29	63	36	43	52	43	42	43	23	44	45	42	36	27	52
Lead	0.013	0.002	<0.002	0.046	0.051	0.006	0.003	0.013	0.014	<0.002	<0.002	<0.002	0.003	0.005	<0.002	<0.002	1.1	<0.002	<0.002
Manganese	0.35	0.29	0.25	0.53	0.33	0.46	0.27	0.29	0.5	0.44	0.31	0.37	0.21	0.37	0.41	0.39	0.29	0.29	0.4
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.15	0.17	0.17	0.19	0.13	0.18	0.13	0.12	0.19	0.17	0.21	0.13	0.16	0.2	0.18	0.14	0.16	0.16	0.19
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.04	0.03	0.03	0.02	0.03	0.05	0.03	0.03	0.02	<0.02	0.02	0.04	0.05	0.03	0.04	0.02	0.03	0.02	0.03
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	-	-	-	-	-	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.07	0.07	0.07	0.07	0.07	0.11	0.09	0.11	0.08	0.09	0.03	0.06	0.06	0.07	0.11	0.06	0.06	0.06	0.06
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	33	30	30	20	29	16	52	42	20	16	16	20	18	13	23	33	29	23	19
Physical Properties																			
Moisture (%)	74.50	73.60	75.20	74.14	75.20	72.82	78.45	77.45	73.98	72.58	75.58	74.52	75.00	74.43	73.43	76.77	73.74	74.44	68.86
Radionuclides																			
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.016	0.013	0.011	0.015	0.011	0.011	0.012	0.0095	0.019	0.014	0.0082	0.0083	0.012	0.016	0.01	0.0079	0.0072	0.0047	0.0053
Radium-226 (Bq/g)	<0.00006	<0.00007	<0.00006	<0.00006	<0.00005	<0.00008	<0.00006	<0.00006	0.0001	<0.00007	<0.00008	<0.00009	0.0002	<0.00006	0.00007	<0.00006	<0.00005	<0.00006	0.0001
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 10

Detailed barren-ground caribou flesh chemistry results from the EARMP community program, 2012 to 2023.

Chemical ¹	Wollaston Lake/Hatchet Lake						
	2017		2020				2023
	1	2	1	2	3	4	1
Metals							
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5
Antimony	0.02	<0.02	<0.02	<0.02	<0.02	25	<0.02
Arsenic	0.03	0.03	0.02	0.01	<0.01	0.34	0.02
Barium	0.04	0.05	0.09	0.05	0.11	0.16	0.09
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.004	0.004	0.003	0.005	0.004	0.005	0.006
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.003	0.004	<0.002	0.005	0.006	0.005	0.002
Copper	3	3.6	1.7	3.3	1.8	3	2.3
Iron	45	38	24	46	33	64	37
Lead	0.52	0.014	0.15	0.003	2.1	910	0.007
Manganese	0.33	0.39	0.24	0.42	0.21	0.37	0.12
Mercury	-	-	0.008	0.012	0.006	0.006	0.009
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.2	0.22	0.12	0.26	0.13	0.17	0.19
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	0.048	<0.002
Strontium	0.04	<0.02	0.07	0.03	0.06	0.05	0.1
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	0.36	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.01	<0.01	0.04	0.03	0.03	0.04	0.02
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	43	38	56	42	64	45	36
Physical Properties							
Moisture (%)	74.15	74.87	76.29	71.75	74.47	73.57	70
Radionuclides							
Lead-210 (Bq/g)	<0.001	<0.001	0.002	<0.001	<0.001	0.002	<0.001
Polonium-210 (Bq/g)	0.0075	0.0082	0.0084	0.0093	0.0094	0.012	0.0032
Radium-226 (Bq/g)	<0.00007	<0.00007	<0.00007	<0.00007	<0.0001	<0.00007	<0.00005
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001

¹All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.
- = data not available.

APPENDIX C, TABLE 11

Detailed moose flesh chemistry results from the EARMP community program, 2011 to 2023.

Chemical ¹	Camsell Portage											Fond du Lac		Stony Rapids					
	2011				2013		2014		2015		2023	2016	2023	2016	2018	2020			2023
	1	2	3	4	1	2	1	2	1	2	1	1	1	1	1	1	2	3	1
Metals																			
Aluminum	1.5	3	<0.5	3.8	<0.5	<0.5	0.6	4.4	5.1	0.5	1.4	0.6	1.9	0.5	<0.5	0.6	1	0.6	1.6
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.26	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.02	0.01	<0.01	<0.01	0.01	<0.01	0.02
Barium	0.04	0.15	0.03	0.02	0.05	0.02	0.07	0.04	0.05	0.02	<0.01	0.05	0.16	0.06	0.02	0.04	0.04	0.03	0.08
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	0.3	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	0.3	0.3	0.3	<0.2	<0.2
Cadmium	<0.002	0.006	0.002	<0.002	0.002	0.003	0.003	0.05	0.005	0.004	0.004	0.002	0.003	0.002	<0.002	0.011	0.012	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.014	0.011	0.022	0.01	0.012	0.015	0.02	0.016	0.015	0.006	0.018	0.011	0.017	0.019	0.012	0.03	0.014	0.01	0.005
Copper	2	1.2	1.8	1.6	1.5	1.8	0.56	1.4	0.93	1.4	0.99	1.5	0.86	1.7	0.82	0.99	1.4	0.73	1.3
Iron	21	25	25	29	29	34	22	32	29	29	26	38	28	29	12	45	46	20	24
Lead	0.018	0.019	<0.002	0.002	0.004	<0.002	0.029	0.011	0.004	<0.002	0.004	0.01	18	0.01	<0.002	0.027	0.009	0.009	0.002
Manganese	0.2	0.18	0.21	0.13	0.13	0.16	0.38	0.27	0.2	0.18	0.26	0.22	0.19	0.24	0.15	0.26	0.3	0.18	0.25
Mercury	-	-	-	-	-	-	-	-	-	-	0.002	-	0.002	-	-	0.002	0.003	0.003	0.006
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.02	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.2	0.06	0.1	0.12	0.06	0.06	0.08	0.08	0.17	0.13	0.14	0.1	0.1	0.09	0.16	0.15	0.17	0.13	0.31
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002
Strontium	0.1	0.06	0.03	0.02	0.06	0.04	0.06	0.09	0.06	0.02	0.08	0.06	0.16	0.03	0.03	0.16	0.15	0.08	0.07
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.09	0.25	0.09	0.08	0.07	0.07	0.1	0.22	0.14	<0.01	0.04	0.05	0.2	0.06	0.02	0.06	0.07	0.07	0.06
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	0.002	<0.001	<0.001	<0.001	0.003	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	24	38	47	45	59	45	63	58	61	48	58	53	68	49	32	50	62	50	41
Physical Properties																			
Moisture (%)	75.01	73.92	75.02	75.12	73.27	72.65	73.14	70.99	73.20	74.63	66.2	75.66	72.9	73.90	74.12	70.99	67.02	73.25	74.8
Radionuclides																			
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.0003	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0019	0.0004	0.0003	-	0.0004	0.0002	0.0004	<0.0002	0.0011	0.0005	<0.0002	0.0003	0.0002	0.0006	0.0006	0.001	0.0008	0.001	0.0013
Radium-226 (Bq/g)	<0.00008	<0.00007	0.0002	<0.00006	0.00006	0.00007	<0.00006	<0.00006	0.00005	0.00008	<0.00007	<0.00005	<0.00006	<0.00007	<0.00007	<0.00005	0.0001	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0002	<0.0001	<0.0001	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.00009	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0004	-	<0.0002	<0.0001

APPENDIX C, TABLE 11

Detailed moose flesh chemistry results from the EARMF community program, 2011 to 2023.

Chemical ¹	Uranium City																			
	2011				2012			2013			2014	2015	2016	2018		2020		2023		
	Mackintosh Bay	Deadman Channel	Melville Lake	Orbit Bay	Ace Creek	Gunnar	Milliken Lake	1	2	3	1	1	1	1	2	1	2	1	2	3
Metals																				
Aluminum	2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	0.6	<0.5	0.5	<0.5	<0.5	<0.5	0.9	<0.5	<0.5	0.6
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.02	0.01
Barium	0.03	0.02	<0.01	0.02	0.04	0.22	0.08	0.02	0.09	0.02	<0.01	0.04	0.1	0.03	0.04	0.02	0.1	0.04	0.04	0.05
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	0.2	<0.2	0.3	0.3	<0.2
Cadmium	0.003	<0.002	0.002	0.004	0.011	0.006	0.003	0.004	0.005	0.003	0.056	0.018	0.011	0.004	0.004	0.011	0.01	0.002	0.003	0.006
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.013	0.014	0.003	0.017	0.016	0.01	0.012	0.01	0.011	0.008	0.009	0.044	0.009	0.01	0.011	0.027	0.005	0.016	0.012	0.008
Copper	1.3	1.8	3.8	1.7	1.2	1.4	1.3	1.6	2	1.5	1.9	1.5	1.8	1.4	0.95	1.6	1.2	1.3	1.2	1.3
Iron	30	25	42	42	35	34	26	34	37	26	36	33	25	37	22	35	35	24	31	29
Lead	<0.002	<0.002	<0.002	<0.002	0.005	0.004	0.003	0.003	0.025	0.003	0.003	0.002	0.01	<0.002	0.006	<0.002	0.006	0.004	<0.002	0.005
Manganese	0.16	0.16	0.33	0.14	0.17	0.18	0.15	0.14	0.24	0.14	0.22	0.23	0.16	0.19	0.2	0.19	0.16	0.16	0.15	0.16
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.003	0.002	0.002	0.004	0.001
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.01	0.02	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.03
Selenium	0.11	0.16	0.18	0.09	0.1	0.11	0.1	0.09	0.12	0.08	0.14	0.08	0.13	0.14	0.13	0.13	0.09	0.12	0.15	0.12
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	<0.02	<0.02	0.04	0.03	0.08	0.05	0.05	0.02	0.03	0.03	0.04	0.03	0.06	0.04	0.02	0.02	0.06	0.03	0.04	0.03
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.14	0.08	0.1	0.13	0.08	0.08	0.06	0.06	0.06	0.06	0.09	0.01	0.11	0.02	0.03	0.04	0.11	0.02	0.01	0.03
Uranium	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	0.003	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	0.002
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	50	49	31	49	75	56	55	44	48	56	52	52	35	48	42	59	42	45	60	64
Physical Properties																				
Moisture (%)	74.42	72.36	72.74	73.84	69.87	74.09	74.28	74.01	71.23	74.71	75.54	76.93	76.46	75.89	76.73	74.72	78.09	76.1	74.8	73.7
Radionuclides																				
Lead-210 (Bq/g)	0.002	<0.001	<0.001	<0.001	<0.00002	<0.00001	<0.00002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	0.0005	0.0023	0.0003	0.0002	0.0004	<0.0002	0.0004	0.0005	0.0003	0.0016	0.001	0.0008	0.0004	0.0002	0.0003	0.0005	0.0005	0.0004	0.0004
Radium-226 (Bq/g)	<0.00006	<0.0001	<0.00006	<0.00007	<0.00009	<0.00006	<0.00008	0.00008	0.0001	<0.00005	<0.00005	0.00006	<0.00009	<0.00006	<0.00007	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0002	<0.0001	<0.0001	<0.0002	0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0005	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 11

Detailed moose flesh chemistry results from the EARMP community program, 2011 to 2023.

Chemical ¹	Wollaston Lake/Hatchet Lake		
	2020		2023
	1	2	1
Metals			
Aluminum	<0.5	<0.5	0.6
Antimony	<0.02	<0.02	0.66
Arsenic	<0.01	0.01	0.03
Barium	0.07	0.07	0.27
Beryllium	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2
Cadmium	0.006	0.004	0.005
Chromium	0.2	0.2	<0.1
Cobalt	0.006	<0.002	0.007
Copper	1.9	2	1.9
Iron	40	35	35
Lead	0.29	0.02	20
Manganese	0.2	0.26	0.35
Mercury	0.034	0.016	0.009
Molybdenum	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01
Selenium	0.18	0.15	0.15
Silver	<0.002	<0.002	<0.002
Strontium	0.05	0.05	0.17
Thallium	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01
Titanium	0.05	0.04	0.04
Uranium	<0.001	<0.001	0.002
Vanadium	<0.02	<0.02	<0.02
Zinc	50	49	76
Physical Properties			
Moisture (%)	74.93	73.61	72.6
Radionuclides			
Lead-210 (Bq/g)	<0.001	0.002	<0.001
Polonium-210 (Bq/g)	0.003	0.0034	0.0019
Radium-226 (Bq/g)	<0.0001	<0.0001	<0.00009
Thorium-230 (Bq/g)	<0.0002	<0.0002	<0.0002

¹All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.
- = data not available.

APPENDIX C, TABLE 12

Detailed barren-ground caribou and moose organ chemistry results from the EARMP community program, 2014 to 2023.

Chemical ¹	Black Lake			Camsell Portage									Fond du Lac						
	Barren-ground Caribou			Moose									Barren-ground Caribou						
	Kidney		Heart	Liver			Kidney			Kidney			Kidney			Heart	Liver		
	2016	2018	2018	2014		2015	2023	2014		2015		2023	2014			2015		2018	2018
	1	1	1	1	2	1	1	1	2	1	2	1	1	2	3	1	2	1	1
Metals																			
Aluminum	<0.5	0.6	<0.5	<0.5	1.1	0.6	0.6	<0.5	1.2	<0.5	<0.5	0.8	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.01	0.02	0.01	<0.01	<0.01	<0.01	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.01	0.01	<0.01	0.01	<0.01
Barium	0.2	1	0.11	0.1	0.12	0.11	0.15	0.23	0.44	0.12	0.13	<0.01	0.58	0.45	0.41	0.43	0.43	0.06	0.12
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	6.9	4.7	0.004	1.7	1.1	0.66	2	8.6	6.5	6.8	4.9	0.005	6.2	9.6	6.8	10	7.3	0.002	0.004
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.5	<0.5	<0.1	<0.1	<0.1	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1
Cobalt	0.035	0.062	0.014	0.25	0.2	0.18	0.072	0.12	0.2	0.18	0.058	0.07	0.029	0.044	0.046	0.036	0.025	0.02	0.013
Copper	5	3.5	4.5	38	47	15	15.5	2.1	3.8	3.8	2.6	4.1	3.6	4.9	4.3	4.4	3.6	4.5	3.3
Iron	37	24	55	100	150	160	180	70	90	52	30	62	40	60	60	28	40	59	37
Lead	0.07	0.041	0.005	<0.002	0.003	0.003	0.093	<0.002	0.002	<0.002	0.004	0.002	0.073	0.068	0.078	0.12	0.089	0.01	0.003
Manganese	1.8	1.4	0.55	1.3	2.2	2.1	2.8	1.2	2	2.7	1.5	0.44	1.8	2	1.8	1.7	1.5	0.52	0.33
Mercury	-	-	-	-	-	-	0.28	-	-	-	-	0.001	-	-	-	-	-	-	-
Molybdenum	0.15	0.21	<0.02	0.9	1	1.1	0.95	0.21	0.42	0.45	0.25	<0.02	0.12	0.11	0.14	0.16	0.12	<0.02	<0.02
Nickel	<0.01	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	0.05	0.06	0.03	0.04	<0.01	<0.01	0.01	0.01	<0.01	<0.01	0.01	0.02
Selenium	1	0.94	0.27	0.22	0.21	0.92	0.36	0.71	0.78	1.2	0.78	0.19	1.3	1.6	1.4	1.2	1.1	0.26	0.18
Silver	<0.002	<0.002	<0.002	0.009	0.014	0.033	0.21	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	0.003	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.1	0.11	0.05	0.06	0.07	0.05	0.05	0.17	0.13	0.11	0.09	0.03	0.18	0.18	0.16	0.11	0.12	0.04	0.06
Thallium	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	0.03	0.01	0.02	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.02	0.08	<0.01	<0.5	<0.5	0.03	0.04	0.03	0.08	<0.01	<0.01	0.02	0.06	0.08	0.07	0.05	0.04	<0.01	0.01
Uranium	<0.001	<0.001	<0.001	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.003	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	24	24	19	15	20	20	33	16	23	26	20	24	23	28	27	26	25	20	37
Physical Properties																			
Moisture (%)	69.25	76.39	75.00	74.05	70.38	68.14	70.5	76.94	78.33	78.43	82.17	77.8	48.56	66.49	42.82	54.43	54.00	74.89	71.08
Radionuclides																			
Lead-210 (Bq/g)	0.049	0.023	<0.001	<0.001	<0.001	0.001	0.08	<0.001	<0.001	0.002	0.002	<0.006	0.072	0.054	0.042	0.077	0.073	<0.001	<0.001
Polonium-210 (Bq/g)	0.064	0.076	0.012	0.0036	0.0024	0.026	0.094	0.0018	0.0023	0.027	0.0076	<0.002	0.088	0.081	0.086	0.083	0.066	0.0092	0.0088
Radium-226 (Bq/g)	0.0005	<0.0001	<0.00006	0.0001	<0.0001	0.0002	<0.00009	<0.00006	0.0005	0.0001	0.0003	<0.00006	0.0003	0.0009	0.0005	0.0003	0.0003	<0.00007	<0.00006
Thorium-230 (Bq/g)	<0.0003	<0.0002	<0.0001	<0.0001	<0.0002	<0.0002	<0.0002	<0.0001	<0.0004	<0.0001	<0.0001	<0.0001	<0.0003	<0.0006	<0.0005	0.0005	<0.0003	<0.0001	<0.0001

APPENDIX C, TABLE 12

Detailed barren-ground caribou and moose organ chemistry results from the EARMP community program, 2014 to 2023.

Chemical ¹	Stony Rapids							Uranium City								
	Moose							Moose								
	Kidney			Heart		Liver		Kidney				Heart	Liver			
	2017	2020	2023	2020		2023	2023	2014	2015	2017	2023	2023	2014	2015	2017	2023
	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1
Metals																
Aluminum	<0.5	<0.5	0.6	<0.5	<0.5	1	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	1.3	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.01	<0.01	0.02	<0.01	<0.01	0.02	0.02	<0.01	<0.01	0.01	0.02	0.02	<0.01	<0.01	0.01	0.01
Barium	0.14	0.08	0.27	0.07	0.04	0.09	0.32	0.27	0.16	0.26	0.26	0.19	0.1	0.48	0.14	0.12
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	0.2	0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.73	1.1	1.7	0.009	0.003	0.003	0.33	8	20	8.6	12	0.006	0.48	0.054	1.4	1.5
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.29	0.19	0.046	0.13	0.1	0.037	0.14	0.097	0.25	0.11	0.093	0.009	0.054	0.068	0.078	0.085
Copper	13.2	3.7	3.4	3.6	4	4	28.1	3	2.2	2.9	2.4	0.94	28	0.55	28.1	61
Iron	200	42	90	50	63	48	380	41	33	31	32	21	120	680	140	98
Lead	0.004	<0.002	0.008	0.016	<0.002	0.002	0.007	0.002	<0.002	0.012	0.016	0.004	0.008	<0.002	0.018	0.006
Manganese	4.1	3.6	2.9	0.45	0.52	0.52	3.5	1	0.8	1.2	0.93	0.27	1.4	0.09	2.4	1.1
Mercury	-	0.08	0.1	0.002	0.002	0.004	0.023	-	-	-	0.021	0.001	-	-	-	0.003
Molybdenum	1.1	0.44	0.4	0.02	0.02	<0.02	1.2	0.24	0.17	0.2	0.15	<0.02	0.65	<0.02	0.81	0.65
Nickel	0.02	0.04	0.04	<0.01	<0.01	<0.01	<0.01	0.04	0.02	0.08	0.03	<0.01	<0.01	<0.01	<0.01	0.02
Selenium	0.24	0.93	1.3	0.17	0.24	0.44	2.3	0.67	0.53	0.88	0.71	0.12	0.2	0.18	0.53	0.58
Silver	0.014	<0.002	<0.002	<0.002	<0.002	<0.002	0.18	<0.002	<0.002	<0.002	<0.002	<0.002	0.01	<0.002	0.01	0.007
Strontium	0.08	0.15	0.23	0.14	0.06	0.09	0.08	0.11	0.1	0.08	0.1	0.04	0.1	0.06	0.04	0.03
Thallium	<0.01	0.09	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01
Titanium	0.02	0.04	0.04	0.04	0.05	0.06	0.02	0.04	<0.01	0.02	0.04	0.02	<0.5	<0.01	0.02	0.01
Uranium	<0.001	<0.001	0.003	0.004	<0.001	<0.001	0.002	<0.001	<0.001	0.001	0.002	0.006	<0.01	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	27	21	25	22	24	25	24	25	24	23	24	89	14	15	23	19
Physical Properties																
Moisture (%)	68.77	78.39	78.6	75.94	77.01	77.4	70.6	78.25	83.14	82.38	79.8	73.3	58.58	72.88	61.03	58.3
Radionuclides																
Lead-210 (Bq/g)	0.001	<0.007	<0.006	<0.001	<0.001	<0.001	<0.004	0.001	0.002	<0.001	<0.006	<0.001	0.001	0.002	<0.001	<0.004
Polonium-210 (Bq/g)	0.0042	0.018	0.02	0.0008	0.0015	0.0018	0.02	0.0032	0.0037	0.0063	0.006	0.0004	0.0021	0.0018	0.0057	0.004
Radium-226 (Bq/g)	<0.00008	<0.00008	<0.00006	<0.00006	<0.00005	<0.00006	<0.00008	<0.00006	0.00007	0.0003	<0.00006	<0.00006	0.00007	0.0003	0.0001	<0.00008
Thorium-230 (Bq/g)	<0.0002	<0.0005	-	<0.0004	-	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002

APPENDIX C, TABLE 12

Detailed barren-ground caribou and moose organ chemistry results from the EARMP community program, 2014 to 2023.

Chemical ¹	Uranium City						Wollaston Lake/Hatchet Lake					
	Barren-ground Caribou						Barren-ground Caribou					
	Heart			Liver			Liver				Heart	
	2019			2019			2015	2018		2020		2020
	1	2	3	1	2	3	1	1	2	1	2	1
Metals												
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	0.5	<0.5	0.6	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	0.02	0.02	0.01	0.01	<0.01	<0.01
Barium	0.08	0.1	0.04	0.18	0.24	0.17	0.02	0.36	0.27	0.2	0.15	0.11
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	0.7	<0.2	<0.2	<0.2	<0.2
Cadmium	0.004	<0.002	0.002	1.3	0.96	1.3	0.65	1.8	1.6	1.9	2.2	0.005
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.008	0.012	0.012	0.06	0.07	0.052	0.075	0.1	0.071	0.06	0.069	0.017
Copper	4.4	4.5	4.7	38.8	24	26.6	26	54.6	31.7	27	33.6	4.1
Iron	56	79	52	380	200	150	140	190	170	300	170	69
Lead	<0.002	0.003	<0.002	0.074	0.067	0.072	0.097	0.076	0.055	0.15	0.11	0.31
Manganese	0.53	0.64	0.57	2.5	2.9	3.3	3.6	3.3	3.8	2.7	3.6	0.59
Mercury	-	-	-	-	-	-	-	-	-	0.25	0.26	0.004
Molybdenum	<0.02	<0.02	<0.02	0.31	0.38	0.43	1	0.74	0.57	0.77	0.7	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	0.01	<0.01	<0.01
Selenium	0.23	0.26	0.26	0.34	0.26	0.31	0.4	0.4	0.4	0.41	0.33	0.27
Silver	<0.002	<0.002	<0.002	0.34	0.18	0.17	0.12	0.19	0.097	0.16	0.21	<0.002
Strontium	0.05	0.05	0.04	0.07	0.07	0.06	0.04	0.07	0.05	0.07	0.05	0.05
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.02	<0.01	<0.01	0.03	0.03	0.03	<0.5	0.08	0.03	0.11	0.06	0.04
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	18	19	18	31	18	24	24	36	41	29	33	20
Physical Properties												
Moisture (%)	76.88	77.14	76.74	70.63	72.87	72.64	71.23	70.73	71.4	66.6	67.42	73.60
Radionuclides												
Lead-210 (Bq/g)	<0.002	<0.002	<0.002	0.082	0.086	0.085	<0.001	0.056	0.04	0.12	0.10	<0.001
Polonium-210 (Bq/g)	0.012	0.014	0.011	0.22	0.16	0.15	0.0093	0.24	0.18	0.34	0.33	0.015
Radium-226 (Bq/g)	<0.0005	<0.0005	<0.0005	<0.001	<0.001	<0.001	0.0002	<0.00007	<0.00007	0.00006	0.00006	<0.0001
Thorium-230 (Bq/g)	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.0001	<0.0005	<0.0001	<0.0001	<0.0001	<0.0002

¹All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.
RDL for chromium decreased from 0.5 µg/g to 0.1 µg/g between 2014 and 2015.
- = data not available.

APPENDIX C, TABLE 13

Detailed snowshoe hare flesh chemistry results from the EARMP community program, 2011 to 2021.

Chemical ¹	Black Lake					Camsell Portage								Fond du Lac						
	2017				2021	2011					2014			2017			2021 ²			
	1	2	3	4	1	1	2	3	4	5	1	2	3	1	2	3	1	2	3	
Metals																				
Aluminum	0.9	<0.5	<0.5	1.4	<0.5	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	
Arsenic	0.02	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.01	
Barium	<0.01	<0.01	<0.01	<0.01	0.02	0.09	0.04	0.08	0.03	0.08	0.18	0.1	0.12	0.01	<0.01	<0.01	0.02	0.03	0.08	
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	0.2	0.2	<0.2	0.4	<0.2	
Cadmium	0.038	0.004	0.002	0.005	0.015	0.003	0.004	0.01	<0.002	0.002	<0.002	0.004	0.006	0.008	0.009	0.003	<0.002	<0.002	<0.002	
Chromium	0.2	<0.1	0.1	0.2	<0.1	0.003	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.6	0.2	0.1	<0.1	<0.1	<0.1	
Cobalt	0.011	0.011	0.013	0.007	0.005	0.003	0.006	0.007	0.003	0.004	<0.002	0.005	0.032	0.021	0.014	0.019	0.013	0.01	0.007	
Copper	2.2	4	1.8	1.9	2.1	0.003	2.4	1.5	1.8	1.5	1.9	2.1	1.8	1.4	2	2.6	2.4	2.8	1.8	
Iron	44	38	30	31	30	0.003	28	24	22	24	19	25	20	36	35	38	26	33	29	
Lead	0.005	0.003	0.003	0.004	2.4	0.003	<0.002	0.006	<0.002	<0.002	0.003	0.002	0.002	0.004	0.003	0.002	<0.002	<0.002	<0.002	
Manganese	1.7	0.91	0.21	0.54	0.38	0.003	0.46	0.32	0.22	0.22	0.36	0.28	0.39	0.46	0.64	0.44	0.19	0.51	1.2	
Mercury	0.007	0.002	0.002	0.002	0.002	-	-	-	-	-	-	-	-	0.002	<0.001	0.001	<0.001	0.001	0.002	
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	0.003	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	
Nickel	0.06	<0.01	0.06	0.06	<0.01	0.003	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	0.07	0.07	0.08	0.05	<0.01	<0.01	<0.01	
Selenium	0.44	0.28	0.23	0.34	0.17	0.003	0.03	0.13	0.02	0.06	0.03	0.08	0.14	0.3	0.19	0.16	0.07	0.11	0.03	
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	
Strontium	0.08	0.07	0.07	0.1	0.03	0.003	0.07	0.22	0.05	0.09	0.2	0.1	0.29	0.11	0.06	0.08	0.06	0.13	0.18	
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	0.003	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	0.003	<0.01	0.04	0.02	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	
Titanium	0.08	0.1	0.08	0.08	<0.01	0.003	0.07	0.05	0.08	0.04	0.09	0.06	0.09	0.07	0.05	0.01	0.01	<0.01	<0.01	
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	0.003	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	0.003	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	
Zinc	19	13	22	17	15	0.003	11	23	13	13	13	11	16	23	16	21	13	19	16	
Physical Properties																				
Moisture (%)	75.64	76.72	77.46	78.30	75.64	77.61	76.53	75.79	77.60	78.45	71.24	75.39	73.89	74.03	75.58	77.68	74.73	74.00	75.14	
Radionuclides																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.003	0.001	<0.001	<0.001	<0.001	<0.001	
Polonium-210 (Bq/g)	0.001	0.0009	0.0011	0.0007	0.0009	0.0011	0.0018	0.0021	0.0013	0.0012	0.0017	0.002	0.0018	0.0006	0.0012	0.0008	0.0006	0.0007	0.0013	
Radium-226 (Bq/g)	<0.0002	<0.0002	0.0003	<0.0002	<0.00005	0.0001	<0.00007	0.0001	0.0001	0.0002	0.0001	<0.00006	0.0001	<0.0002	<0.0002	<0.0002	<0.00005	<0.00007	<0.00006	
Thorium-230 (Bq/g)	<0.0005	<0.0005	<0.0005	<0.0005	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0005	<0.0005	<0.0005	-	<0.0001	<0.0001	

APPENDIX C, TABLE 13

Detailed snowshoe hare flesh chemistry results from the EARMP community program, 2011 to 2021.

Chemical ¹	Stony Rapids						Uranium City									
	2017			2021 ²			2011					2014		2021 ²		
	1	2	3	1	2	3	1	2	3	4	5	1	2	1	2	3
Metals																
Aluminum	1.6	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	<0.5	0.5	<0.5	<0.5	0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.02	<0.01	<0.01	0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	0.01	<0.01	0.01
Barium	<0.01	<0.01	<0.01	0.02	0.02	0.02	0.27	0.05	0.09	0.04	0.05	0.13	0.28	0.05	0.1	0.08
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	0.2	<0.2	<0.2
Cadmium	0.14	0.014	0.008	0.005	0.004	0.005	0.004	<0.002	0.003	0.003	<0.002	<0.002	0.005	0.003	<0.002	0.016
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.013	0.005	0.022	0.004	0.003	0.004	0.007	0.005	0.004	0.004	0.006	0.005	0.004	0.006	0.004	0.005
Copper	1.8	1.8	1.1	2.5	1.8	1.8	1.5	1.5	1	1.4	1.1	2.4	2.1	1.2	1.6	3
Iron	57	36	25	32	30	21	27	22	22	14	20	21	31	18	29	31
Lead	0.008	0.005	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	0.003	0.002	<0.002	<0.002	<0.002	0.002
Manganese	0.42	0.25	0.21	0.31	0.19	0.18	0.27	0.2	0.37	0.29	0.18	0.24	1.1	0.15	0.13	0.57
Mercury	0.004	0.001	0.002	0.001	<0.001	<0.001	-	-	-	-	-	-	-	<0.001	<0.001	<0.001
Molybdenum	0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.04	<0.01	0.03	<0.01	<0.01	<0.01	0.01	0.02	<0.01	<0.01	<0.01	0.02	0.05	0.01	<0.01	<0.01
Selenium	0.14	0.21	0.22	0.2	0.13	0.1	0.13	0.05	0.1	0.12	0.06	0.15	0.07	0.2	0.16	0.11
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.07	0.06	0.06	0.05	0.08	0.07	0.39	0.1	0.28	0.1	0.19	0.14	0.19	0.06	0.14	0.07
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	0.02	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.08	0.05	0.03	<0.01	<0.01	<0.01	0.07	0.04	0.07	0.08	0.15	0.05	0.1	0.02	<0.01	<0.01
Uranium	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	21	32	19	17	21	12	25	24	17	10	19	10	16	12	18	18
Physical Properties																
Moisture (%)	76.38	75.35	75.67	75.17	79.70	76.20	77.55	77.14	77.49	78.65	78.51	70.07	65.80	76.15	76.05	75.76
Radionuclides																
Lead-210 (Bq/g)	0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0026	0.0012	0.001	0.0023	0.0019	0.0012	0.0014	0.0013	0.0015	0.00003	0.0016	0.0022	0.0015	0.0006	0.0007	0.0032
Radium-226 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.00005	<0.00005	<0.00005	<0.00006	0.00009	0.0001	0.0001	0.00009	0.0001	0.00007	<0.00005	<0.00005	<0.00007
Thorium-230 (Bq/g)	<0.0005	<0.0005	<0.0005	-	-	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	-	-	<0.0001

APPENDIX C, TABLE 13

Detailed snowshoe hare flesh chemistry results from the EARMF community program, 2011 to 2021.

Chemical ¹	Wollaston Lake					
	2017			2021 ²		
	1	2	3	1	2	3
Metals						
Aluminum	0.6	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	<0.01	<0.01	<0.01	0.01	0.01	0.01
Barium	<0.01	<0.01	<0.01	0.04	0.03	0.02
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.009	0.014	0.012	0.013	<0.002	0.009
Chromium	0.1	<0.1	0.1	<0.1	<0.1	<0.1
Cobalt	0.006	0.009	0.01	0.003	0.004	0.003
Copper	1.8	2.1	2.5	2.2	3	2.5
Iron	24	36	31	30	25	30
Lead	0.007	0.009	<0.002	0.002	0.003	0.035
Manganese	0.26	0.57	0.33	0.4	0.6	0.49
Mercury	0.002	<0.001	0.002	<0.001	0.002	0.002
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.03	<0.01	0.04	<0.01	<0.01	<0.01
Selenium	0.15	0.14	0.13	0.06	0.04	0.07
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.03	0.04	0.04	0.12	0.1	0.11
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.06	0.01	0.02	<0.01	<0.01	<0.01
Uranium	<0.001	<0.001	<0.001	0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	16	17	16	14	19	15
Physical Properties						
Moisture (%)	73.26	75.80	73.05	76.67	74.65	73.75
Radionuclides						
Lead-210 (Bq/g)	<0.001	0.002	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0008	0.0008	0.0016	0.0021	0.0033	0.0021
Radium-226 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.00006	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0005	<0.0005	<0.0005	<0.0001	<0.0001	<0.0001

¹All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.

²Some 2021 samples were collected in the early months of 2022.

- = data not available.

APPENDIX C, TABLE 14

Detailed spruce grouse flesh chemistry results from the EARMF community program, 2017 to 2021.

Chemical ¹	Black Lake						Camsell Portage			Fond du Lac					
	2017			2021 ²			2021 ²			2017			2021 ²		
	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
Metals															
Aluminum	3.6	1.8	<0.5	0.6	<0.5	<0.5	<0.5	0.7	3.2	1.3	0.5	0.6	<0.5	<0.5	<0.5
Antimony	0.03	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Barium	0.04	0.02	<0.01	<0.01	0.03	0.02	0.04	0.03	0.06	0.04	<0.01	0.03	0.02	0.01	0.02
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.006	0.009	0.005	<0.002	0.002	<0.002	0.002	0.003	0.035	0.013	0.006	0.028	0.011	0.011	0.004
Chromium	0.2	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.005	0.036	0.019	0.003	<0.002	0.002	0.002	<0.002	<0.002	0.006	0.004	0.009	<0.002	<0.002	<0.002
Copper	2.5	3.6	3.3	2.7	3.4	2.8	2.2	2.8	2.5	2.5	4.1	2.9	2.9	3.1	1.8
Iron	50	99	49	34	33	34	26	37	35	54	64	46	40	55	24
Lead	4.2	0.36	0.9	<0.002	0.008	0.032	<0.002	<0.002	0.002	0.34	0.027	0.004	0.009	0.014	<0.002
Manganese	0.51	0.74	0.4	0.45	0.4	0.58	0.59	0.46	0.66	1.2	1.2	3.4	0.78	0.81	0.42
Mercury	0.001	0.001	0.002	0.001	<0.001	0.001	<0.001	0.001	0.001	<0.001	0.002	0.002	<0.001	0.001	<0.001
Molybdenum	<0.02	0.06	0.03	0.02	0.02	<0.02	0.02	0.05	0.1	0.03	0.07	0.02	0.04	0.04	0.02
Nickel	0.07	0.03	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	<0.01	0.01	<0.01	<0.01	<0.01
Selenium	0.28	0.27	0.24	0.26	0.32	0.41	0.23	0.2	0.23	0.24	0.36	0.29	0.25	0.28	0.22
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.004	<0.002	0.004	<0.002	<0.002	<0.002
Strontium	0.09	0.06	0.03	0.04	0.04	0.07	0.07	0.04	0.05	0.08	0.05	0.13	0.03	0.04	0.09
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.11	0.11	0.02	0.02	<0.01	<0.01	<0.01	0.01	0.03	0.06	0.03	0.04	0.07	0.01	0.03
Uranium	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	13	18	7.5	8.9	7.1	7	6.4	6.8	7.3	13	18	23	8.8	8.9	15
Physical Properties															
% Moisture	76.49	74.28	77.38	69.75	70.94	71.14	74.00	72.63	71.58	72.20	73.87	73.88	72.32	71.96	71.84
Radionuclides															
Lead-210 (Bq/g)	-	-	-	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	-	-	-	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0004	0.0003	0.0003	<0.0002	<0.0002	0.0002	<0.0002	0.0007	0.0009	0.0007	0.001	0.0007	0.0005	0.0007	<0.0002
Radium-226 (Bq/g)	<0.0002	<0.0002	0.0002	<0.00005	<0.00005	<0.00007	<0.00005	<0.00005	<0.00005	<0.0002	0.0002	<0.0002	<0.00005	<0.00005	<0.00005
Thorium-230 (Bq/g)	<0.0005	<0.0005	<0.0005	-	-	-	-	-	-	<0.0005	<0.0005	<0.0005	-	-	-

APPENDIX C, TABLE 14

Detailed spruce grouse flesh chemistry results from the EARMP community program, 2017 to 2021.

Chemical ¹	Stony Rapids							Uranium City						Wollaston Lake					
	2017				2021 ²			2017			2021 ²			2017			2021 ²		
	1	2	3	4	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
Metals																			
Aluminum	4.9	2.8	1.4	1.5	2.4	<0.5	0.8	1.7	0.6	0.8	<0.5	<0.5	<0.5	0.7	0.6	<0.5	<0.5	<0.5	<0.5
Antimony	0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.23	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.03	<0.02	<0.02	<0.02	<0.02
Arsenic	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Barium	0.06	0.08	0.02	0.02	0.03	0.01	0.02	0.18	<0.01	<0.01	0.02	0.02	0.02	0.05	0.03	<0.01	0.01	0.02	0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	0.2	0.4	0.4	<0.2	<0.2	<0.2	0.2	<0.2	<0.2	0.2	<0.2	<0.2	0.3	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.005	0.009	0.004	0.026	<0.002	0.01	0.005	0.004	0.014	0.003	0.004	<0.002	<0.002	0.006	0.002	<0.002	0.003	0.003	0.003
Chromium	0.1	<0.1	0.3	<0.1	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.1	<0.1	<0.1
Cobalt	0.004	0.002	0.005	0.004	<0.002	<0.002	<0.002	0.003	0.004	<0.002	<0.002	<0.002	<0.002	0.006	0.002	0.004	<0.002	<0.002	<0.002
Copper	2	1	2.2	2.3	2.1	3	3.1	2.2	2.8	0.98	2	3.1	2.9	1.7	2.9	1.7	2.4	2.9	3
Iron	34	41	43	46	27	54	44	59	52	33	29	37	34	33	41	26	37	39	38
Lead	4	0.046	0.22	0.084	<0.002	0.024	0.004	2.4	0.19	0.1	0.075	0.12	<0.002	0.006	0.35	0.08	<0.002	<0.002	<0.002
Manganese	1.6	1.1	2.8	10	0.33	0.38	0.43	0.87	0.42	0.34	0.25	0.43	0.3	0.71	0.42	0.4	0.47	0.71	0.54
Mercury	0.001	<0.001	<0.001	<0.001	0.003	<0.001	<0.001	0.002	0.001	<0.001	<0.001	<0.001	0.002	<0.001	0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	0.04	0.08	<0.02	0.03	0.05	<0.02	<0.02	0.05	0.02	0.03	0.03	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.02	<0.02
Nickel	0.03	0.04	0.02	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	0.03	<0.01	0.01	<0.01	<0.01	<0.01
Selenium	0.2	0.18	0.16	0.18	0.13	0.22	0.26	0.32	0.16	0.1	0.44	0.26	0.37	0.29	0.22	0.26	0.22	0.33	0.24
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.14	0.15	0.14	0.09	0.15	0.04	0.04	0.52	0.03	0.03	0.05	0.03	0.04	0.05	0.08	0.12	0.05	0.12	0.04
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.23	0.13	0.05	0.04	0.11	0.01	0.03	0.08	0.03	0.04	<0.01	0.01	<0.01	0.05	0.04	0.02	<0.01	<0.01	<0.01
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	0.003	0.002	0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	10	22	14	27	7.2	8.3	8.2	19	7	13	6.9	8.2	5.3	7.2	7.3	7	6.5	7	7.7
Physical Properties																			
% Moisture	77.87	74.13	73.90	72.95	71.70	71.54	71.46	73.35	72.07	74.90	72.87	71.66	72.48	72.63	72.86	74.13	72.04	71.87	71.4
Radionuclides																			
Lead-210 (Bq/g)	-	-	-	-	<0.001	<0.001	<0.001	-	-	-	<0.001	<0.001	<0.001	-	-	-	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0003	<0.0002	0.0002	0.0004	0.0002	0.0004	0.0005	0.0003	0.0006	<0.0002	0.0002	0.0002	<0.0002	<0.0002	0.0006	<0.0002	0.0006	0.0005	0.0007
Radium-226 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.00005	<0.00005	<0.00005	<0.0002	<0.0002	<0.0002	<0.00005	<0.00005	<0.00005	<0.0002	<0.0002	<0.0002	<0.00005	<0.00005	<0.00005
Thorium-230 (Bq/g)	<0.0005	<0.0005	<0.0005	<0.0005	-	-	-	<0.0005	<0.0005	<0.0005	-	-	-	<0.0005	<0.0005	<0.0005	-	-	-

¹All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.

²Some 2021 samples were collected in the early months of 2022.

- = data not available.