



EASTERN ATHABASCA REGIONAL MONITORING PROGRAM

2024/2025 COMMUNITY REPORT

FINAL REPORT

September 2025



Acknowledgments

The Eastern Athabasca Regional Monitoring Program (EARMP) is conducted in partnership with the Government of Saskatchewan, the Canadian Nuclear Safety Commission, and industry partners Cameco Corporation and Orano Canada Inc.

The Executive Summary Dene translation was provided by Rosalie Tsannie-Burseth.

The EARMP steering committee would like to thank the Athabasca residents and communities who have donated their time and traditional foods over the years and for their continued support for the program. Community member participation and local knowledge are essential to the success of the program.

For more information on the program and additional reports please visit us at www.earmp.com



TABLE OF CONTENTS

TABLE OF CONTENTS..... 3

INTRODUCTION 1

Background.....1

 Uranium Mining and Milling Operations in the Region3

 Communities in the Region4

 Community Monitoring Program Objectives4

Summary of EARMP Community Monitoring Program Framework.....5

 Community Involvement.....5

 Study Design and Objectives of the 2024/2025 Program.....6

Results6

WATER (TUÎTÂEDI) CHEMISTRY 7

FISH (ŁUE) CHEMISTRY 9

MAMMAL (CH’ADI) CHEMISTRY 11

BIRD (DĚT’ANJ) CHEMISTRY 13

SUMMARY..... 15

LITERATURE CITED 17

APPENDIX A COMMUNITY MONITORING PROGRAM FRAMEWORK

APPENDIX B DETAILED DATA ANALYSIS

APPENDIX C DETAILED DATA



Above: Fond du Lac, Saskatchewan

Executive Summary

The Eastern Athabasca Regional Monitoring Program was established in 2011 under the Province of Saskatchewan's Boreal Watershed Initiative. The community component of the program partners with communities within the Athabasca Basin to monitor the safety of traditionally harvested country foods by collecting and testing representative water, fish, berry, bird, and mammal tissue samples from the seven communities located in the region. Harvesting and consuming traditional foods are an important part of the culture in northern Saskatchewan which contributes to an overall healthy lifestyle through physical activity and healthy eating. Community members collected and submitted 60 fish samples, 12 bird samples, 11 small mammal samples, and 6 water samples for testing in late 2024 and early 2025. The current year's program results show that country foods are safe for consumption with chemical profiles for water, fish, small mammal, and bird tissue samples generally similar to previous monitoring years and natural background.

Yati nedhe hots'ı Ɂedırı yatı hılchú sı

Diri erit'is Eastern Athabasca nenene ghq holj ni 2011. Saskatchewan Boreal Watershed (Tue Bazi Erit'is hołe sı). Diri erit'is hołe sı Dene yets'édanj t'q-u t'a bër, t'qchaghë t'a dághída sı; tu, łue, jıé, dët'ani, ech'ërë ghq asi (betth'i ts'j) nałtsj. Diri ëts'ëre ts'j asi nałtsj sı bët'á boghedi ha hodi. Dene jlaisdjghj kóę nade sı nih chu tu chu t'a nokorëlde t'a dághëna. Nih ts'j shelyi sı bët'á naraıts'ër-u sodoghida ha. T'a nųhts'ëranj sı jłk'etqıq łue tth'i hılchu, jłk'edjghj ts'adhel dët'ani ts'j asi hılchu, taghë ts'adhel ëts'ëre ts'j asi nałtsj, jłk'etaghë tu hıchu 2024 u 2025 nene k'e. Diri asi nałtsj sı net'j-u Ɂqłı t'a bët'á dághída sı asq'ıle sj nih chu tu tth'i Ɂqłı nezu.


INTRODUCTION

Background

The EARMF is a collaborative industry-government partnership, long-term environmental monitoring program established in 2011 under the Province of Saskatchewan's Boreal Watershed Initiative. The program is supported by contributions from several stakeholders including the Saskatchewan Ministry of Environment (ENV), the Canadian Nuclear Safety Commission (CNSC), Cameco Corporation (Cameco), and Orano Canada Inc (Orano). One of the primary goals of the Boreal Watershed Initiative was to assess the ecological integrity of Saskatchewan's northern watersheds to address potential environmental concerns, and to identify sustainable management practices in the region. The EARMF was designed to identify potential cumulative effects downstream of uranium mining and milling operations in the Eastern Athabasca region of northern Saskatchewan (Figure 1).

Cumulative effects are defined as impacts on the environment that result from the impact of an action when added to other past, present, and foreseeable future actions (Joint Panel 1992). Cumulative effects might occur when projects overlap in an area (spatially), such as when two watersheds (rivers and streams), exposed to uranium mining and milling activities, converge. Cumulative effects may also occur overtime (temporally) if contaminants are

Figure 1 Study location.



emitted into the environment over extended periods. The EARMF was developed to establish baseline conditions and facilitate the examination of spatial and temporal changes over the long term.



This program is intended to supplement the extensive environmental monitoring completed near each uranium mining and milling operation in northern Saskatchewan, which are regulated by federal and provincial agencies including the CNSC, ENV, and Environment and Climate Change Canada (ECCC). In addition, community sampling has occurred through the Athabasca Working Group (AWG) Environmental Monitoring Program for 18 years (2000-2017) and continues today as the Community-Based Environmental Monitoring Program (CBEMP) under the Ya' Thi Néné Collaboration Agreement. The EARMP is designed to complement these monitoring programs and allows a more comprehensive evaluation of potential cumulative effects from industry in northern Saskatchewan. A full description of the EARMP study design is provided in Appendix A.

The EARMP framework includes two programs: a technical program and a community program. The technical monitoring program was established to monitor potential long-term changes in the aquatic environment far downstream of uranium mining and milling operations in the Eastern Athabasca region. Sampling was last completed by CanNorth in 2015 and information from the technical monitoring program is presented in a separate

report which can be viewed on the EARMP website (www.earmp.ca). The community program monitors the safety of traditionally harvested country foods by collecting and testing water, fish, berry, mammal, and avian tissue samples from the seven communities located in the Athabasca region. The community program results for the last 14 years (2011-2024) can be viewed on the EARMP website. The objective of this document is to present a summary of the results of the community program conducted in 2024/2025.

“EARMP is supported by our community. It’s good to know if the fish and wildlife in the area are healthy because people in this area rely on traditional foods. We need to know they are safe to eat.”

*George St. Pierre – Elder from
Hatchet Lake Denesuline First Nation*

Uranium Mining and Milling Operations in the Region

At the time of data collection in 2024, there were four active uranium mines and/or mills in the Eastern Athabasca region including Cigar Lake, Key Lake, McArthur River, and McClean Lake. Rabbit Lake is an additional uranium mine and mill in the region that was placed into a state of safe care and maintenance in 2016 and currently remains in this state. In addition, other closed, decommissioned, and/or abandoned uranium mine sites are in the region and near the community of Uranium City. The locations of the

uranium mining and/or milling operations are displayed in *Figure 2*.

Extensive monitoring within the local study areas of each of the uranium mines/mills generally includes testing the air, soil, vegetation, water, sediment, benthic invertebrates, and fish (Orano 2022; CanNorth 2018a, 2020a, 2020b, 2020c, 2021a, 2023). These monitoring programs are designed specifically for each mine and are a requirement under the provincial operating approval and the CNSC Licences as documented in the facilities' Licence Conditions Handbook.

Figure 2 Study area overview.



Communities in the Region

There are seven communities in the region, including Black Lake Denesų́liné First Nation, Camsell Portage, Fond du Lac Denesų́liné First Nation, Hatchet Lake Denesų́liné First Nation, Stony Rapids, Uranium City, and Wollaston Lake (Figure 2). For the 2024/2025 community monitoring program, the communities of Wollaston Lake and Hatchet Lake Denesų́liné First Nation were assessed together for a total of six study areas.

Community Monitoring Program Objectives

The community monitoring program was developed to address potential concerns about the safety of traditional foods that community members routinely consume.



Above: George St. Pierre of Hatchet Lake First Nation on Wollaston Lake, Saskatchewan.

A number of traditional food studies have been completed in communities across northern Saskatchewan including Hatchet Lake Denesų́liné First Nation, Uranium City, the Lac La Ronge Indian Band, and English River First Nation and have established that fish, berries, and wild game are extremely important food

sources for these northern communities (CanNorth 1999, 2011, 2014, 2017, 2021b).

In 2018, a human health risk assessment was completed using all the available chemistry data collected from 2011 to 2017. The assessment determined that the levels of chemicals of interest in the traditional foods were safe and do not pose health risks to members of the Athabasca Basin communities. The risk assessment is available in the 2017/2018 community monitoring report (CanNorth 2018b; www.earmp.ca/reports).

The community monitoring program objectives are to:



Determine the safety of traditionally harvested food for local consumption.



Establish long-term monitoring at community harvesting areas to assess changes over time.



Foster confidence in the consumption of traditional foods as well as engage and involve community members in the gathering of information.



Communicate monitoring results through reporting, meetings, and public media.

Summary of EARMMP Community Monitoring Program Framework

Community Involvement



Above: Wayne Powder collecting water samples near Uranium City, Saskatchewan.

The community monitoring program relies on the participation of community members for the selection of sampling locations and for sample collection.

Community members play a role in every step of the process:

Community Representatives

In 2011, community members selected representatives from each community to carry out the annual country food sample collection. The selected representatives were provided training in sample collection, storage, and shipping procedures.

Sample Locations

One water sample location was selected for each community for consistency. Fish, berry, bird, and mammal samples are collected from locations where community members routinely fish, gather, and hunt.

Sample Collection

Each year, community representatives aim to collect three to five samples of each food type from each community.

Sample Testing

Collected samples are shipped to CanNorth for laboratory testing by Saskatchewan Research Council. Results are analyzed by CanNorth and compared to available guidelines, other data collected in the region, and the most recent human health risk assessment.

Sharing Results

Results are shared with communities and are available to the public at www.earmp.ca

Sharing the monitoring results is one of the primary goals of the community program. To accomplish this, communication and engagement strategies are implemented and are summarized below:



WWW.EARMMP.CA

All EARMMP reports can be found in full here. The website is updated annually to improve the ease at which communities can access information and encourage community engagement.

SOCIAL MEDIA

Stay connected with EARMMP through social media channels.

Find us on Facebook:

@CanNorthEnviroServices

Connect on LinkedIn:

[linkedin.com/company/cannorth](https://www.linkedin.com/company/cannorth)



COMPLIMENTARY CALENDARS



EARMMP calendars in English, Cree, and Dene are distributed to the Athabasca communities and other northern communities and circulated through the band offices, community health centers, post offices, and schools annually.

PRESENTATIONS

Results are presented at different outreach events when the opportunity arises. In the past, results have been presented to the northern Saskatchewan Environmental Quality Committee in La Ronge. EARMMP will be presented at the Saskatchewan Mining Association's Environmental Forum in October 2025.



Study Design and Objectives of the 2024/2025 Program

The community monitoring program continues to follow the study design and objectives outlined in the EARMP Community Program Framework (Appendix A), and consists of comparison to baseline data, regional reference data, and the most recent human health risk assessment (CanNorth 2018b). The study focuses on key chemicals of interest including the metals: aluminum, arsenic, cadmium, cobalt, copper, iron, lead, molybdenum, nickel, selenium, uranium, vanadium, and zinc. Radionuclides including lead-210, polonium-210, radium-226, and thorium-230 are also of primary focus. Ammonia in water and mercury concentrations in fish are also addressed. Note, all of these are present naturally in the environment but can become elevated due to mining and other industrial development activities.

The program is completed annually with the core components of water and fish sampled each year. Traditional food items are also selected each year as additional sampling components. This year's additional focal items were snowshoe hare, spruce grouse, and willow ptarmigan. A portion of the budget is also set aside to support chemical analyses of opportunistic samples submitted by the community. These community-requested samples can range from additional core samples or may be uniquely harvested species or specimens not historically part of the program (berries or animals hunted) or involve samples which have generated some community concern or interest. There were no opportunistic samples submitted for the 2024 program.

The 2024/2025 program collected the core elements (water and fish) and the additional focal foods for the year (snowshoe hare, spruce grouse, and willow ptarmigan).



Results

The community monitoring report is subdivided into four sections:

-  Water (Tuîtædi) Chemistry
-  Fish (Łue) Chemistry
-  Mammal (Ch'adi) Chemistry
-  Bird (Dèt'aŋi) Chemistry

Appendix A provides a description of the community monitoring program framework, Appendix B presents a summary of the chemistry results, and detailed results from all sampling years are provided in Appendix C.

WATER (TUÎTÅEDI) CHEMISTRY

Surface water samples have been collected by hand at one waterbody of interest near each community, by community members and CanNorth field staff, annually, since 2011 (baseline), excluding Camsell Portage in 2018 and 2020. Camsell Portage could not be sampled in 2018 due to scheduling conflicts, and in 2020 due to Covid-19 restrictions. Waterbodies assessed included Black Lake, Ellis Bay of Lake Athabasca near Camsell Portage, the Fond du Lac River near Fond du Lac, the Fond du Lac River near Stony

Rapids, the Fredette River near Uranium City, and Wollaston Lake (Figure 3). All samples were preserved as required and kept refrigerated until chemical analysis was completed. All water samples were submitted to the Saskatchewan Research Council (SRC) Analytical Laboratory for chemical analysis. The summary water quality data is presented in Appendix B, Figure 1; Table 1 and summarized below. The raw water quality data are presented in Appendix C, Table 1.

Figure 3 Water quality sampling areas, 2011 to 2024.





Concentrations of chemicals in the water over the years are very low, with most chemicals at levels so low the laboratory could not measure them even with the use of laboratory techniques known for their ability to measure low levels of chemicals. Chemicals that were at measurable levels were all lower than the Canadian Drinking Water Quality guidelines (Health Canada 2024) and the Saskatchewan Environmental Quality Guidelines (SEQG) for the protection of freshwater aquatic life (GS 2025). In addition, the pH at all locations was within the guideline range. Levels of all chemicals of interest were within the range of concentrations expected for the region and the baseline assessment.



Summary of Water



Within Guidelines?



Similar to Baseline?



Similar to Regional Reference Range?



Safe to Drink?




Overall, the concentrations of the chemicals assessed in the community water samples since the baseline sampling years (2011-2012) are very low and are not considered a concern to the environment or human health. Community members should note that drinking raw water from any source does carry a risk of ingesting natural parasites that can result in gastrointestinal infections.

FISH (ŁUE) CHEMISTRY

Fish chemistry samples were collected by community members using gill nets set or by angling at waterbodies near their communities. Fish species collected in the past have included lake trout (łuezané), lake whitefish (łú), and northern pike (oulday) (Figure 4). In 2024, lake trout and lake whitefish were collected from all communities. Ageing structures (fish scales and

ear bones) were removed and submitted to a specialized laboratory to determine the age of the fish. The fish flesh was submitted to the SRC Analytical Laboratory for chemical analysis. The data are summarized in detail in Appendix B, Table 2 and raw data are provided in Appendix C, Table 2 to Table 7).

Figure 4 Fish chemistry sampling areas, 2011 to 2024.





Similar to the water chemistry results, the general levels of the chemicals in fish continued to be very low in 2024, with most chemicals at levels so low the laboratory could not measure them even with the use of laboratory techniques known for their ability to measure low levels of chemicals. Chemicals that were measurable in 2024 were within the regional reference range and comparable to concentrations measured during previous monitoring years with few exceptions. Chemicals that were noted as higher in 2023 (arsenic in lake trout from Black Lake, Camsell Portage, and Wollaston Lake/Hatchet Lake, arsenic and selenium in lake whitefish from Uranium City) fell to levels similar to past results from other EARMP communities in 2024. Lake trout levels of arsenic from Black Lake and arsenic from Fond du Lac were the only chemicals measured outside of the reference range and past results from other EARMP communities; however, values remained below applicable guidelines and are considered safe for consumption. All metals in lake trout and lake whitefish will be monitored again in the 2025 sampling program.



Summary of Fish



Similar to Baseline?



Similar to Regional Reference Range?



Safe to Eat?



Overall, the levels of chemicals assessed in the fish collected from the communities since 2011 are considered low and similar to levels assessed in the 2018 human health risk assessment that determined fish do not present health risks to Athabasca Basin residents. Mercury levels were low in fish sampled in 2024; however, it is recommended that community members consult the Saskatchewan Mercury in Fish Guidelines for additional information:


<https://publications.saskatchewan.ca/#/products/125378>

MAMMAL (CH'ADI) CHEMISTRY

The first additional focal item of the 2024/2025 community monitoring program was small mammal tissue. Snowshoe hare (gah) was targeted as it is a main species commonly hunted and consumed in northern Saskatchewan. Samples were collected from routine hunting and trapping activities at locations depicted in (Figure 5).

In 2024/2025, snowshoe hare muscle samples were sent in by community members from Camsell Portage, Fond du Lac, Uranium City, and Hatchet Lake/Wollaston Lake. The data are summarized in detail in Appendix B, Table 3 while raw data are provided in Appendix C, Table 8.

Figure 5 Snowshoe hare chemistry sampling areas, 2011 to 2024.





Similar to the water and fish chemistry results, the levels of the chemicals in snowshoe hare continued to be very low in 2024/2025, with most chemicals at levels so low the laboratory could not measure them. Chemicals that were measurable were similar to concentrations measured during previous monitoring years.



However, of note was the elevated level of lead in the sample from Fond du Lac in 2024 which was likely contaminated by lead shot. Lead ammunition continues to be used commonly for hunting small game in Saskatchewan. Consumers should be aware of the potential risk of eating game killed by lead shot. Contamination of traditional foods by lead-based ammunition was also identified as an issue by the First Nations Food, Nutrition and Environment study (Chan et al. 2021). Studies have shown that lead gunshot undergoes

Summary of Mammals



Similar to Baseline?



Similar to Regional Reference Range?



Safe to Eat?



fragmentation on impact with game and can contaminate the meat and increase exposure of lead to those eating it. It is recommended that hunters use ammunition alternatives that are not prone to fragment including steel or other high-weight retention ammunition alternatives.


Overall, the levels of chemicals assessed in snowshoe hare muscle meat collected from the communities are considered low, and based on the 2018 human health risk assessment, the consumption of this meat by Athabasca Basin residents is considered safe.

BIRD (DĚT'ĀNJ) CHEMISTRY

The second additional focal item of the 2024/2025 community monitoring program was avian tissue, specifically spruce grouse (dih). In Uranium City, it was communicated by the community member that spruce grouse were sparse this sampling year (2024); thus, willow ptarmigan (k'ásba) was selected as the alternate species. Samples of both species were collected from routine hunting activities at general locations from all communities depicted in

(Figure 6). In 2024/2025, spruce grouse samples were sent in by community members from Camsell Portage, Fond du Lac, and Hatchet Lake/Wollaston Lake and willow ptarmigan samples were sent in by the community member from Uranium City. The data are summarized in detail in Appendix B, Table 4 while raw data are provided in Appendix C, Table 9.

Figure 6 Spruce grouse and willow ptarmigan chemistry sampling areas, 2017 to 2024.





Similar to the water, fish, and small mammal chemistry results, the levels of the chemicals in spruce grouse and willow ptarmigan were generally very low in 2024, with most chemicals at levels so low the laboratory could not measure them. Chemicals that were measurable were comparable to concentrations from the previous monitoring year (2021). Willow ptarmigan samples were not collected prior to 2024 which means there are no previous data to compare to.

Overall, the levels of chemicals assessed in spruce grouse and ptarmigan muscle meat collected from the communities are considered low, and based on the 2018 human health risk assessment, the consumption of this meat by Athabasca Basin residents is considered safe.

It is noted that some of the 2024 spruce grouse samples from Wollaston Lake contained elevated levels of lead likely due to lead shot. As discussed lead gunshot undergoes fragmentation on impact with game and can contaminate the meat and increase exposure of lead to those eating it. It is recommended that hunters use ammunition alternatives.



SUMMARY

The results indicate that the measured concentrations of chemicals of interest in water, fish, small mammal, and avian samples collected and tested in 2024-2025 community monitoring program were similar to baseline and regionally measured levels. The measured concentrations were also similar to those incorporated into the last human health risk assessment completed in 2018 and to concentrations discussed in the 10-year summary report and are therefore considered safe for consumption. Since the EARMP community monitoring program began, over 1,200 samples have been collected and have continued to show that community traditional foods are a safe and a healthy dietary choice for residents of the Athabasca basin.

The presence of lead shot in some of the snowshoe hare and spruce grouse samples from 2024 is of note as consumers should be aware of the potential risk of meat that becomes contaminated by lead through lead shot. It is recommended that hunters use ammunition alternatives that are not prone to fragment including steel or other high-weight retention ammunition alternatives.



Safe to Drink?



Safe to Eat?



Safe to Eat?



WE WANT TO HEAR FROM YOU!

Please contact us at info@earmp.com

Tell us . . .

your view
of the
program

if there is
anything
missing from
the program

how you
want to hear
about the
program

If you have any comments or questions on the Eastern Athabasca Regional Monitoring Program, please contact us info@earmp.com or visit our website at www.earmp.ca

*"We live off the land and waters, birds, animals, fish,
berries; we have to respect and preserve them"*

Joe Beavereye

Elder from Black Lake Denesų́łíné First Nation

*Nłh ts'łqné daghídá sı, tu chu nłh k'e, ʔası yedá
dzıredłthu tech'adie chu łué hu nłh k'e hots'ł
jie t'a sı;degharé ʔedıı ʔasıé besuts'udı
hoʔq yunadhédene godhé hobebá"*

Joe Beavereye

*ʔqłnedhe Black Lake Tazęn tué Denesų́łíné
First Nation hots'ł*

LITERATURE CITED

- CanNorth (Canada North Environmental Services). 1999. Hatchet Lake dietary study. Prepared for the Atomic Energy Control Board, Ottawa, ON.
- CanNorth (Canada North Environmental Services). 2011. Traditional foods study Uranium City, Saskatchewan. Year 1. Prepared for Cameco Corporation, Saskatoon, SK.
- CanNorth (Canada North Environmental Services). 2014. Lac La Ronge Indian Band wild foods study. Prepared for the Lac La Ronge Indian Band, La Ronge SK.
- CanNorth (Canada North Environmental Services). 2017. English River First Nation Traditional Food Analyses. Prepared for the English River First Nation, Patuanak, SK.
- CanNorth (Canada North Environmental Services). 2018a. Decommissioned Beaverlodge Mine Site Environmental Performance Report, 2013 to 2017. September.
- CanNorth (Canada North Environmental Services). 2018b. Human Health Risk Assessment for the Eastern Athabasca Basin. Prepared for Government of Saskatchewan and CNSC, October.
- CanNorth (Canada North Environmental Services). 2020a. Rabbit Lake Operation Environmental Performance Report. Project No. 3490, Prepared for Cameco.
- CanNorth (Canada North Environmental Services). 2020b. McArthur River Operation Environmental Performance Report. Project No. 3493, Prepared for Cameco.
- CanNorth (Canada North Environmental Services). 2020c. Key Lake Operation Environmental Performance Report. Project No. 3492, Prepared for Cameco Corporation, December.
- CanNorth (Canada North Environmental Services). 2021a. Cigar Lake Operation environmental performance report. Project No. 3728, Prepared for Cameco.
- CanNorth (Canada North Environmental Services). 2021b. English River First Nation Traditional Foods Study. Prepared for English River First Nation, Patuanak, SL.
- CanNorth (Canada North Environmental Services). 2023. Decommissioned Beaverlodge Mine Site Environmental Performance Report - 2018 to 2022.
- GS (Government of Saskatchewan) 2025. Saskatchewan environmental quality guidelines. <https://environment-quality-guides.saskatchewan.ca/>.
- HC (Health Canada). 2024. Guidelines for Canadian drinking water quality - Summary table. Water and Air Quality Bureau, Healthy Environments and Consumer Safety Branch, Health Canada, Ottawa, Ontario.

Joint Panel. 1992. Assessing cumulative effects of Saskatchewan uranium mines development.
Prepared for Joint Federal/Provincial Panel on uranium mining in northern Saskatchewan.

Orano (Orano Canada Inc.). 2022. McClean Lake Operation Technical Information Document 2022
Environmental Performance. Volume 1 of 1. Version 1 Revision 0.

The report was prepared by:



Canada North Environmental Services (CanNorth) is a 100% Indigenous owned environmental consulting company based in Saskatoon, Saskatchewan. CanNorth has been providing environmental services to Canadian industry, government agencies, and First Nations and communities for over 30 years. For additional information visit us at www.cannorth.com

CERTIFIED
Aboriginal Business

Canadian Council for
Aboriginal Business 

ISO 9001:2015 QMS
ISO 14001:2015 EMS
ISO 45001:2018 OHSMS

APPENDICES

LIST OF APPENDICES

Appendix A Community Monitoring Program Framework

Appendix B Detailed Data Analysis

Appendix C Detailed Data

APPENDIX A

EARMP COMMUNITY PROGRAM FRAMEWORK

APPENDIX A: COMMUNITY MONITORING PROGRAM FRAMEWORK

1.0 INTRODUCTION

The Eastern Athabasca Regional Monitoring Program (EARMP) is a collaborative industry-government partnership, long-term environmental monitoring program established in 2011 under the Province of Saskatchewan's Boreal Watershed Initiative. The EARMP was designed to identify potential cumulative effects downstream of uranium mining and milling operations in the Eastern Athabasca region of northern Saskatchewan. It consists of two programs: a technical monitoring program and a community monitoring program. The technical program was established to monitor long-term changes in the aquatic environment far downstream of uranium mining and milling operations in the Eastern Athabasca region. The community program was established to monitor the safety of traditionally harvested country foods from the communities located in the Eastern Athabasca region.

The following document focuses entirely on the EARMP community program. The objective of the EARMP community program framework document is to provide detailed information related to the communities and mine sites located in the Eastern Athabasca region of northern Saskatchewan, the rationale for studying country foods, detailed information and rationale on the EARMP community program study design, and details of the data analyses and communication of the results.

2.0 STUDY AREA

2.1 Communities

There are seven communities in the region including Black Lake Denesųłiné First Nation, Camsell Portage, Fond du Lac Denesųłiné First Nation, Hatchet Lake Denesųłiné First Nation, Stony Rapids, Uranium City, and Wollaston Lake. For the EARMP community program, the communities of Wollaston Lake and Hatchet Lake were assessed together due to their close proximity to each other, creating a total of six community study areas. Provided below are brief descriptions of each community.

2.1.1 Black Lake Denesų́liné First Nation

The Black Lake Denesų́liné First Nation is situated in northern Saskatchewan's Athabasca region on the shores of Black Lake, approximately 820 km north of Saskatoon and 100 km south of Northwest Territories. Access to the community is by air to Stony Rapids and then by all-weather road approximately 20 km to Black Lake. Access to the Athabasca Seasonal Road (provincial highway 905) also lies between the two communities and operates seasonally between March and November (BLFN 2025). Ice roads further connect Black Lake to Fond du Lac, Uranium City, and Camsell Portage (Cameco 2025a). The community currently maintains a total registered membership of 2,283 members, with an estimated 1900 of those members residing on reserve (BLFN 2025).

The people of Black Lake initially settled at Stony Lake prior to relocating to the area which is currently occupied by the fishing camp on the banks of the Black Lake River. The current community of Black Lake was settled in the early 1950s after a new Roman Catholic Church was constructed. The Dene language is still very strong and continues to be taught by the Elders to children and youth, both at home and within the school system. The people continue to maintain their traditional lifestyle with hunting, fishing, and trapping very evident on a year-round bases as both commercial and private pursuits (BLFN 2025).

2.1.2 Camsell Portage

Camsell Portage is the northernmost community in Saskatchewan and is situated approximately 36 km west of Uranium City. It is accessible year-round by an airstrip and by boat in the open-water season. There is a winter snowmobile trail that connects it to Uranium City. A summer road connects Camsell Portage to the community of Waterloo Lake, which lies approximately 14 km to the west (Cameco 2025b).

Camsell Portage was settled by trappers who arrived during the 1900s from Lac La Biche, Alberta, the Northwest Territories, and Fort Fitzgerald, Alberta and who used it as a historical portage route to the north. During peak activities near Uranium City, Camsell Portage had a population of over 300 people (P. Steene pers. comm.). The population of Camsell Portage is currently 9 people and increases to approximately 25 people in the summer months (D. Larocque. pers. comm. February 4, 2025). No mining activity has taken place in the area; however, currently there

are operating hydroelectricity generating stations near the community on the Waterloo, Wellington, and Charlot river systems.

2.1.3 Fond du Lac Denesų́liné First Nation

The Fond du Lac Denesų́liné First Nation is situated on the northeast shore of Lake Athabasca in the Athabasca region of northern Saskatchewan, approximately 1,415 km northwest of Saskatoon and 60 km south of the Northwest Territories border.

It currently maintains a total registered membership of 2,285 members, with approximately 1,172 members residing on reserve and approximately 1,076 members residing at locations off reserve (AADNC 2025). Members are primarily of Dene and Cree decent. Access to the community is by seasonal ice road in the winter and by boat during the open-water season. Founded over 150 years ago, Fond du Lac is one of the oldest and most remote northern communities in Saskatchewan.

Fond Du Lac Denesų́liné First Nation signed an adhesion to Treaty Eight on July 25-27, 1899, under Chief Maurice Pische, Headmen Alexander Toussaint and Laurent Dziddie. In the 1950s, Maurice Pische's Band split into two communities forming the Fond du Lac and Black Lake Denesų́liné First Nations. The Denesų́liné have always traveled, hunted, fished, trapped and gathered as a way of life on the land and continue to do so today (FDFN 2025).

2.1.4 Hatchet Lake Denesų́liné First Nation and Wollaston Lake

The adjacent communities of Hatchet Lake Denesų́liné First Nation and Wollaston Lake are located in northern Saskatchewan's Athabasca region approximately 844 km northeast of Saskatoon. The communities are located on the southeastern shores of Wollaston or "Axe" Lake and are known collectively as "The Post" by others dwelling on the lake (Cameco 2025c) Access to the community is by air year-round, by an ice road in winter, and by barge in summer. To enhance year-round access, construction of an all-season road began in May 2020. As of January 2025, Hatchet Lake Denesų́liné First Nation has a total registered membership of 2,038. Of the membership, 1,549 people live on reserve at Hatchet Lake, while the remaining 489 live off reserve (AADNC 2025). According to the 2021 census, 96 people live at Wollaston Lake (SC 2021). The two communities have a total of 1,645 people living at "The Post."

Hatchet Lake Denesų́liné First Nation signed an adhesion to Treaty 10 on August 22nd, 1907 at La Lac du Brochet. The reserve was surveyed in 1965 and set aside as Lac La Hache Indian Reserve on September 23rd, 1970. The community at “The Post” had served as a trading post for commercial fishers and trappers and now serves as the administrative center for Hatchet Lake. The Denesų́liné are still active hunters, fishermen, and trappers (Thompson 2021).

2.1.5 Stony Rapids

Stony Rapids is a small municipal hamlet that hosts a year-round airport and connects to Black Lake with an all-season gravel road. A winter ice road connects Stony Rapids to Fond du lac and Uranium City. Stony Rapids is located on the shoreline of the Fond du Lac River and is 20 km northwest of Black Lake and 82 km south of the NWT border (Cameco 2025d). The Fond du Lac River connects the community of Stony Rapids to the Fond du Lac, Uranium City, and Camsell Portage. According to the 2021 census, 219 people live in Stony Rapids (SC 2021).

2.1.6 Uranium City

Uranium City is located in northern Saskatchewan’s Athabasca region approximately 760 km northwest of Prince Albert and approximately 50 km south of the Saskatchewan/Northwest Territories border. The community is located on the northern shores of Lake Athabasca. Uranium City has a provincially operated and certified airport which allows access to the community year-round. There are current provisions in place for a winter road connecting Uranium City with Fond du Lac. According to the 2021 census, 91 people live at Uranium City, approximately 70 of whom are over 18 years of age (SC 2021). Many of the residents of Uranium City are seasonal and do not reside permanently in the communities. Though there are no First Nations reserves in the immediate vicinity around Uranium City, the population includes Métis and First Nations peoples (Cameco 2025e).

The history of the Uranium City area dates back to the late 1930s when uranium ore was first discovered in the area. It was not until 1952 that the town of Uranium City was established as a base for uranium mining in the Beaverlodge area. Operations at Saskatchewan’s first uranium mine began in May of 1953 and continued until June of 1982, by which time rising costs and failing ore grade made it unprofitable. Within a year following the closure of the mine, Uranium City changed from a resource town of almost 2,500 inhabitants to a northern settlement with approximately 150 residents (Bone 1998). Uranium City continued to serve as the regional base

for a number of services including education, health care, and the RCMP headquarters for a number of years following the mine closure. Many public institutions closed in 1983, and the hospital closed in 2003. The current population is approximately 91 residents (SC 2021).

2.2 Uranium Operations

There are currently five uranium mines and mills in the Eastern Athabasca region. These include Cigar Lake Mine, Key Lake Mill, McArthur River Mine, McClean Lake Mill, and Rabbit Lake Mine and Mill. In addition, the decommissioned Gunnar and Beaverlodge uranium mine and mill sites are located within the region and near the community of Uranium City.

2.2.1 Cigar Lake Operation

The Cigar Lake Operation is located approximately 880 km north of Saskatoon, 80 km west of Wollaston Lake, and 40 km inside the eastern margin of the Athabasca Basin region of northern Saskatchewan. The Operation involves the construction, mining operation, and eventual decommissioning of what is currently the world's highest-grade and second largest known uranium deposit. The Operation is currently managed and operated by Cameco Corporation (Cameco). The initial discovery of the Cigar Lake uranium deposit occurred in May 1981. Following the acquisition of the construction license in December 2004, underground construction activities commenced. Site construction activities were expected to take 24 months to 36 months; however, in 2006 and 2008 the mine experienced two inflow events that caused flooding of all underground workings of the Cigar Lake Project. Cigar Lake became operational in July 2014.

2.2.2 Key Lake Operation

The Key Lake Operation is located in north-central Saskatchewan approximately 725 km north of Saskatoon. Mining began in 1982 with open pit mining of the Gaertner orebody followed by open pit mining of the Deilmann orebody beginning in 1986. Mining activities ceased in 1997 with stockpiles from the Deilmann orebody lasting until late 1999. At this time, the mill began processing ore trucked approximately 80 km from the McArthur River Operation and shifted from subaerial to subaqueous tailings management at the Deilmann Tailings Management Facility.

While in operation, ore from the McArthur River Operation was trucked to Key Lake where it was blended with mineralized waste and then milled. In January 2018, Cameco announced the temporary transition of both operations into a safe state of care and maintenance due to market

weakness. In July 2018, Cameco extended the production suspension for an indeterminate duration. Ongoing care and maintenance activities included water treatment, environmental monitoring, and preservation maintenance and monitoring of the critical facilities. In late 2022, production was resumed at Key Lake mill and McArthur River mine.

2.2.3 McArthur River Operation

The McArthur River Operation is located approximately 800 km north of Saskatoon and 80 km north of the Key Lake Operation. It is currently the world's largest, high-grade uranium deposit.

McArthur River mine began operation in 1999 and is managed and operated by Cameco. The operation includes underground mining, processing systems, an ore handling system, and camp infrastructure. Specialized mining equipment is used to extract the high-grade uranium ore and mineralized wastes are blended with high-grade ore to produce a slurry, which is trucked to the Key Lake mill for processing. The mine was operational from 1999 to 2018, when it entered a safe state of care and maintenance and remained there until late 2022 when Cameco resumed production.

2.2.4 McClean Lake Operation

The McClean Lake Operation is located approximately 830 km north of Saskatoon and 15 km west of Wollaston Lake in northern Saskatchewan. Orano Canada Inc. (Orano) is the majority owner (70%) and operator of the McClean Lake Operation. Exploration activities started in the late 1970s, environmental assessment in the early 1990s, and the initiation of mining and mill operations in 1996 and 1999, respectively. The McClean Lake Operation currently comprises of three main areas: the JEB area, which includes the permanent camp and the McClean Lake mill and JEB tailing management facility; the Sue mining area, which includes the mined-out Sue A/C, Sue B, and Sue E pits; and the Sink/Vulture Treated Effluent Management System (S/V TEMS).

2.2.5 Rabbit Lake

The Rabbit Lake Operation, owned and operated by Cameco, is the longest-operating uranium production facility in Saskatchewan (since 1975). It is located in northeastern Saskatchewan, on the west side of Wollaston Lake and is approximately 820 km north of Saskatoon. The Rabbit Lake Operation includes the Eagle Point underground mine, Rabbit Lake mill, four mined-out open pit mines, of which the original Rabbit Lake pit is being used as the Rabbit Lake In-Pit Tailings

Management Facility (RLTMF), the Rabbit Lake Above Ground Tailings Management Facility (AGTMF), overburden stockpiles, waste rock stockpiles, effluent treatment facilities, and camp infrastructure. Rabbit Lake was transitioned into care and maintenance in 2016.

2.2.6 Other Properties

The decommissioned Eldorado uranium mining and milling operation is located approximately 8 km east of Uranium City and north-east of Beaverlodge Lake in northern Saskatchewan. The mine operated for almost 30 years between 1953 and 1982. Decommissioning of the site occurred from 1983 to 1985, and transition phase monitoring continues today. Upon its inception as a publicly traded company, Cameco was assigned responsibility for the management and reclamation of the decommissioned site. Post-decommissioning activities include the ongoing monitoring and maintenance of the site, regular water quality monitoring at stations within the area, and a variety of special investigations to assess specific environmental concerns.

Beaverlodge Lake is the receiving environment for the discharges from at least nine other abandoned uranium mine sites and one former uranium mill tailings area (the Lorado Uranium Mining Ltd. mill site), which are managed by the Saskatchewan Research Council (SRC). SRC is managing Project CLEANS (Cleanup of Abandoned Northern Sites), which is also responsible for the assessment and reclamation of the Gunnar uranium mine and mill site and over 30 abandoned satellite mines in the Uranium City area. It is noted that on January 30, 2025, Cameco applied to release the final set of decommissioned Beaverlodge mine and mill site properties from Canadian Nuclear Safety Commission (CNSC) licensing for acceptance into Saskatchewan's Institutional Control Program (ICP). On May 21, 2025, the CNSC announced the release of the final set of 27 decommissioned Beaverlodge properties from licensing and to revoke the waste facility operating licence held by Cameco for the decommissioned Beaverlodge mine/mill site to allow for the site to be transferred to the Province of Saskatchewan under its ICP.

The Cluff Lake Project is a decommissioned uranium mine and mill site located approximately 75 km south of Lake Athabasca. The Cluff Lake ore deposits were first discovered in the mid-1960s. Uranium mining and milling operations commenced in 1980 and ceased in 2002. Detailed planning for the decommissioning of the Cluff Lake Project began in 1998 and the majority of the physical decommissioning was completed in 2006. The Cluff Lake site moved into post-decommissioning monitoring in 2006 with a transition to campaign monitoring in 2013. Following the CNSC public hearing on March 1, 2023, the CNSC approved Orano's application to revoke the

Cluff Lake Project's mine and mill operating licence to allow for the site to be transferred to the Province of Saskatchewan under its ICP.

3.0 RATIONALE FOR STUDYING COUNTRY FOODS

The uranium mining and milling operations in northern Saskatchewan complete extensive environmental monitoring that routinely test the air, soil, vegetation, water, sediment, benthic invertebrates, and fish in their local study areas. However, these monitoring programs do not answer the question of whether country foods that are fished, hunted, or gathered near communities located downstream of multiple uranium operations are safe to eat. Since country foods, such as fish, berries, and wild game are important food sources in northern communities, the EARMP community program was developed to conduct an extensive and long-term regional sampling program testing these foods. The following section further discusses some of the uses and benefits of traditional country foods by northern residents.

3.1 Traditional Use of Country Foods

Studies conducted across Canada have documented that harvesting, sharing, and preparing traditional country foods is an important part of the Indigenous lifestyle (Wein et al. 1991; Wein and Freeman 1995; Kuhnlein and Receveur 1996; Receveur et al. 1997; AFN 2025). A plethora of traditional country food studies conducted in the Athabasca Region have established that fish, berries, and wild game are important food sources for communities located in northern Saskatchewan (CanNorth 1999, 2011, 2019, 2000a, 2021, 2022, 2024; CanNorth and YNLR 2023).

While meat sources are important to all residents in every community (in particular barren-ground caribou and moose) the amount eaten varies for each community. On average, residents in Black Lake and Stony Rapids consume approximately 75 lbs of wild meat annually, per person. In Hatchet Lake/Wollaston Lake and Fond du Lac communities, residents consume approximately 50 lbs of wild meat annually, per person. In Camsell Portage and Uranium City, residents consume approximately 30 lbs of wild meat annually, per person which was lowest than the other communities but similar to other northern Saskatchewan communities (CanNorth 2019, 2020b, 2021; CanNorth and YNLR 2023).

Fish are also an important part of the diet for all communities. The most important fish species consumed by those interviewed also differed between communities. For example, lake whitefish was the top fish species consumed in Hatchet Lake/Wollaston Lake and Fond du Lac communities, however; lake trout was consumed most by residents in Black Lake, Camsell Portage, Stony Rapids, and Uranium City communities. Furthermore, lake whitefish did not make the top 10 list of most consumed traditional foods in Uranium City and Camsell Portage (CanNorth 2019, 2020b, 2021; CanNorth and YNLR 2023).

A number of factors play a role in the differences in consumption patterns such as population size, road access, proximity to animal migration routes, presence of hunters, trappers, or fishermen, age and gender, costs and availability of market foods, and access to transportation with the southern part of the province (Wein et al. 1991; Blanchet et al. 2000; Batal et al. 2005).

3.2 Health Benefits of Traditional Country Foods

Harvesting and consuming traditional foods are integral components of good health among Indigenous people, influencing both physical health and social well-being. The act of hunting and gathering traditional foods is an important aspect of physical activity. Hunting, fishing, and berry picking also provides socio-cultural benefits to community members that plays important cultural, spiritual, and ceremonial roles. Gathering and eating traditional country foods can help reduce the risk of diabetes, heart disease, and obesity, especially when the foods are cooked in traditional ways (PHU AHA 2005).

Several health benefits of consuming traditional country foods have been documented across northern Canada. Fish are an important part of a healthy diet containing high-quality protein, vitamin B, vitamin D, omega-3 fatty acids, and other essential nutrients (GNWT 2017). Fatty fish, such as lake trout, are especially high in omega-3 fatty acids and are considered important for heart health and brain and eye development. Compared to store-bought chicken breast and ground beef (0.10 g-0.31 g/100 g), northern Saskatchewan fish have much higher contents of omega-3 fatty acids (0.31 g-1.19 g/100 g). Northern Saskatchewan fish have substantially lower levels of saturated fat, compared to store-bought chicken and ground beef (PHU AHA 2014). Fish eggs are also an excellent source of protein, vitamin C, B vitamins, and iron (GNWT 2017; GNWT 2025). The skin of the fish and soups cooked with fish heads and bones are good sources of calcium (Receveur et al. 1997; GNWT 2025).

Wild game meats such as moose and caribou are an important source of vitamins, minerals, and protein and have less saturated fat than store-bought meats (PHU AHA 2005; 2014). The fat content of barren-ground caribou meat is very low (1%) compared to beef, pork, or poultry (12% to 40%) (GNWT 2025). Wild game is also high in essential nutrients such as iron, zinc, copper, magnesium, and phosphorous (Kuhnlein et al 1995; Receveur et al. 1997).

Compared to store-bought chicken breast and ground beef, northern game meats have similar amounts of protein (21.4 g-25.6 g/100 g), between 2- and 7-times higher levels of iron (3.08 mg-4.1 mg/100 g) and fewer calories (98 kcal-123 kcal/100 g). Overall, this indicates that northern Saskatchewan caribou, moose, and rabbit are low-calorie, nutrient dense, healthy servings of meat and meat alternatives (PHU AHA, 2014). Soups and/or stews cooked with bones for broth are high in calcium (Receveur et al. 1997), while many organs including liver contain high levels of iron needed for healthy blood and vitamin A needed for healthy bones, skin, and teeth (GNWT 2025).

Traditional plants such as cranberries, blueberries, and Labrador tea are often used in both food and medicine (CanNorth 2020) and potentially offer additional health benefits. Wild plants are excellent sources of vitamin C, fibre, and carbohydrates (Johnson et al. 1995; GNWT 2025). For example, rose hips, consumed by many First Nations in a variety of medicinal and food preparations, are high in vitamin C and demonstrate antibacterial and antioxidant properties (Yi et al. 2007).

3.3 Canada Food Guide – First Nations, Inuit, and Métis

In 2007, Health Canada introduced a newly tailored Canada Food Guide *“Eating Well with Canada's Food Guide - First Nations, Inuit and Métis”* (HC 2007) that includes both traditional country foods and store-bought foods that are generally available and accessible across Canada. This tailored food guide has recommendations for healthy eating based on science and recognizes the importance of traditional/country and store-bought foods for First Nations, Inuit, and Métis today. In addition, the Government of Northwest Territories (GNWT 2025) has also established a food guide that is tailored towards traditional country foods. Both the Canada Food Guide and the Northwest Territories Food Guide contain recommendations on the number of servings¹

¹ It should be noted that the food guide serving size for meat and alternatives has decreased over time and each serving size recommended is 75 g, which is likely less than what most people consider a serving size. For this study, actual intake amounts were used from the area to complete the Human Health Risk Assessment.

(grams per day) of wild meats, birds, plants, fish, and other staples such as bannock, wild rice, and traditional fats. Choosing the amount and type of food recommended in Canada's Food Guide will help:

- children and teens grow and thrive;
- meet needs for vitamins, minerals, and other nutrients; and,
- lower risk of obesity, type 2 diabetes, heart disease, certain types of cancer, and osteoporosis (weak and brittle bones).

For more information on Canada's Food Guide please visit <https://food-guide.canada.ca/en/> or *"Eating Well with Canada's Food Guide - First Nations, Inuit and Métis"* <https://www.canada.ca/en/health-canada/services/canada-food-guide/about/history-food-guide/eating-well-canada-food-guide-first-nations-inuit-metis.html>. For more information on the Northwest Territories Food guide please visit <https://www.hss.gov.nt.ca/en/services/nutritional-food-fact-sheet-series>.

4.0 STUDY DESIGN AND OBJECTIVES

The EARMP community monitoring program objectives are to:

1. determine the safety of traditionally harvested food for local consumption;
2. establish long-term monitoring at community sampling areas to assess variability and potential changes over time;
3. build mutually beneficial relationships and engage and involve community members in the gathering of information for the program;
4. communicate monitoring results to community members and other stakeholders through reporting, public media, and meetings; and
5. provide public access to all data at www.earmp.com.


The 2011/2012 and 2012/2013 data were used to establish baseline/current conditions for each species sampled in each community area. Each subsequent monitoring year's data will be compared to this baseline in order to assess potential changes over time or temporal trends in

chemical concentrations of country foods routinely eaten by residents of the Eastern Athabasca region.

The study design for the EARMP community program will remain consistent over time, to the extent possible, in order to collect a consistent long-term data set. However, the program is also adaptive and may be refined in response to new information or changes associated with the development in the region. Some things to consider moving forward include:

- Community concerns: the EARMP community program monitors endpoints of highest concern to the communities. Sampling components may be refined or expanded based on the needs of the community members.
- Regional development: the development of additional uranium mining and milling operations in the region may also influence the overall design of the program.
- EARMP Community Program results: changes to the design of the EARMP community program may occur based on results and conclusions from each monitoring year.

A key aspect of a successful community monitoring program is that the sampling locations and media are selected based on their importance to the communities and that sampling is completed by, or with, local residents. It also helps to build trust between the residents of communities and industrial operators in the region. Traditional Ecological Knowledge (TEK) is an essential part of the program. The approach of the program is summarized in Appendix A, Figure 1.



Appendix A, Figure 1.

Summary of the EARMP community monitoring program approach.

In addition to community input, chemicals of interest are selected based on those identified through the environmental assessment process and monitoring requirements in the region. Uranium mining and milling operations are subject to the *Canadian Environmental Assessment Act* and the *Impact Assessment Act* and regulated by the CNSC, the Saskatchewan Ministry of Environment (ENV), and Environment and Climate Change Canada (ECCC).

4.1 Sampling Components

The program is completed annually with the core of the program involving annual sampling of water and fish along with a selected focus traditional food each year. A portion of the budget is

set aside to support chemical analyses of additional samples beyond the core samples targeted for that sampling year. The country foods were selected in consultation with community members and currently include water and fish (lake trout and lake whitefish). Berries (blueberry and bog cranberry), mammals (moose, barren-ground caribou, and snowshoe hare), and birds (spruce grouse and willow ptarmigan) served as additional samples in years when they were abundant. Sampling components are meant to be representative of what community members are consuming; therefore, they vary from time to time throughout the long-term monitoring program to include other components (e.g., game birds, barren-ground caribou/moose organs, and more).

Two dietary surveys were completed for communities within the region at the time of baseline initiation for EARMP: The Hatchet Lake Dietary Survey (CanNorth 1999) and the Uranium City Country Foods Study (CanNorth 2011). Country foods currently selected for the EARMP community program formed a large percentage of foods identified in these surveys.

4.2 Sampling Locations

Near each community, one station was established from which a water quality sample was obtained. The station locations were decided upon by the CanNorth staff member and the community members conducting the sampling. These locations were determined by accessibility, water depth, and proximity to the community. Fish, berry, mammal, and bird samples were obtained from locations where community members routinely fish, hunt, and gather their traditional country foods. This ensures the sampling program is testing the study areas most relevant to the communities.

4.3 Sampling Frequency

The EARMP community program was intended to be an annual sampling campaign (every fall/winter) for the first five years, after which the sampling frequency was re-evaluated as planned. Annual sampling has continued since the program began to maintain the community relationship. To manage long-term costs, not all media continued to be sampled every year. Each year, the standardized program collects water and fish with an extra focal component (e.g., berries, moose/caribou, snowshoe hare, spruce grouse/willow ptarmigan, additional fish). This approach has proven to be the most efficient means of ensuring the collection of traditional foods across all communities with adequate replication within a single sample year for the primary media of interest (water, fish, berries, meat). The target sample size is generally five samples from

each community of each media type. However, certain sampling components are more difficult to obtain, such as moose and barren-ground caribou; thus, sample sizes may be smaller from some communities in different years.

Additionally, each year a portion of the budget allows the program to respond to a limited amount of “community request” samples. Community request samples can range from additional core samples from an overabundant harvest, or may include uniquely harvested species/specimens not historically a part of the program, or may involve samples which have generated some community concern or interest (e.g., visible abnormalities or indicators of poor health).

4.4 Laboratory Analysis

All samples are analyzed by SRC laboratory in Saskatoon. The SRC Environmental Analytical Laboratories are certified and accredited by the Canadian Association for Laboratory Accreditation Inc. (CALA). Accreditation ensures that procedures, facilities, and methods conform to ISO/IEC 17025, which is an internationally recognized standard. As such, SRC has an extensive Quality Assurance/Quality Control (QA/QC) program to ensure reliable analytical results. With each set of samples run, SRC tests reference materials, duplicates, and spiked samples. Data results provided by SRC include full QA/QC reports for each sample submission.

Sample analyses completed by SRC included a full suite of parameters for each media type and are described Appendix A, Table 1.

Metals and trace elements analysis are completed by ICP-MS because it is a fast, multi-elemental technique similar to ICP-AES, but with better detection limits. For most elements, ICP-MS is able to achieve detection limits similar to or lower than Graphite Furnace AAS (Wolf 2005). The analysis of metals and trace elements with ICP-MS also meets Metal and Diamond Mining Effluent Regulations (MDMER) requirements (EC 2012). It should be noted that even with the use of ICP-MS, concentrations of many metals and trace elements in the EARMP sampling media are at levels below the reporting detection limit (RDL). In addition, RDLs for radionuclides tend to vary based on the mass of the sample. For values that were below the RDL, it is not possible to determine the actual concentration; therefore, all values were set equal to the RDL for computing averages and standard deviations. This is a conservative approach as the actual concentrations could be substantially lower than the RDL.

Appendix A, Table 1

List of chemicals and supportive parameters measured in traditional foods for the EARMP community program.

Parameter		Water	Berries	Fish	Mammals	Birds
Inorganic Ions	Bicarbonate, Calcium, Carbonate, Chloride, Hydroxide, Magnesium, Potassium, Sodium, Sulphate	x				
Metals and Trace Elements	Aluminum, Antimony, Arsenic, Barium, Beryllium, Boron, Cadmium, Chromium, Cobalt, Copper, Fluoride Iron, Lead, Manganese, Mercury*, Molybdenum, Nickel, Selenium, Silver, Strontium, Thallium, Tin, Titanium, Uranium, Vanadium, Zinc	x	x	x	x	x
Nutrients	Ammonia as N**, Nitrate, Nitrate + Nitrite, Organic Carbon, Phosphorus, Total Kjeldahl Nitrogen, Total Nitrogen	x				
Radionuclides	Lead-210, Polonium-210, Radium-226, Thorium-230	x	x	x	x	x
Physical Properties	Phenolphthalein Alkalinity, pH, Specific Conductivity, Sum of Ions, Total Alkalinity, Total Dissolved Solids, Total Hardness, Total Suspended Solids, Turbidity	x				
	% Moisture		x	x	x	x

*Water and fish only.

**Water only.

4.5 Data Assessment Approach

4.5.1 Endpoints

Although a full suite of chemical parameters was measured for each sample, this report focuses on a smaller list of chemicals, which have been identified as chemicals of most interest of uranium operations by regulatory agencies, environmental assessments, as well as other monitoring programs. Appendix A, Table 2 summarizes the endpoints assessed for the EARMP Community Program. Supporting endpoints for the water quality assessment also included organic carbon, specific conductivity, total hardness, and pH.

While mercury is included in Appendix A, Table 2, it is not associated with uranium mining and milling operations. Monitoring programs completed at each mine site's local study area have repeatedly shown that mercury concentrations in the treated effluent are below the MDMER

criteria for monitoring² (EcoMetrix 2010a, 2010b; SENES 2010, 2012; AREVA 2012). Mercury occurs naturally in the environment and can be found at low levels in most soils and rocks. In northern Saskatchewan, natural deposits associated with lead, zinc, copper, silver, and gold are likely the cause of higher levels of mercury in fish in some lakes (SHA 2023). Since mercury has been identified as a concern to community members in the Athabasca Region, it has been included in the assessment.

Appendix A, Table 2
Chemical endpoints selected for the EARMP.

Reduced List of Chemicals	
Aluminum	Molybdenum
Ammonia as N*	Nickel
Arsenic	Polonium-210
Cadmium	Radium-226
Cobalt	Selenium
Copper	Thorium-230
Iron	Uranium
Lead	Vanadium
Lead-210	Zinc
Mercury**	

*For water only.

**Mercury is not associated with the uranium mining and milling process. It is included herein nonetheless because it can naturally vary in the environment.

4.5.2 Comparison Criteria

To evaluate the community data, concentrations of the reduced list of chemicals are compared to:

- available guidelines;
- available regional reference data; and
- available literature and/or Human Health Risk Assessments.

The above comparison criteria are used for each media type to determine if the country foods sampled in specific communities are within the expected background concentrations for that particular region, are below guidelines, and are considered safe to eat based on a Human Health

² If the concentrations of total mercury is less than 0.1 µg/L in 12 consecutive treated effluent samples, monitoring is not required (MDMER, Schedule 5, subsection 4(3)).

Risk Assessment. As monitoring continues, assessing any changes in chemical concentrations over time will be an important component of the program. Data sources used for comparison criteria are described below.

4.5.3 Data Sources

4.5.3.1 Guidelines

Federal and provincial guidelines are available for some media types assessed in the EARMP community program. These include the Canadian Drinking Water Quality Guidelines (CDWQG; HC 2024), the Canadian Environmental Quality Guidelines (CEQG) for the protection of freshwater aquatic life (CCME 2025), the Federal Environmental Quality Guidelines (FEQG; ECCC 2021), and the Saskatchewan Environmental Quality Guidelines (SEQG) for the protection of freshwater aquatic life (GS 2025). For chemistry guidelines based on total hardness, hardness concentrations from each location were used to establish the guideline. Drinking water guidelines are considered the most relevant guidelines for the communities; however, when none exist, other guidelines may be cited. Appendix A, Table 3 summarizes the guidelines used in water for the comparison to the EARMP community data.

Appendix A, Table 3

Chemistry guidelines used for comparison to EARMP community data.

Chemical	Guideline			
	CDWQG (Drinking Water)	CEQG (Environmental)	FEQG (Environmental)	SEQG (Environmental)
Aluminum	0.1 mg/L	0.1 ¹ mg/L	0.15-1.2 ⁴ mg/L	0.05 ¹ mg/L
Ammonia as nitrogen	-	0.86 to 84 ² mg/L	-	0.86 to 84 ² mg/L
Arsenic	10 µg/L	5 µg/L	-	5 µg/L
Cadmium	0.007 mg/L	0.00004-0.0001 ³ mg/L	-	0.00004-0.0001 ³ mg/L
Cobalt	-	-	0.00078-0.0018 ³ mg/L	-
Copper	2.0 mg/L	0.002 ³ mg/L	-	0.007 mg/L
Iron	0.3 mg/L	0.3 mg/L	1.8-4.5 ⁵ mg/L	0.3 mg/L
Lead	0.005 mg/L	0.001 ³ mg/L	0.004-0.012 mg/L	0.001 ³ mg/L
Mercury	1 µg/L	0.026 µg/L	-	0.005 µg/L
Molybdenum	-	0.073 mg/L	-	31 mg/L
Nickel	-	0.025 ³ mg/L	-	0.025 ³ mg/L
Selenium	0.05 mg/L	0.001 mg/L	-	0.002 mg/L
Uranium	20 µg/L	15 µg/L	-	15 µg/L
Vanadium	-	-	0.120 mg/L	-
Zinc	5.0 mg/L	0.01-.023 ⁴ mg/L	-	0.03 mg/L
pH	7.0 to 10.5	6.5 to 9.0	-	6.5 to 9.0
Thorium-230	-	-	-	-
Radium-226	0.5 Bq/L	-	-	0.11 Bq/L
Lead-210	0.2 Bq/L	-	-	-

Chemical	Guideline			
	CDWQG (Drinking Water)	CEQG (Environmental)	FEQG (Environmental)	SEQG (Environmental)
Polonium-210	-	-	-	-

¹Based on field pH measurements.

²A temperature of 10 °C and lab pH were used to derive guideline of each waterbody.

³Guideline was calculated using the site-specific hardness in each waterbody.

⁴Based on water hardness, dissolved organic carbon, and pH in each waterbody

⁵Based on dissolved organic carbon and pH in each waterbody.

4.5.3.2 Regional Reference Data

Regional reference data are available from a number of sources. Reference water and fish chemistry data are available from CanNorth's database. Water and fish chemistry data obtained between 2005 and 2014 from several lakes north of Points North sampled were used to generate the regional reference values (Appendix A, Table 4). This included 249 water samples, 69 lake whitefish samples, and 35 lake trout samples. In 2015, 24 additional lake trout samples were collected from reference areas (Cree Lake, McKenzie Lake, Henday Lake, and Riou Lake) to increase the regional reference data set to 59 samples for this species. Water samples spanned a total of 39 lakes, while lake trout and lake whitefish data spanned 6 lakes and 12 lakes, respectively. As more data become available, the regional reference data set will become more robust, particularly for the lake trout data set.

Historical data (2008 to 2011) available from the Athabasca Working Group (AWG) Environment Monitoring Program and the Uranium City Country Foods Program (CanNorth and SENES 2012) were used to generate the regional reference values for berry data. Data from the AWG program were also used to establish regional reference ranges for moose and barren-ground caribou data. In most cases, data from 2000 to 2010 were included in order to have adequate samples sizes; however, there were some situations where obvious and consistent changes in RDLs precluded earlier data from being included (Appendix A, Table 5).

Appendix A, Table 4

EARMP regional reference range data sources for water and fish chemistry.

Factor	Water		Lake Trout Flesh	Lake Whitefish Flesh
Years ¹	2006 to 2014		2005 ² , 2010 to 2012 and 2015 ³	2006 to 2014
Areas ¹	Agent Lake Alsask Lake Bobby's Lake Brayden Lake Carys Lake Colette Lake Cree Lake David Lake East Spur Lake Fredette Lake Kapesin Lake Kazz Lake Lac Philip Lake B Lake C2 Lake C3 Lake C4 Lake C5 Lake C6 Lake C7	Lower Read Lake Mad Dog Lake McGowan Lake Milliken Lake Moon Lake Pasfield Lake Read Lake Reference 2 Reference 3 Reference 4 Reference 5 Riou Lake Ryan Lake Shallow Lake Slush Lake Wapata Lake West Spur Lake White Lake Yeoung Lake	Cree Lake Henday Lake Milliken Lake McKenzie Lake Pasfield Lake Riou Lake	Alsask Lake Cree Lake Fredette Lake Henday Lake Lac Philip Mallen Lake Milliken Lake Pasfield Lake Riou Lake Ryan Lake Wapata Lake West Spur Lake

¹Not all areas were sampled all years.

²Five additional lake trout from 2005 from Henday Lake were added to improve sample sizes (n) for parameters that were less than the reporting detection limit (<RDL), namely arsenic, copper, iron, selenium, and zinc. These additional lake trout samples could not be used for other parameters because of large differences in RDLs in 2005 compared to later years.

³An additional 24 samples from Cree Lake, Henday Lake, McKenzie Lake, and Riou Lake were later included in 2015.

Appendix A, Table 5

EARMP regional reference range data sources for berry and mammal chemistry.

Factor	Blueberries	Cranberries	Caribou Flesh	Moose Flesh	Snowshoe Hare Flesh
Years ¹	2000 to 2011	2000 to 2011	2000 to 2011	2000 to 2011	2011
Areas ¹	Black Lake Camsell Portage Fond Du Lac Stony Lake Stony Rapids Uranium City Wollaston Lake	Black Lake Bushell Bay Camsell Portage Fond Du Lac Stony Lake Stony Rapids Uranium City Wollaston Lake	Black Lake Camsell Portage Fond Du Lac Stony Rapids Uranium City Wollaston Lake	Black Lake Camsell Portage Fond Du Lac Stony Rapids Uranium City Wollaston Lake	Camsell Portage

¹Not all areas were sampled all years.

4.5.3.4 Human Health Risk Assessment


Human Health Risk Assessment is a scientific procedure that is used to assess the potential for adverse health effects to humans caused by a selected group of chemicals that are a concern. Risk assessments involve the application of a staged, formal, and reproducible process that incorporates procedures accepted by regulatory authorities. Through the completion of a Human Health Risk Assessment, it is possible to answer one of the primary questions of the EARMP community program: are country foods safe to eat?

The most recent Human Health Risk Assessment was completed in 2018 utilizing the 2011 to 2018 EARMP data and determined that the country foods were safe to eat in all communities assessed (CanNorth 2018). In subsequent monitoring phases, if the levels of chemicals remain within the range of those measured during the baseline conditions, the Human Health Risk Assessment can be used as a basis for concluding if the country foods remain safe to eat. As more data become available, and potentially new types of country foods are assessed, it may be necessary to complete a new Human Health Risk Assessment.

4.5.4 Data Presentation

The EARMP community data are presented using both summary tables and figures. Descriptive statistics (averages and standard deviations) are calculated and reported for each chemical, media, and study area. A graphical presentation of the data is used to compare chemical concentrations to guidelines, the regional reference range, and baseline levels. Data are only graphed if >50% of the values are above the RDL.

The regional reference range has been re-assessed as the range between the 2.5% to 97.5% of the regional reference distribution (where 95% of the regional reference data are expected to fall), since it was determined the majority of the chemistry data are not normally distributed. The highest and lowest 2.5% of the reference data were identified using regression analysis of the cumulative percent frequencies of the observed reference concentrations. After identification, the highest and lowest 2.5% of the data were excluded and the remainder were used as the reference ranges representative of natural conditions. As more regional reference data becomes available, the ranges will be further refined.



Appendix A, Figure 2.

Example of how the EARMP community program results will be presented graphically during future monitoring campaigns.

Appendix A, Figure 2 shows a hypothetical figure that will be used to assess levels of chemicals in country foods. This figure provides information on guideline values, the regional reference range, and temporal changes in a single image for each chemical in each sampling component. The blue dotted line represents a guideline concentration (e.g., drinking water guidelines). The turquoise shaded area represents the regional reference range (i.e., reference average $\pm$ 2 standard deviations). The average concentration in the EARMP community sample is shown as a circle for the sampling years. The graph will be a very useful visual tool for assessing the EARMP community data against the comparison criteria at a glance. It will also allow for a qualitative assessment of increasing or decreasing concentrations of individual chemicals over time in each community.

5.0 REPORTING AND COMMUNICATION PLAN

A report will be completed to assess the EARMP community data following each monitoring year. The report will be structured so that the most relevant information is presented in the main document, with the detailed analysis presented in appendices. This will allow all potential audiences access to the information most relevant to them. The report, along with the raw data, will be available for download from the EARMP website: www.earmp.ca

In addition to the report, community visits may be completed to present the results of the monitoring program. Community visits may include presentations, distribution of summary

brochures/calendars, school visits, and/or ads. The community visits will be an opportunity to receive feedback on the program and encourage to further involvement from community members. Feedback on the program can also be provided through the EARMP website. Since 2012, the EARMP has taken the opportunity to engage communities at least annually about their environment while also distributing information about the project.

6.0 LITERATURE CITED

- Aboriginal Affairs and Northern Development Canada (AANDC). 2025. Website: <https://https://fnp-ppn.aadnc-aandc.gc.ca/FNP/Main/Index.aspx>. Accessed February 04, 2025.
- AREVA (AREVA Resources Canada Inc.). 2012. McClean Lake Operation technical information document environmental performance.
- AFN (Assembly of First Nations). 2025. Collaborative Study Urges Decision-makers to Address First Nations Food Insecurity and Sovereignty. Website: February 6, 2025.
- BFLN (Black Lake First Nation). 2025. Website: <https://blacklakefirstnation.ca/>. Accessed February 05, 2025.
- Batal M., K. Gray-Donald, and H.V. Kuhnlein. 2005. Estimation of traditional food intake in indigenous communities in Denendeh and the Yukon. *International Journal of Circumpolar Health*. 64:46-54.
- Blanchet, C., E. Dewailly, R. Ayotte, S. Bruneau, O. Receveur, and B. Holub. 2000. Contribution of selected traditional and market foods to the diet of Nunavik Inuit women. *Canadian Journal of Dietetic Practice and Research*. 61(2):50-59.
- Bone, R. M. 1998. Resource Towns in the Mackenzie Basin. *Cahiers de géographie du Québec*, 42(116), 249–259. <https://doi.org/10.7202/022739ar>
- Cameco (Cameco Corporation). 2025a. Black Lake Community Profile. <https://www.cameconorth.com/community/community-profiles/black-lake> (accessed February 06, 2025).
- Cameco (Cameco Corporation). 2025b. Camsell Portage Community Profile. <https://www.cameconorth.com/community/community-profiles/camsell-portage> (accessed February 07, 2025).
- Cameco (Cameco Corporation). 2025c. Wollaston Lake and Hatchet Lake Community Profiles. <https://www.cameconorth.com/community/community-profiles/wollaston-lake-hatchet-lake-first-nation> (accessed February 05, 2025).

- Cameco (Cameco Corporation). 2025d. Stony Rapids Community Profile. <https://www.cameconorth.com/community/community-profiles/stony-rapids> (accessed February 05, 2025).
- Cameco (Cameco Corporation). 2025e. Uranium City Community Profile. <https://www.cameconorth.com/community/community-profiles/uranium-city> (accessed February 05, 2025).
- CanNorth (Canada North Environmental Services). 1999. Hatchet Lake dietary study. Prepared for the Atomic Energy Control Board, Ottawa, ON.
- CanNorth (Canada North Environmental Services). 2011. Traditional foods study Uranium City, Saskatchewan. Year 1. Prepared for Cameco Corporation, Saskatoon, SK.
- CanNorth (Canada North Environmental Services). 2018. Human Health Risk Assessment for the Eastern Athabasca Basin. Prepared for the Government of Saskatchewan and Canadian Nuclear Safety Commission. October 2018.
- CanNorth (Canada North Environmental Services). 2019. Community Based Environmental Monitoring Program: Black Lake/Stony Rapids Traditional Foods Study. Prepared for Black Lake Denesųłiné First Nation and the Hamlet of Stony Rapids, Project No. 2862, October.
- CanNorth (Canada North Environmental Services). 2000a. Hatchet Lake dietary study. Final report; prepared for the Atomic Energy Control Board, March.
- CanNorth (Canada North Environmental Services). 2020b. Community Based Environmental Monitoring Program: Fond du Lac Traditional Foods Study. Prepared for Fond du Lac Denesųłiné First Nation, Project No. 3288, September.
- CanNorth (Canada North Environmental Services). 2021. Community Based Environmental Monitoring Program: Hatchet Lake Denesųłiné First Nation and Wollaston Lake Traditional Foods Study. Project No. 3602, Prepared for Hatchet Lake Denesųłiné First Nation and Wollaston Lake, July.
- CanNorth (Canada North Environmental Services). 2022. Updated Human Health and Ecological Risk Assessment for Lorado and Uranium Ridge Mine Sites.
- CanNorth (Canada North Environmental Services). 2024. McIlvenna Bay Operating Ltd. Traditional Food Study Human Health Risk Assessment. Prepared for McIlvenna Bay Operating Ltd., Project No. 4281-2, November.
- CanNorth and YNLR (Canada North Environmental Services and Ya'thi Néné Lands & Resources). 2023. Community Based Environmental Monitoring Program: Uranium City and Camsell Portage Traditional Foods Study. Prepared for Uranium City and Camsell Portage, Project No. 3834, July.

- CCME (Canadian Council of Ministers of the Environment). 2025. Canadian Environmental Quality Guidelines summary table. Website: <https://ccme.ca/en/summary-table>.
- EcoMetrix (EcoMetrix Incorporated). 2010a. Key Lake Operation – Status of the Environment Report 2005 to 2009. Prepared for Cameco Corporation, Saskatoon, Saskatchewan.
- EcoMetrix (EcoMetrix Incorporated). 2010b. McArthur River Operation: Status of the Environment Report 2005 to 2009. Prepared for Cameco Corporation, Saskatoon, Saskatchewan.
- EC (Environment Canada). 2012. Metal mining technical guidance for Environmental Effects Monitoring. National EEM Office, Science Policy and Environmental Quality Branch, Ottawa, Ontario.
- ECCC (Environment and Climate Change Canada). 2021. Federal environmental quality guidelines summary table. Website: <https://www.canada.ca/en/environment-climate-change/services/evaluating-existing-substances/federal-environmental-quality-guidelines-summary-table.html>.
- FDFN (Fond du Lac Denesüliné First Nation). 2025. Website: https://www.fonddulac.ca/pages/our_history.html Accessed February 04, 2025.
- GNWT (Government of Northwest Territories) Health and Social Services. 2017. Health benefits of fish. Website: <https://www.hss.gov.nt.ca/sites/hss/files/general-fish-consumption-guidelines-nwt.pdf>. Accessed February 06, 2025.
- GNWT (Government of Northwest Territories). Health and Social Services. 2025. Northwest Territories Food Guide Traditional Foods. Website: <http://www.hss.gov.nt.ca/publications/reports/northwest-territories-traditional-food-fact-sheets-series>. Accessed February 06, 2025.
- GS (Government of Saskatchewan). 2025. Saskatchewan environmental quality guidelines. Website: <https://environment-quality-guides.saskatchewan.ca>.
- HC (Health Canada). 2007. Canada food guide “Eating Well with Canada's Food Guide - First Nations, Inuit and Métis”. Publications Health Canada. Ottawa, Ontario.
- HC (Health Canada). 2024. Guidelines for Canadian drinking water quality - summary tables. August 2024.
- Johnson, D., L. Kershaw, A. MacKinnon, and J. Pojar (eds.). 1995. Plants of the Western Boreal Forest and Aspen Parkland. Lone Pine Publishing and the Canadian Forest Service. Canada.

- Kuhnlein H.V., O. Receveur, N.E. Morrison, D.M. Appavoo, R. Soueida, and P. Pierrot. 1995. Dietary nutrients of Sahtú Dene/Métis vary by food source, season and age. *Ecol. of Food and Nutr.* 34(3): 183-95.
- Kuhnlein, H.V. and O. Receveur. 1996. Dietary change and traditional food systems of Indigenous Peoples. *Annu. Rev. Nutr.* 16: 417–442.
- PHU AHA (Population Health Unit-Athabasca Health Authority). 2005. Moose and safe choice in traditional food. Special supplement to *Opportunity North*, Spring, 2005.
- PHU AHA (Population Health Unit-Athabasca Health Authority). 2014. Nutritional analysis of northern Saskatchewan wild foods. May, 2014.
- Receveur O., M. Boulay, H.V. Kuhnlein. 1997. Decreasing traditional food use affects diet quality for adult Dene/Metis in 16 communities of the Canadian Northwest Territories. *Journal of Nutrition.* 127:2179–2186.
- SENES (SENES Consultants Limited). 2010. Rabbit Lake Operation integrated environmental risk assessment and state of the environment report 2005 to 2009. Prepared for Cameco Corporation, Saskatoon, Saskatchewan.
- SENES (SENES Consultants Limited). 2012. Risk evaluation for Uranium City country foods study. Prepared for Cameco Corporation, Saskatoon, Saskatchewan.
- SHA (Saskatchewan Health Authority) 2023. Mercury in Saskatchewan Fish Guidelines for Consumption.
- SC (Statistics Canada). 2021. Website: <https://www12.statcan.gc.ca/census-recensement/index-eng.cfm>. Accessed February 02, 2025.
- Thompson, Christian. 2021. Hatchet Lake Denesų́liné Nation (Lac la Hache). Indigenous Saskatchewan Encyclopedia. Electronic Document: https://teaching.usask.ca/indigenoussk/import/hatchet_lake_Denesų́liné_nation_lac_la_hache.php. Accessed February 04, 2025.
- Wein, E.E., J.H. Sabry, and F.T. Evers. 1991. Food consumption patterns and use of country foods by native Canadians near Wood Buffalo National Park, Canada. *Arctic.* 44:196–205.
- Wein, E.E., and M.M.R. Freeman. 1995. Frequency of traditional food use by three Yukon First Nations living in four communities. *Arctic.* 48:161-171.
- Wolf, R.E. 2005. Introduction to ICP-MS. United States Geological Survey/Central-Region/Crustal Imaging & Characterization Team, March 2005.
- Yi, O., E.M. Jovel, G.H. Towers, T.R. Wahbe, and D. Cho. 2007. Antioxidant and antimicrobial activities of Native Rosa Sp. from British Columbia, Canada. *International Journal of Food*

Sciences and Nutrition. 58(3): 178-189. Aboriginal Affairs and Northern Development Canada (AANDC). 2025. Website: <https://aandc.gc.ca/FNP/Main/Index.aspx> <https://fnp-ppn.aadnc-aandc.gc.ca/FNP/Main/Index.aspx>. Accessed February 2025.

APPENDIX B

DETAILED DATA ANALYSIS

APPENDIX B: DETAILED DATA ANALYSIS

1.0 WATER QUALITY

The 2024 water quality data were assessed as per the data assessment approach described in detail in the EARMP community program framework (see Appendix A). Concentrations of the reduced chemical list were compared to:

1. Canadian Drinking Water Quality Guidelines (CDWQG; HC 2024) and the Saskatchewan Environmental Quality Guidelines (SEQG) for the protection of freshwater aquatic life (GS 2025);
2. regional reference data;
3. previous monitoring phases; and
4. the most recent Human Health Risk Assessment for the region.

Summaries of available guidelines, regional reference data, and the 2011 to 2024 EARMP community data are presented in Appendix B, Figure 1 and Appendix B, Table 1. If available, the CDWQG are presented on the graphs, since the EARMP community program is most concerned with human health. If CDWQG are not available for a certain chemical, then the SEQG were included on the graph. The detailed water chemistry results are presented in Appendix C, Table 1.

In 2024, concentrations of most chemicals were very low and in the case of the following chemical endpoints the concentrations were at or below the lowest concentrations the laboratory can measure:

- Cadmium,
- Cobalt,
- Lead,
- Mercury,
- Selenium,
- Vanadium
- Lead-210,
- Polonium-210, and
- Thorium-230.

All chemical concentrations measured near the communities were below available CDWQG or SEQG (Appendix B, Figure 1 and Appendix B, Table 1). The pH levels at all locations were within the SEQG. In addition, all chemicals were within the expected range for the region or similar to those measured in previous monitoring years.

Similar to previous years, the 2024 data indicate there have been no apparent increases in the concentrations of the chemicals assessed in the community water samples since the baseline sampling years. These levels remained well below available drinking water and environmental guidelines. Overall, chemicals in water were found to be within available guidelines and comparable to levels assessed in the last Human Health Risk Assessment (CanNorth 2018) that indicated there was no risk to human health associated with the EARMP community water quality.

2.0 FISH CHEMISTRY

To evaluate the EARMP community fish chemistry data, concentrations of the reduced chemical list were compared to:

1. regional reference data;
2. previous monitoring phases; and
3. the most recent Human Health Risk Assessment for the region.

The data assessment followed the approach developed as part of the EARMP community framework (see Appendix A).

In 2024, five lake trout and five lake whitefish samples were targeted for collection and received from each community. A summary of fish descriptive statistics (fork length, weight, and age) is provided in Appendix B, Figure 2 and Appendix B, Figure 3. Summaries of available chemical concentrations measured in regional reference data, baseline data, and the 2014 to 2024 EARMP community data are presented in Appendix B, Table 2. Data were graphed if >50% of the concentrations for a certain chemical were above the RDL in at least one community (Appendix B, Figure 4 and Appendix B, Figure 5). The detailed fish chemistry results are presented in Appendix C, Tables 2 to 7.

Fish sampling locations are community directed. For the most part these locations have remained consistent since the initiation of EARMP in 2011. It is noted that for Uranium City, sampling of lake whitefish and lake trout was completed in Crackingstone Inlet of Lake Athabasca as opposed to Prospector Bay from 2021 to 2023. Baseline data are available from Crackingstone Inlet from 2011 and Prospector Bay in 2012. Figures and tables reflect the two separate bays that have been sampled in Lake Athabasca.

Concentrations of chemicals in the community fish samples from 2024 that were at or below the RDL included aluminum, cadmium, molybdenum, vanadium, radium-226, and thorium-230 for all lake trout and lake whitefish samples assessed in every community.

In lake trout, of those chemicals that were above the RDL, all were within the regional reference range and similar to concentrations measured during previous monitoring years excluding mercury in Black Lake. The average concentration of mercury appeared to be decreasing in lake trout samples from Black Lake in recent years; however, the mercury level in 2024 has increased and measures slightly higher than the reference range. It should be noted that fish length is a measure used to calculate the fish consumption guidelines generated by Saskatchewan Health Authority (SHA 2023). The consumption recommendation for lake trout is generally 8 to 16 meals per month for the general population in the Northern Management Zone (SHA 2023). For this guideline to apply, lake trout should be less than 60 cm in length. In 2024, the average length of the lake trout samples from Black Lake was 57 cm (70 cm was the longest). Since mercury levels can increase with fish length (i.e., age), it is recommended that community members limit the number of large and/or old lake trout consumed.

The average level of mercury in lake trout from Uranium City also increased in 2024; however, the level was within the reference range. According to consumption guidelines for Lake Athabasca (i.e., Prospector Bay), the recommended number of meals for lake trout (< 60 cm) is 16 per month. In 2024, the average length of the lake trout samples from Uranium City was 57 cm. The First Nation Food, Nutrition and Environment study (Chan et al. 2021) states that traditional food is safe for consumption, excluding large predatory fish (i.e., lake trout) which have higher levels of mercury in some areas, particularly in northern parts of Saskatchewan.

Average uranium levels in lake trout samples from Black Lake and Uranium City both equalled the upper limit in the reference range and were highest in 2024 compared to all

other sampling years. Health Canada measures concentrations in grocery store food items as part of a Total Diet Study (TDS) and they report that uranium found in freshwater fish typically ranges from 0.00006 to 0.005 µg/g wet weight (HC 2018). The average uranium concentration found in lake trout in Black Lake and Uranium City in 2024 was 0.005 µg/g wet weight.

In recent years, the average concentration of arsenic appears to be on a decreasing trend in lake trout from Camsell Portage, Fond du Lac, and Stony Rapids. However, in 2024, average arsenic in lake trout samples from Wollaston Lake was higher than previous monitoring years (0.10 µg/g). It is noted, Health Canada reports arsenic in grocery store freshwater fish is typically 0.40 µg/g wet weight (ranging from 0.12 to 1.1 µg/g; HC 2018). Further, the arsenic level was within the regional reference range.

In lake whitefish, all chemicals above the RDL were within the reference range, excluding arsenic in Fond du Lac. However, The First Nation Food, Nutrition and Environment study (Chan et al. 2021) measured concentrations of metals and trace elements in country foods. They report that arsenic in freshwater fish is typically 0.34 µg/g wet weight (ranging from 0.02 to 0.83 µg/g). The average arsenic concentration found in lake whitefish in Fond du Lac in 2024 was 0.30 µg/g wet weight. Arsenic concentrations in lake whitefish from Black Lake, Camsell Portage and Wollaston/Hatchet Lake have fluctuated over time; however, concentrations appear to be decreasing in 2024 (Appendix B, Figure 5). The average arsenic level in lake whitefish from Uranium City has decreased in 2024 and aligns with the 2012 baseline level.

Selenium levels in lake whitefish from Uranium City had been increasing since 2021 and in 2023, the highest level of selenium was recorded. As mentioned previously, fish samples from Lake Athabasca had been acquired by community representatives from Crackingstone Inlet from 2021 to 2023. In 2024, the average selenium level in lake whitefish from Uranium City (Prospector Bay) measured below the 2012 baseline level (Appendix B, Figure 5). Arsenic concentrations in lake whitefish from Uranium City have also decreased in 2024 and aligns with the baseline level.

All selenium levels remain well below the United States Environmental Protection Agency (U.S. EPA) selenium criterion for fish muscle tissue of 11.3 µg/g dry weight (U.S. EPA 2021) and the more recent Canadian fish whole-body environmental quality guideline of 6.7 µg/g dry weight. Selenium levels in lake whitefish from Stony Rapids and Wollaston Lake

have appear to have decreased in 2024. Mercury levels in lake whitefish from Black Lake and Uranium City have increased in 2024; however, both concentrations remain within reference range and are similar to baseline levels.

In both lake trout and lake whitefish from all communities, measured concentrations of radionuclides for the most part have remained at or near to the RDLs. According to available guidelines and results from the last HHRA, there are no risks or concerns associated with the 2024 EARMP community fish quality.

Mercury and uranium in lake trout from Black Lake and Uranium City, arsenic in lake trout from Wollaston/Hatchet Lake, arsenic in lake whitefish from Fond du Lac, and mercury from lake whitefish in Black Lake and Uranium City will be monitored again in 2025/2026 along with the full suite chemical endpoints in all communities.

3.0 MAMMAL CHEMISTRY

To evaluate the EARMP community snowshoe hare chemistry data, concentrations of the reduced chemical list were compared to:

1. previous monitoring phases.

No comparisons are available to regional reference due to the limited number of samples available in the region. In 2024, snowshoe hare samples from Camsell Portage (n = 3), Fond du Lac (n = 3), Uranium City (n = 3), and Hatchet Lake/Wollaston Lake (n = 2) were submitted for chemical analysis. Note that some snowshoe hare samples from Uranium City for the 2024 year were collected in the first months of 2025. Data were graphed if >50% of the concentrations for a certain chemical were above the RDL in at least one community (Appendix B, Figure 6). The raw chemistry results are presented in Appendix C, Table 13.

Concentrations of chemicals that were at or below the RDL in all samples in all communities included aluminum, molybdenum, uranium, vanadium, lead-210, radium-226, and thorium-230. Of the chemicals that met the graphing criteria, only lead in Fond du Lac merits further discussion.

The lead concentration measured in the single 2024 snowshoe hare sample collected at Fond du Lac is an outlier with respect to both historical collections for this site and the other sampling areas. It was communicated by the Fond du Lac community sampling member that one snowshoe hare sample was indeed shot. Results such as this are often an indicator of contamination by lead ammunition. Contamination of traditional foods by lead-based ammunition was also identified as an issue by the First Nations Food, Nutrition and Environment study (Chan et al. 2021).

4.0 BIRD CHEMISTRY

To evaluate the EARMP community spruce grouse and willow ptarmigan flesh chemistry data, concentrations of the reduced chemical list were compared to:

1. previous monitoring phases (spruce grouse only).

No comparisons are available to regional reference or baseline due to the limited number of samples available in the region. In 2024/2025, three spruce grouse samples were collected from Camsell Portage, Fond du Lac, Wollaston Lake and three willow ptarmigan samples were collected from Uranium City. Note that spruce grouse was the target bird species; however, the community sampling member from Uranium City communicated that spruce grouse were scarce this year (2024). Thus, willow ptarmigan samples were harvested in the early months of 2025. Spruce grouse data were graphed if >50% of the concentrations for a certain chemical were above the RDL in at least one community (Appendix B, Figure 7). The raw chemistry results are presented in Appendix C, Table 14.

Levels of uranium, vanadium, lead-210, radium-226, and thorium-230 were at or below RDLs in all of the spruce grouse samples from all communities. Furthermore, levels of aluminum, arsenic, mercury, molybdenum, and uranium were below RDLs in the willow ptarmigan samples from Uranium City. In all instances, the chemicals that measured above RDLs in all spruce grouse samples were similar to the chemical measured in 2017 and 2021.

The lead concentrations measured in the 2024 spruce grouse samples collected at Wollaston Lake are evident outliers when compared to historical lead concentrations for this site and to the other sampling areas. The high lead result is believed to be due to

contamination by lead ammunition as it was verified by the Wollaton Lake community sampling member that the spruce grouse samples were shot.

Consumers should be aware of the potential risk of eating game killed by lead shot, and hunters should consider using steel or other alternatives, rather than lead shot to avoid exposure to lead that could be hazardous to both children and adults. Studies have shown that lead gunshot undergoes fragmentation on impact with game and that lead fragments cause contamination of meat and increased exposure of lead to human consumers (Tsuji et al. 2008; Iqbal et al. 2009; Pain et al. 2010).

5.0 LITERATURE CITED

- CanNorth (Canada North Environmental Services). 2018. Human Health Risk Assessment for the Eastern Athabasca Basin. Prepared for the Government of Saskatchewan and Canadian Nuclear Safety Commission. October 2018.
- Chan, H.M., K. Fediuk, M. Batal, T. Sadik, C. Tikhonov, A. Ing and L. Barwin. 2021. The First Nations Food, Nutrition and Environment Study (2008–2018)—rationale, design, methods and lessons learned. *Canadian Journal of Public Health* 112, supplement S8 – S19. <https://doi.org/10.17269/s41997-021-00480-0>
- GS (Government of Saskatchewan). 2025. Saskatchewan environmental quality guidelines for freshwater aquatic life. Website: <https://environment-quality-guides.saskatchewan.ca>.
- HC (Health Canada). 2018. Canadian Total Diet Study Website: https://www.fnfnes.ca/docs/FNFNES_Supplemental_Data_Report_2022-02-25.pdf.
- HC (Health Canada). 2024. Guidelines for Canadian drinking water quality summary table. August 2024.
- Iqbal, S, W. Blumenthal, C. Kennedy, F.Y. Yip, S. Pickard, W.D. Flanders, K. Loring, K. Kruger, K.L. Caldwell, and M.J. Brown. 2009. Hunting with lead: association between blood lead levels and wild game consumption. *Environmental Research* 109 (2009) 952–959.
- Pain D.J., R.L. Cromie, J. Newth, M.J. Brown, E. Crutcher, P. Hardman, L. Hurst, R. Mateo, A.A. Meharg, A.C. Moran, A. Raab, M.A. Taggart, and R.E. Green. 2010. Potential hazard to human health from exposure to fragments of lead bullets and shot in the tissues of game animals. *PLoS ONE* 5(4): e10315. doi: 10.1371/journal.pone.0010315.


SHA (Saskatchewan Health Authority) 2023. Mercury in Saskatchewan Fish Guidelines for Consumption. Website: <https://pubsaskdev.blob.core.windows.net/pubsask-prod/146616/Mercury-in-SK-Fish-Report2023.pdf>

Tsuji, L.J.S., Wainman, B.C., Martin, I.D., Sutherland, C., Weber, J.P., Dumas, P., and Nieboer, E. 2008. The identification of lead ammunition as a source of lead exposure in First Nations: the use of lead isotope ratios. *Science of the Total Environment*, 393: 291-298.


U.S. EPA (United States Environmental Protection Agency). 2021. Technical Support for Fish Tissue Monitoring for Implementation of EPA's 2016 Selenium Criterion Draft

LIST OF FIGURES

Appendix B, Figure 1	Mean levels of chemicals in water from the EARMP community study area, 2011 to 2024.
Appendix B, Figure 2	Mean length, weight, and age of lake trout assessed by EARMP, 2011 to 2024.
Appendix B, Figure 3	Mean length, weight, and age of lake whitefish assessed by EARMP, 2011 to 2024.
Appendix B, Figure 4	Mean levels of chemicals in lake trout from the EARMP community study areas, 2011 to 2024.
Appendix B, Figure 5	Mean levels of chemicals in lake whitefish from the EARMP community study areas, 2011 to 2024.
Appendix B, Figure 6	Mean levels of chemicals in snowshoe hare from the EARMP community study areas, 2011 to 2024.
Appendix B, Figure 7	Mean levels of chemicals in spruce grouse from the EARMP community study areas, 2011 to 2024.




Appendix B, Figure 1
Mean levels of chemicals in water from the EARMP community study area, 2011 to 2024.




Appendix B, Figure 1

Mean levels of chemicals in water from the EARMP community study area, 2011 to 2024.




Appendix B, Figure 1

Mean levels of chemicals in water from the EARMP community study area, 2011 to 2024.




Appendix B, Figure 1

Mean level of chemicals in water from the EARMP community study area, 2011 to 2024.



*Fish from Uranium City have been collected from both Cracklingstone Inlet and Prospectors Bay of Lake Athabasca by community members.


Appendix B, Figure 2
Mean length, weight, and age of lake trout assessed by EARMP, 2011 to 2024.



*Fish from Uranium City have been collected from both Cracklingstone Inlet and Prospector Bay of Lake Athabasca by community members.

Appendix B, Figure 3


Mean length, weight, and age of lake whitefish assessed by EARMF, 2011 to 2024.



*Fish from Uranium City have been collected from both Crackingstone Inlet and Prospector Bay of Lake Athabasca by community members.

Appendix B, Figure 4


Mean levels of chemicals in lake trout from the EARMP community study areas, 2011 to 2024.



*Fish from Uranium City have been collected from both Crackingstone Inlet and Prospectors Bay of Lake Athabasca by community members.


Appendix B, Figure 4

Mean levels of chemicals in lake trout from the EARMF community study areas, 2011 to 2024.



Appendix B, Figure 4


Mean levels of chemicals in lake trout from the EARMP community study areas, 2011 to 2024.



*Fish from Uranium City have been collected from both Crackingstone Inlet and Prospector Bay of Lake Athabasca by community members.

Appendix B, Figure 5


Mean levels of chemicals in lake whitefish from the EARMF community study areas, 2011 to 2024.



*Fish from Uranium City have been collected from both Cracklingstone Inlet and Prospector Bay of Lake Athabasca by community members.

Appendix B, Figure 5


Mean levels of chemicals in lake whitefish from the EARMP community study areas, 2011 to 2024.




*Fish from Uranium City have been collected from both Cracklingstone Inlet and Prospector Bay of Lake Athabasca by community members.

Appendix B, Figure 5


Mean levels of chemicals in lake whitefish from the EARMP community study areas, 2011 to 2024.



Appendix B, Figure 6
Mean levels of chemicals in snowshoe hare from the EARMP community study areas, 2011 to 2024.




Appendix B, Figure 6
Mean levels of chemicals in snowshoe hare from the EARMP community study areas, 2011 to 2024.




Appendix B, Figure 6

Mean levels of chemicals in snowshoe hare from the EARMP community study areas, 2011 to 2024.




Appendix B, Figure 7

Mean levels of chemicals in spruce grouse from the EARMF community study areas, 2011 to 2024.




Appendix B, Figure 7

Mean levels of chemicals in spruce grouse from the EARMP community study areas, 2011 to 2024.



Appendix B, Figure 7

Mean levels of chemicals in spruce grouse from the EARMP community study areas, 2011 to 2024.



Appendix B, Figure 7

Mean levels of chemicals in spruce grouse from the EARMP community study areas, 2011 to 2024.

LIST OF TABLES

Appendix B, Table 1	Fall water chemistry results for the EARMP community program, 2011 to 2024.
Appendix B, Table 2	Summary fish flesh chemistry results for the EARMP community program, 2011 to 2024.
Appendix B, Table 3	Summary of snowshoe hare flesh chemistry for the EARMP community program, 2011 to 2024.
Appendix B, Table 4	Summary of spruce grouse and willow ptarmigan flesh chemistry results for the EARMP community program, 2017 to 2024.

Appendix B, Table 1
Fall water chemistry results for the EARMF community program, 2011 to 2024.

Chemical ¹	Regional Reference Range (n = 249) ^{2,3}			SEQG ⁴	CDWQG ⁵
	Lower Limit	Median	Upper Limit		
Metals					
Aluminum ⁶	0.0013	0.0059	0.1116	0.05	0.1
Arsenic (µg/L)	0.1	0.1	0.24	5	10
Cadmium ⁷	0.00001	0.00001	0.00003	0.00004 to 0.00008	0.007
Cobalt ^{8,9}	0.0001	0.0001	0.0001	0.00078	-
Copper	0.0002	0.0002	0.0004	0.007	1.0
Iron	0.003	0.111	0.774	0.3	0.3
Lead ⁷	0.0001	0.0001	0.0007	0.001	0.005
Mercury (µg/L) ¹⁰	0.01	0.01	0.07	0.005	1.0
Molybdenum	0.0001	0.0001	0.0008	31	-
Nickel ⁷	0.0001	0.0001	0.00013	0.025	-
Selenium	0.0001	0.0001	0.0002	0.002	0.05
Uranium (µg/L)	0.1	0.1	0.86	15	20
Vanadium ⁸	0.0001	0.0001	0.0002	0.12	-
Zinc	0.0005	0.0011	0.0069	0.03	5.0
Nutrients					
Ammonia as N ¹¹	0.01	0.02	0.31	0.86 to 84	-
Physical Properties					
pH (pH units)	-	-	-	6.5 to 9.0	7.0 to 10.5
Specific Conductivity (µS/cm)	-	-	-	-	-
Total Hardness	-	-	-	-	-
Radionuclides					
Lead-210 (Bq/L)	0.02	0.02	0.03	-	0.2
Polonium-210 (Bq/L)	0.005	0.005	0.01	-	-
Radium-226 (Bq/L)	0.005	0.005	0.012	0.11	0.5
Thorium-230 (Bq/L)	0.01	0.01	0.031	-	-

Appendix B, Table 1
Fall water chemistry results for the EARMF community program, 2011 to 2024.

Chemical ¹	SEQG ⁴	CDWQG ⁵	Black Lake											
			Black Lake											
			2011	2012	2013	2014	2017	2018	2019	2020	2021	2022	2023	2024
Metals														
Aluminum ⁶	0.05	0.1	0.002	0.0026	0.0026	0.0027	0.0061	0.0073	0.0069	0.0066	0.008	0.0059	0.0021	0.0037
Arsenic (µg/L)	5	10	0.1	0.1	0.2	0.2	<0.1	0.2	0.2	0.1	<0.1	0.2	0.1	0.2
Cadmium ⁷	0.00004 to 0.00008	0.007	0.00001	0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001
Cobalt ^{8,9}	0.00078	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	0.007	1.0	<0.0002	<0.0002	0.0003	<0.0002	<0.0002	0.0005	<0.0005	<0.0002	0.0002	<0.0002	<0.0002	<0.0002
Iron	0.3	0.3	0.026	0.013	0.022	0.021	0.022	0.17	0.027	0.065	0.028	0.038	0.03	0.028
Lead ⁷	0.001	0.005	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Mercury (µg/L) ¹⁰	0.005	1	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	31	-	0.0002	0.0001	0.0001	0.0001	0.0001	<0.0001	0.0001	<0.0001	0.0001	<0.0001	0.0001	0.0001
Nickel ⁷	0.025	-	0.0002	0.0001	0.0001	<0.0001	0.0001	0.0001	0.0001	0.0001	0.0002	0.0001	0.0001	0.0001
Selenium	0.002	0.05	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Uranium (µg/L)	15	20	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Vanadium ⁸	0.12	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	0.03	5.0	0.0018	<0.0005	<0.0005	<0.0005	<0.0005	0.0019	0.0007	<0.0005	0.0006	<0.0005	0.0009	<0.0005
Nutrients														
Ammonia as N ¹¹	0.86 to 84	-	<0.01	<0.01	<0.01	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Physical Properties														
pH (pH units)	6.5 to 9.0	7.0 to 10.5	7.12	7.18	7.38	6.76	7.34	7.48	7.08	7.05	7.05	7.12	6.54	6.77
Specific Conductivity (µS/cm)	-	-	40	38	38	43	29	28	31	26	30	34	39	36
Total Hardness	-	-	14	13	29	14	12	13	12	12	10	11	13	14
Radionuclides														
Lead-210 (Bq/L)	-	0.2	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Polonium-210 (Bq/L)	-	-	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	0.11	0.5	<0.005	0.009	<0.005	0.008	<0.005	<0.005	0.01	<0.005	<0.005	<0.005	<0.005	<0.005
Thorium-230 (Bq/L)	-	-	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

Appendix B, Table 1
Fall water chemistry results for the EARMF community program, 2011 to 2024.

Chemical ¹	SEQG ⁴	CDWQG ⁵	Camsell Portage									
			Ellis Bay, Lake Athabasca									
			2011	2012	2013	2014	2017	2019	2021	2022	2023	2024
Metals												
Aluminum ⁶	0.05	0.1	0.0016	0.001	0.0044	0.0022	0.0027	0.0039	0.0036	0.0056	0.0022	0.0013
Arsenic (µg/L)	5	10	0.1	0.2	0.2	0.2	0.2	0.2	<0.1	0.1	0.1	0.2
Cadmium ⁷	0.00004 to 0.00008	0.007	0.00001	0.00001	<0.00001	<0.00001	0.00001	<0.00001	<0.00001	0.00002	<0.00001	<0.00001
Cobalt ^{8,9}	0.00078	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	0.007	1.0	<0.0002	0.0002	<0.0002	<0.0002	0.0002	0.0005	0.0002	0.0004	0.0003	0.0003
Iron	0.3	0.3	0.0049	0.0044	0.0078	0.0056	0.0054	0.0052	0.01	0.011	0.0051	0.0042
Lead ⁷	0.001	0.005	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0002	0.0002	0.0002	<0.0001	<0.0001
Mercury (µg/L) ¹⁰	0.005	1	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	31	-	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	<0.0001	0.0002	0.0002	0.0002
Nickel ⁷	0.025	-	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0003	0.0002	0.0002
Selenium	0.002	0.05	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Uranium (µg/L)	15	20	<0.1	<0.1	0.1	0.1	0.1	<0.1	0.2	0.2	<0.1	0.1
Vanadium ⁸	0.12	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	0.03	5.0	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0008	<0.0005	<0.0005	<0.0005	<0.0005
Nutrients												
Ammonia as N ¹¹	0.86 to 84	-	<0.01	<0.01	<0.01	0.05	<0.01	<0.01	0.02	0.02	<0.01	< 0.01
Physical Properties												
pH (pH units)	6.5 to 9.0	7.0 to 10.5	7.46	7.50	7.71	7.26	7.70	7.49	7.58	7.51	6.80	7.09
Specific Conductivity (µS/cm)	-	-	66	69	69	73	66	63	70	65	61	64
Total Hardness	-	-	26	26	47	27	26	26	27	24	23	24
Radionuclides												
Lead-210 (Bq/L)	-	0.2	<0.02	<0.02	0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Polonium-210 (Bq/L)	-	-	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	0.11	0.5	<0.005	<0.005	<0.005	<0.005	0.009	<0.005	0.006	0.006	<0.005	0.007
Thorium-230 (Bq/L)	-	-	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

Appendix B, Table 1
Fall water chemistry results for the EARMF community program, 2011 to 2024.

Chemical ¹	SEQG ⁴	CDWQG ⁵	Fond du Lac											
			Fond du Lac River											
			2011	2012	2013	2014	2017	2018	2019	2020	2021	2022	2023	2024
Metals														
Aluminum ⁶	0.05	0.1	0.014	0.02	0.011	0.019	0.011	0.011	0.008	0.013	0.035	0.012	0.01	0.0067
Arsenic (µg/L)	5	10	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1
Cadmium ⁷	0.00004 to 0.00008	0.007	0.00002	<0.00001	0.00001	<0.00001	0.00003	0.00001	<0.00001	<0.00001	0.00002	0.00001	<0.00001	<0.00001
Cobalt ^{8,9}	0.00078	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	0.007	1.0	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	0.0002	0.0003	0.0011	0.0002	0.0002	0.0002
Iron	0.3	0.3	0.023	0.03	0.017	0.023	0.021	0.023	0.016	0.047	0.087	0.088	0.012	0.021
Lead ⁷	0.001	0.005	<0.0001	<0.0001	<0.0001	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0032	<0.0001	<0.0001	<0.0001
Mercury (µg/L) ¹⁰	0.005	1	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	31	-	0.0001	0.0001	0.0001	<0.0001	0.0001	0.0001	0.0001	0.0001	0.0002	0.0001	<0.0001	<0.0001
Nickel ⁷	0.025	-	0.0002	0.0002	0.0003	0.0002	0.0001	0.0002	0.0002	0.0002	0.0004	0.0002	0.0001	0.0002
Selenium	0.002	0.05	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Uranium (µg/L)	15	20	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Vanadium ⁸	0.12	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	0.03	5.0	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0009	<0.0005	<0.0005	0.016	<0.0005	0.0006	<0.0005
Nutrients														
Ammonia as N ¹¹	0.86 to 84	-	<0.01	<0.01	<0.01	0.04	0.02	<0.01	<0.01	<0.01	0.04	0.01	<0.01	<0.01
Physical Properties														
pH (pH units)	6.5 to 9.0	7.0 to 10.5	7.22	7.14	6.86	6.88	7.32	7.48	7.15	7.16	7.28	7.20	6.59	6.81
Specific Conductivity (µS/cm)	-	-	39	44	42	44	32	28	32	27	27	38	36	36
Total Hardness	-	-	14	15	15	15	13	13	13	13	11	14	13	13
Radionuclides														
Lead-210 (Bq/L)	-	0.2	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Polonium-210 (Bq/L)	-	-	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	0.11	0.5	<0.005	<0.005	<0.005	<0.005	0.005	<0.005	<0.005	<0.005	<0.005	0.008	<0.005	<0.005
Thorium-230 (Bq/L)	-	-	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

Appendix B, Table 1
Fall water chemistry results for the EARMF community program, 2011 to 2024.

Chemical ¹	SEQG ⁴	CDWQG ⁵	Stony Rapids											
			Fond du Lac River											
			2011	2012	2013	2014	2017	2018	2019	2020	2021	2022	2023	2024
Metals														
Aluminum ⁶	0.05	0.1	0.018	0.0084	0.012	0.012	0.014	0.0099	0.0093	0.017	0.0037	0.01	0.0058	0.011
Arsenic (µg/L)	5	10	0.2	0.2	0.2	0.1	0.1	0.2	0.1	0.1	<0.1	0.1	0.2	0.1
Cadmium ⁷	0.00004 to 0.00008	0.007	0.00002	<0.00001	0.00001	<0.00001	0.00001	0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001
Cobalt ^{8,9}	0.00078	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	0.007	1.0	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0003
Iron	0.3	0.3	0.074	0.045	0.037	0.034	0.05	0.06	0.031	0.084	0.016	0.034	0.031	0.037
Lead ⁷	0.001	0.005	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Mercury (µg/L) ¹⁰	0.005	1	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	31	-	0.0002	0.0002	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	<0.0001	<0.0001	<0.0001
Nickel ⁷	0.025	-	0.0002	0.0001	0.0002	0.0001	0.0001	0.0002	0.0002	0.0002	0.0001	0.0002	0.0001	0.0002
Selenium	0.002	0.05	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Uranium (µg/L)	15	20	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Vanadium ⁸	0.12	-	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	0.03	5.0	<0.0005	<0.0005	<0.0005	<0.0005	0.0006	<0.0005	0.0008	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
Nutrients														
Ammonia as N ¹¹	0.86 to 84	-	<0.01	<0.01	0.05	0.04	0.01	<0.01	<0.01	<0.01	0.02	0.03	<0.01	<0.01
Physical Properties														
pH (pH units)	6.5 to 9.0	7.0 to 10.5	7.30	7.30	7.38	6.89	7.39	7.53	7.13	7.08	7.13	7.14	6.53	6.80
Specific Conductivity (µS/cm)	-	-	39	40	36	38	28	25	27	25	36	30	36	32
Total Hardness	-	-	13	14	31	13	12	12	12	12	11	11	13	12
Radionuclides														
Lead-210 (Bq/L)	-	0.2	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.02	<0.02	<0.02
Polonium-210 (Bq/L)	-	-	<0.006	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	0.11	0.5	<0.005	0.01	<0.005	<0.005	<0.005	<0.005	<0.005	0.006	<0.005	0.005	<0.005	<0.005
Thorium-230 (Bq/L)	-	-	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

Appendix B, Table 1
Fall water chemistry results for the EARMF community program, 2011 to 2024.

Chemical ¹	SEQG ⁴	CDWQG ⁵	Uranium City											
			Fredette River											
			2011	2012	2013	2014	2017	2018	2019	2020	2021	2022	2023	2024
Metals														
Aluminum ⁶	0.05	0.1	0.0051	0.0051	0.0057	0.0033	0.004	0.0033	0.0059	0.0076	0.0068	0.005	0.0034	0.0024
Arsenic (µg/L)	5	10	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1
Cadmium ⁷	0.00004 to 0.00008	0.007	0.00001	0.00001	0.00002	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	0.00001	0.00001	<0.00001	<0.00001
Cobalt ^{8,9}	0.00078	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	0.007	1.0	<0.0002	<0.0002	0.0006	<0.0002	<0.0002	0.0004	0.0003	0.0003	0.0004	0.0003	0.0003	0.0003
Iron	0.3	0.3	0.031	0.041	0.05	0.027	0.045	0.028	0.029	0.032	0.056	0.041	0.04	0.023
Lead ⁷	0.001	0.005	<0.0001	<0.0001	0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Mercury (µg/L) ¹⁰	0.005	1	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	31	-	0.0004	0.0004	0.0004	0.0004	0.0005	0.0004	0.0004	0.0004	0.0005	0.0004	0.0004	0.0004
Nickel ⁷	0.025	-	0.0001	0.0001	0.0002	0.0001	<0.0001	0.0001	0.0001	0.0001	0.0002	0.0002	0.0001	0.0001
Selenium	0.002	0.05	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002
Uranium (µg/L)	15	20	3.5	1.3	1.4	1.7	1.0	1.0	1.0	1.0	0.6	0.7	0.5	0.8
Vanadium ⁸	0.12	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	0.03	5.0	0.0014	<0.0005	0.0013	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0005	<0.0005	<0.0005	0.0007
Nutrients														
Ammonia as N ¹¹	0.86 to 84	-	<0.01	0.03	0.05	0.07	0.06	<0.01	0.12	0.04	0.03	0.01	<0.01	0.02
Physical Properties														
pH (pH units)	6.5 to 9.0	7.0 to 10.5	7.75	7.72	7.94	7.46	8.00	8.11	7.72	7.72	7.71	7.79	7.08	7.52
Specific Conductivity (µS/cm)	-	-	114	112	113	114	102	98	101	92	91	89	95	98
Total Hardness	-	-	49	52	80	53	49	52	49	49	41	40	46	46
Radionuclides														
Lead-210 (Bq/L)	-	0.2	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Polonium-210 (Bq/L)	-	-	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	0.11	0.5	0.008	0.01	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	0.007	<0.005	<0.005	<0.005
Thorium-230 (Bq/L)	-	-	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

Appendix B, Table 1
Fall water chemistry results for the EARMF community program, 2011 to 2024.

Chemical ¹	SEQG ⁴	CDWQG ⁵	Wollaston Lake/Hatchet Lake											
			Wollaston Lake											
			2011	2012	2013	2014	2017	2018	2019	2020	2021	2022	2023	2024
Metals														
Aluminum ⁶	0.05	0.1	0.0047	0.014	0.0074	0.0069	0.0058	0.005	0.0068	0.006	0.0049	0.0045	0.0039	0.0026
Arsenic (µg/L)	5	10	<0.1	<0.1	0.1	0.1	0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	0.1
Cadmium ⁷	0.00004 to 0.00008	0.007	0.00001	<0.00001	<0.00001	<0.00001	0.00014	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	0.00001	<0.00001
Cobalt ^{8,9}	0.00078	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	0.007	1.0	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Iron	0.3	0.3	0.014	0.035	0.043	0.034	0.046	0.013	0.011	0.014	0.014	0.01	0.012	0.0059
Lead ⁷	0.001	0.005	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Mercury (µg/L) ¹⁰	0.005	1	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	31	-	0.0012	0.0012	0.001	0.0009	0.0008	0.0007	0.0006	0.0006	0.0001	0.0005	0.0005	0.0005
Nickel ⁷	0.025	-	0.0001	0.0001	0.0001	<0.0001	<0.0001	0.0001	0.0001	<0.0001	0.0001	0.0004	<0.0001	<0.0001
Selenium	0.002	0.05	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Uranium (µg/L)	15	20	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Vanadium ⁸	0.12	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	0.03	5.0	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0008	<0.0005	0.0007	<0.0005	<0.0005	<0.0005
Nutrients														
Ammonia as N ¹¹	0.86 to 84	-	<0.01	<0.01	<0.01	0.04	<0.01	0.08	0.07	<0.01	0.02	<0.01	<0.01	0.02
Physical Properties														
pH (pH units)	6.5 to 9.0	7.0 to 10.5	7.10	7.12	7.37	6.91	7.38	7.53	7.11	7.14	7.15	7.10	6.60	6.70
Specific Conductivity (µS/cm)	-	-	34	37	34	36	32	27	30	25	29	30	26	29
Total Hardness	-	-	13	13	28	12	12	12	12	12	11	10	11	11
Radionuclides														
Lead-210 (Bq/L)	-	0.2	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Polonium-210 (Bq/L)	-	-	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	0.11	0.5	<0.005	0.009	<0.005	<0.005	<0.005	<0.005	0.005	<0.005	<0.005	<0.005	0.006	<0.005
Thorium-230 (Bq/L)	-	-	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

Bolded values indicate values that exceeded applicable guidelines.

¹All values are in mg/L, unless specified otherwise.

²Regional reference data are from reference lakes north of Points North sampled between 2006 and 2014. The median corresponds to the 50th percentile, while the lower and upper limits are the 2.5th and 97.5th percentiles that delimit the 95% range of the reference data.

³Regional reference ranges could not be computed when all or nearly all values were lower than the reported detection limit (RDL).

⁴SEQG = Saskatchewan Environmental Quality Guidelines for freshwater aquatic life.

⁵CDWQG = Canadian Drinking Water Quality Guidelines from Health Canada.

⁶Total aluminum guideline is based on field pH measurements: 0.05 mg/L if pH ≥6.5, if pH <6.5 the following formula is used: SEQG=EXP((1.6-3.327*(pH)+0.402*(pH)^2)).

⁷Cadmium, lead, and nickel guidelines were calculated using the site-specific hardness.

⁸No SEQG exists, therefore, the guideline is based on the Federal Environmental Quality Guidelines (FEQG).

⁹FEQG total cobalt guideline is based on hardness. Guideline is derived using the formula: FEQG=EXP (0.414*(LN(Hardness))-1.887).

¹⁰The SEQG for mercury decreased from 0.026 µg/L to 0.005 µg/L in 2023. Detection limits were improved in 2015; hence data prior appear to be higher than the guideline.

¹¹A temperature of 10 °C and lab pH were used to derive guideline.

Sources: ECCC 2021, HC 2024, GS 2025.

Appendix B, Table 2
Summary fish flesh chemistry results for the EARMP community program, 2011 to 2024.

Chemical ¹	Regional Reference Range ^{2,3}							
	Lake Trout				Lake Whitefish			
	Lower Limit	Median	Upper Limit	n	Lower Limit	Median	Upper Limit	n
Metals								
Aluminum	0.05	0.2	0.7	10	<0.01	0.08	0.6	28
Arsenic	0.010	0.030	0.35	59	<0.01	0.034	0.14	69
Cadmium	-	-	-	54	-	-	-	69
Cobalt	<0.002	<0.002	0.005	54	0.002	0.002	0.03	69
Copper	0.15	0.29	0.91	59	0.10	0.20	0.43	69
Iron	1.3	3.5	12	59	0.56	2.4	6.9	69
Lead	<0.002	<0.002	0.01	54	<0.002	<0.002	0.02	69
Mercury	<0.04	0.18	0.48	44	<0.01	0.05	0.30	59
Molybdenum	-	-	-	54	-	-	-	69
Nickel	-	-	-	54	<0.01	<0.01	0.04	69
Selenium	0.14	0.22	0.48	59	0.091	0.27	0.63	69
Uranium	<0.001	<0.001	0.005	54	<0.001	<0.001	0.005	69
Vanadium	-	-	-	54	-	-	-	69
Zinc	2.3	4.2	10	59	2.4	4.2	9.4	69
Radionuclides								
Lead-210 (Bq/g)	<0.001	<0.001	0.03	54	-	-	-	69
Polonium-210 (Bq/g)	-	-	-	44	<0.0002	0.0009	0.007	42
Radium-226 (Bq/g)	0.00005	0.00006	0.0002	44	0.00005	0.00006	0.0001	64
Thorium-230 (Bq/g)	-	-	-	45	-	-	-	47

Appendix B, Table 2
Summary fish flesh chemistry results for the EARMP community program, 2011 to 2024.

Chemical ¹	Black Lake (Black Lake)																					
	Lake Trout																					
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2018 (n = 5)		2019 (n = 5)		2020 (n = 5)		2021 (n = 5)		2022 (n = 5)		2023 (n = 5)		2024 (n = 5)	
	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD
Metals																						
Aluminum	0.5	-	0.5	-	0.5	0.09	0.6	0.1	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-
Arsenic	0.07	0.028	0.05	0.0084	0.06	0.025	0.08	0.017	0.07	0.015	0.06	0.022	0.09	0.030	0.08	0.032	0.05	0.01	0.04	0.01	0.06	0.02
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-
Cobalt	0.002	0.0003	0.002	-	0.004	0.002	0.003	0.001	0.003	0.001	0.002	-	0.003	0.001	0.002	0.0005	0.004	0.002	0.002	0.0004	0.003	0.001
Copper	0.37	0.23	0.24	0.016	0.33	0.11	0.25	0.04	0.29	0.094	0.33	0.075	0.40	0.21	0.32	0.14	0.32	0.09	0.32	0.13	0.32	0.13
Iron	2.9	1.4	1.8	0.23	2.6	1.0	2.9	0.61	4.1	1.5	3.5	1.5	3.6	1.3	4.1	1.4	2.9	0.98	2.5	0.77	2.4	1.5
Lead	0.002	0.0008	0.002	-	0.003	0.002	0.004	0.001	0.002	0	0.002	-	0.003	0.001	0.002	-	0.002	0.0004	0.002	0.0004	0.003	0.0005
Mercury	0.31	0.11	0.40	0.084	0.44	0.073	0.35	0.045	0.44	0.083	0.39	0.061	0.35	0.18	0.57	0.11	0.51	0.082	0.48	0.13	0.54	0.24
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	-	0.01	-	0.02	0.01	0.01	0.006	0.01	-	0.01	-	0.01	0.004	0.01	0.004	0.01	0	0.01	-	0.01	0.005
Selenium	0.15	0.026	0.14	0.024	0.15	0.019	0.15	0.0058	0.12	0.014	0.11	0.022	0.15	0.025	0.14	0.016	0.15	0.011	0.14	0.03	0.15	0.02
Uranium	0.001	0.0003	0.001	-	0.001	0	0.001	-	0.001	-	0.001	-	0.001	-	0.002	0.001	0.001	-	0.001	0.0004	0.005	0.003
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	4.1	1.4	3.4	0.42	3.7	1.3	4.6	1.1	4.0	1.2	4.4	1.0	4.0	0.46	5.7	2.8	4.1	0.94	3.4	0.64	4.0	1.4
Radionuclides																						
Lead-210 (Bq/g)	0.001	0.0004	0.001	-	0.001	0	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	0.0004
Polonium-210 (Bq/g)	0.0002	0	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	0.00004	0.0002	0.00004	0.0002	-	0.0002	-	0.0002	0
Radium-226 (Bq/g)	0.00006	0.00002	0.00007	0.00002	0.00005	-	0.00006	-	0.00006	0.000005	0.00006	0.000004	0.00006	0.00002	0.00005	-	0.00006	-	0.00006	0.000004	0.00007	-
Thorium-230 (Bq/g)	0.00011	0.00003	0.0001	0.00004	0.00009	-	0.0001	-	0.0001	-	0.0001	-	0.0001	0.00005	0.0001	-	0.0001	-	0.0001	-	0.0002	-

Appendix B, Table 2
Summary fish flesh chemistry results for the EARMP community program, 2011 to 2024.

Chemical ¹	Black Lake (Black Lake)																					
	Lake Whitefish																					
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2018 (n = 5)		2019 (n = 5)		2020 (n = 5)		2021 (n = 5)		2022 (n = 5)		2023 (n = 5)		2024 (n = 5)	
	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD
Metals																						
Aluminum	0.5	-	0.5	-	0.5	-	0.5	-	0.5	0	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-
Arsenic	0.18	0.14	0.02	0.0089	0.17	0.056	0.22	0.17	0.14	0.12	0.10	0.05	0.15	0.076	0.066	0.026	0.07	0.06	0.06	0.02	0.04	0.01
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	0.0004	0.002	-	0.002	-	0.002	-
Cobalt	0.003	0.0009	0.003	0.001	0.004	0.003	0.003	0.002	0.003	0.001	0.002	0.001	0.004	0.002	0.004	0.001	0.011	0.003	0.004	0.001	0.002	0
Copper	0.19	0.051	0.11	0.088	0.26	0.19	0.14	0.036	0.29	0.19	0.17	0.045	0.16	0.027	0.22	0.041	0.24	0.032	0.18	0.06	0.13	0.02
Iron	2.1	0.93	1.5	0.61	2.3	1.2	3	0.87	4.6	2.6	2.3	0.41	2.1	0.6	1.7	0.50	3.1	0.66	1.9	0.50	1.2	0.33
Lead	0.002	0.0004	0.002	-	0.002	0.0004	0.003	0.001	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.003	0.0008
Mercury	0.12	0.059	0.06	0.026	0.10	0.024	0.09	0.03	0.11	0.02	0.12	0.02	0.09	0.03	0.14	0.08	0.10	0.028	0.08	0.03	0.16	0.04
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	0	0.01	-	0.01	0.005	0.02	0.02	0.01	-	0.01	-	0.01	-	0.01	0.004	0.01	-	0.01	0.004	0.01	-
Selenium	0.27	0.065	0.22	0.048	0.30	0.047	0.4	0.067	0.21	0.06	0.16	0.033	0.18	0.065	0.19	0.036	0.2	0.16	0.15	0.01	0.17	0.025
Uranium	0.001	0.0003	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	0.0005	0.001	0	0.002	0.002	0.002	-
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	4.6	1.1	3.9	0.52	3.8	0.68	4.6	0.35	4.2	0.9	3.3	0.55	4.4	1.1	4.7	1.1	4.1	0.24	7.4	6.8	3.7	0.69
Radionuclides																						
Lead-210 (Bq/g)	0.002	0.001	0.001	0	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	0
Polonium-210 (Bq/g)	0.0004	0.0003	0.0004	0.0002	0.0002	0.00005	0.0005	0.0001	0.0003	0.0001	0.00022	-	0.0005	0.0003	0.0002	0.00004	0.0002	0.0001	0.0002	0.00004	0.0002	0
Radium-226 (Bq/g)	0.0004	0.0007	0.0002	0.0001	0.00009	0.00006	0.00006	-	0.000054	0.000005	0.00006	0.000005	0.00006	0.000005	0.00006	-	0.00007	-	0.00006	-	0.00008	-
Thorium-230 (Bq/g)	0.0005	0.0008	0.0001	0.00004	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.00012	-	0.0001	-	0.0002	-

Appendix B, Table 2
Summary fish flesh chemistry results for the EARMP community program, 2011 to 2024.

Chemical ¹	Camsell Portage (Ellis Bay)																			
	Lake Trout																			
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2019 (n = 5)		2020 (n = 2)		2021 (n = 5)		2022 (n = 5)		2023 (n = 5)		2024 (n = 5)	
	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD
Metals																				
Aluminum	0.5	-	0.5	-	0.5	0.09	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-
Arsenic	0.11	0.071	0.08	0.038	0.09	0.032	0.10	0.027	0.11	0.075	0.19	-	0.15	0.12	0.15	0.086	0.08	0.027	0.08	0.025
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-
Cobalt	0.002	0.0004	0.002	0	0.003	0.0008	0.002	0.0006	0.002	-	0.002	-	0.002	-	0.003	0.001	0.002	0.0004	0.002	0.0004
Copper	0.34	0.15	0.28	0.063	0.31	0.083	0.39	0.12	0.26	0.021	0.38	-	0.24	0.082	0.25	0.07	0.26	0.08	0.27	0.09
Iron	2.8	1.5	2.1	0.45	3.4	1.2	3.1	0.92	2.5	0.37	4.7	-	2.3	0.41	2.7	0.83	2.9	1.4	2.7	0.5
Lead	0.002	-	0.002	-	0.002	0.0009	0.003	0.001	0.002	-	0.002	-	0.003	0.0009	0.002	-	0.002	-	0.002	0
Mercury	0.15	0.070	0.23	0.12	0.34	0.031	0.14	0.032	0.13	0.067	0.20	-	0.22	0.062	0.28	0.06	0.32	0.10	0.24	0.04
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	0.006	0.02	0.02	0.02	0.02	0.01	0.006	0.01	-	0.01	-	0.01	-	0.01	0	0.01	-	0.01	0
Selenium	0.16	0.024	0.16	0.015	0.18	0.023	0.19	0.021	0.14	0.008	0.19	-	0.16	0.020	0.19	0.047	0.15	0.023	0.16	0.016
Uranium	0.002	0.004	0.001	-	0.001	0	0.001	0	0.001	-	0.001	-	0.001	0.0009	0.001	0	0.001	0.0004	0.002	-
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	5.0	3.1	3.3	0.36	4.6	1.4	5	1.3	3.9	2.6	5.7	-	4.5	0.72	4.9	1.3	4.3	0.7	2.9	0.3
Radionuclides																				
Lead-210 (Bq/g)	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	0
Polonium-210 (Bq/g)	0.0003	0.0002	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-
Radium-226 (Bq/g)	0.0001	0.00005	0.00007	0.00002	0.00005	-	0.00006	-	0.00007	0.000009	0.00006	-	0.00006	-	0.00006	-	0.00006	0.000004	0.00007	-
Thorium-230 (Bq/g)	0.0001	-	0.00010	0.00001	0.0001	-	0.0001	-	0.00012	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-

Appendix B, Table 2
Summary fish flesh chemistry results for the EARMP community program, 2011 to 2024.

Chemical ¹	Camsell Portage (Ellis Bay)															
	Lake Whitefish															
	Baseline (n = 7)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2021 (n = 5)		2022 (n = 5)		2023 (n = 5)		2024 (n = 5)	
	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD
Metals																
Aluminum	0.5	-	0.5	-	0.7	0.3	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-
Arsenic	0.30	0.081	0.29	0.14	0.18	0.14	0.13	0.093	0.10	0.047	0.20	0.03	0.15	0.12	0.09	0.01
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	0.001	0.0020	-	0.0020	-
Cobalt	0.003	0.002	0.003	0.001	0.006	0.002	0.005	0.001	0.008	0.006	0.004	0.001	0.004	0.003	0.006	0.0032
Copper	0.18	0.092	0.17	0.063	0.24	0.068	0.23	0.042	0.19	0.036	0.26	0.11	0.19	0.06	0.22	0.02
Iron	2.2	1.1	2.6	0.75	3.2	0.95	2.4	0.53	1.5	0.69	2.4	0.78	1.6	0.71	2.1	0.26
Lead	0.002	0.0004	0.002	-	0.006	0.002	0.002	-	0.002	0.0009	0.002	-	0.002	-	0.002	0.0004
Mercury	0.05	0.02	0.08	0.06	0.05	0.007	0.04	0.004	0.08	0.03	0.08	0.01	0.09	0.02	0.06	0.02
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	0.004	0.01	-	0.04	0.03	0.01	-	0.01	-	0.01	-	0.01	-	0.01	0
Selenium	0.26	0.030	0.26	0.019	0.24	0.026	0.27	0.015	0.26	0.0559	0.29	0.03	0.23	0.045	0.22	0.012
Uranium	0.001	0.0004	0.003	0.001	0.002	0.0005	0.001	-	0.001	-	0.002	0.001	0.005	0.005	0.003	0.003
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	3.2	0.55	3.7	1.1	4.5	1.2	4.1	0.9	4.48	0.110	4.8	0.81	3.6	0.31	3.9	0.40
Radionuclides																
Lead-210 (Bq/g)	0.001	0.0004	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-
Polonium-210 (Bq/g)	0.0002	0.0001	0.0002	-	0.0005	0.0004	0.0004	0.0004	0.0005	0.0004	0.0002	0.0001	0.0003	0.0001	0.0002	0.0000
Radium-226 (Bq/g)	0.0001	0.0001	0.0001	0.00006	0.00006	-	0.00006	-	0.00007	0.00001	0.0003	-	0.00006	0.000005	0.00007	-
Thorium-230 (Bq/g)	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	0.00004	0.0001	-	0.0001	-	0.0001	-

Appendix B, Table 2
Summary fish flesh chemistry results for the EARMP community program, 2011 to 2024.

Chemical ¹	Fond du Lac (Fond du Lac River)																					
	Lake Trout																					
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2018 (n = 5)		2019 (n = 5)		2020 (n = 5)		2021 (n = 5)		2022 (n = 5)		2023 (n = 5)		2024 (n = 5)	
	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD
Metals																						
Aluminum	0.5	-	0.5	-	0.5	0.04	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-
Arsenic	0.10	0.04	0.07	0.03	0.08	0.04	0.06	0.01	0.13	0.06	0.08	0.03	0.13	0.11	0.08	0.06	0.13	0.02	0.07	0.03	0.05	0.01
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-
Cobalt	0.002	-	0.002	-	0.003	0.0005	0.0057	0.0055	0.0022	0.0004	0.002	-	0.003	0.001	0.003	0.001	0.002	0.0004	0.002	0.001	0.002	0
Copper	0.28	0.081	0.30	0.087	0.27	0.10	0.29	0.064	0.38	0.05	0.25	0.094	0.55	0.29	0.24	0.059	0.41	0.16	0.31	0.13	0.32	0.08
Iron	2.4	0.90	1.7	0.43	2.9	0.53	3.4	1.4	4.0	0.8	2.5	0.81	5.5	1.7	2.4	0.84	4.3	2.2	3.5	1.0	2.6	0.2
Lead	0.002	0.0007	0.003	0.003	0.004	0.002	0.002	0.0006	0.0026	0.0013	0.002	-	0.002	-	0.003	0.001	0.002	0.0004	0.0020	-	0.003	0.001
Mercury	0.22	0.073	0.08	0.03	0.59	0.18	0.18	0.084	0.16	0.031	0.19	0.033	0.25	0.05	0.36	0.17	0.36	0.096	0.32	0.05	0.21	0.05
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	-	0.01	0.005	0.02	0.004	0.01	0.006	0.01	-	0.01	-	0.02	0.01	0.01	-	0.01	0	0.01	-	0.02	0.02
Selenium	0.15	0.019	0.16	0.017	0.11	0.035	0.17	0.012	0.16	0.015	0.11	0.012	0.15	0.022	0.18	0.015	0.20	0.03	0.14	0.01	0.16	0.01
Uranium	0.001	0.0003	0.001	-	0.001	0.0004	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.002	0.001	0.003	0.001
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	3.7	0.47	3.3	0.55	3.9	1.6	4.2	1.6	4.6	0.6	2.9	0.43	4.5	1.7	5.0	2.4	7.6	4.5	3.4	0.7	3.2	0.3
Radionuclides																						
Lead-210 (Bq/g)	0.001	0.0004	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-
Polonium-210 (Bq/g)	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-
Radium-226 (Bq/g)	0.00006	-	0.00006	0.000004	0.00006	0.00001	0.00006	-	0.00006	0.00001	0.00006	0.00001	0.00006	0.00001	0.00006	0.00001	0.00006	-	0.00005	0.000004	0.00006	-
Thorium-230 (Bq/g)	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-

Appendix B, Table 2
Summary fish flesh chemistry results for the EARMP community program, 2011 to 2024.

Chemical ¹	Fond du Lac (Fond du Lac River)																					
	Lake Whitefish																					
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2018 (n = 5)		2019 (n = 5)		2020 (n = 5)		2021 (n = 5)		2022 (n = 5)		2023 (n = 5)		2024 (n = 5)	
	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD
Metals																						
Aluminum	0.6	0.3	0.5	-	0.5	0.04	0.5	0.06	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-
Arsenic	0.24	0.14	0.06	0.034	0.11	0.11	0.19	0.14	0.26	0.021	0.09	0.1	0.25	0.045	0.03	0.007	0.35	0.10	0.29	0.16	0.30	0.07
Cadmium	0.002	0.001	0.002	0	0.002	-	0.002	-	0.002	0	0.002	0.001	0.002	0.0004	0.002	-	0.002	-	0.002	-	0.002	-
Cobalt	0.0040	0.0039	0.0054	0.0049	0.010	0.0067	0.01	0.006	0.003	0.001	0.008	0.002	0.005	0.003	0.008	0.002	0.004	0.001	0.003	0.001	0.003	0.001
Copper	0.18	0.057	0.20	0.085	0.16	0.024	0.18	0.08	0.23	0.073	0.17	0.031	0.14	0.023	0.17	0.021	0.15	0.03	0.20	0.07	0.2	0.04
Iron	2.2	1.5	2.4	1.4	2.0	0.64	2.1	0.44	3.2	0.61	2.6	0.79	2.5	1.0	2.3	0.57	2.3	0.73	2.9	0.79	1.9	0.56
Lead	0.002	0.0007	0.002	-	0.003	0.003	0.004	0.002	0.003	0.001	0.002	0.001	0.002	-	0.002	-	0.002	-	0.002	-	0.002	0.0004
Mercury	0.09	0.07	0.03	0.008	0.08	0.03	0.088	0.029	0.07	0.005	0.10	0.039	0.10	0.015	0.12	0.013	0.12	0.03	0.21	0.21	0.09	0.01
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	0.003	0.01	0	0.04	0.04	0.02	0.006	0.01	0	0.01	-	0.01	0.004	0.01	-	0.01	0	0.02	0.01	0.02	0.009
Selenium	0.22	0.048	0.20	0.052	0.16	0.052	0.25	0.09	0.26	0.039	0.18	0.067	0.25	0.044	0.22	0.036	0.29	0.07	0.26	0.05	0.29	0.03
Uranium	0.001	0.0007	0.001	-	0.002	0.001	0.001	0.0006	0.001	0.0004	0.001	-	0.001	-	0.001	0.0009	0.001	0	0.002	0.002	0.003	0.001
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	3.9	0.94	4.1	0.74	4.0	0.55	4.3	0.64	3.4	0.3	3.9	0.78	3.2	0.66	5.4	1.8	4.1	0.67	3.3	0.32	3.2	0.36
Radionuclides																						
Lead-210 (Bq/g)	0.004	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	0	0.001	-	0.001	-
Polonium-210 (Bq/g)	0.0004	0.0003	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.00022	-	0.0002	0.00004	0.0002	-	0.0002	0.00005	0.0002	-	0.0002	-
Radium-226 (Bq/g)	0.0004	0.0007	0.00007	0.00002	0.00007	0.00001	0.00006	-	0.00006	-	0.00006	0.000004	0.00006	0.000008	0.00009	0.00006	0.00006	-	0.00008	0.00002	0.00006	-
Thorium-230 (Bq/g)	0.002	-	0.0001	-	0.0001	0.00004	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	0.00005	0.0001	-

Appendix B, Table 2
Summary fish flesh chemistry results for the EARMP community program, 2011 to 2024.

Chemical ¹	Stony Rapids (Fond du Lac River)																					
	Lake Trout																					
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2018 (n = 5)		2019 (n = 5)		2020 (n = 4)		2021 (n = 5)		2022 (n = 5)		2023 (n = 5)		2024 (n = 5)	
	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD
Metals																						
Aluminum	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-
Arsenic	0.07	0.044	0.13	0.080	0.080	0.044	0.1	0.02	0.13	0.037	0.054	0.033	0.04	0.008	0.08	0.03	0.19	0.065	0.06	0.014	0.05	0.01
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-
Cobalt	0.002	0	0.002	-	0.004	0.002	0.004	0.0006	0.002	-	0.002	-	0.002	-	0.002	0.0004	0.003	0.0008	0.002	-	0.002	-
Copper	0.29	0.19	0.35	0.068	0.46	0.27	0.59	0.15	0.36	0.053	0.31	0.11	0.33	0.047	0.29	0.057	0.42	0.097	0.3	0.033	0.3	0.03
Iron	2.8	2.3	3.8	1.3	5.3	3.9	4.8	1.2	4.3	0.7	3.4	1.2	4.1	1.0	3.8	2.0	4.8	1.1	3.0	0.8	2.7	0.3
Lead	0.002	-	0.002	-	0.004	0.004	0.002	-	0.002	0	0.003	0.001	0.002	0.0005	0.002	-	0.002	0.0004	0.002	-	0.003	0.002
Mercury	0.33	0.16	0.18	0.072	0.20	0.052	0.17	0.031	0.10	0.0057	0.20	0.050	0.24	0.099	0.29	0.067	0.28	0.09	0.32	0.09	0.30	0.23
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	0	0.01	0	0.02	0.02	0.01	0.006	0.01	-	0.01	-	0.03	0.03	0.01	-	0.01	-	0.01	0.008	0.02	0.01
Selenium	0.14	0.037	0.17	0.018	0.15	0.011	0.17	0.012	0.16	0.018	0.13	0.011	0.18	0.026	0.15	0.017	0.16	0.02	0.14	0.01	0.11	0.01
Uranium	0.001	0.0003	0.001	-	0.001	-	0.001	-	0.001	-	0.001	0.0009	0.001	-	0.001	-	0.001	-	0.001	-	0.002	0
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	3.7	0.86	3.6	0.46	4.0	0.88	3.5	0.3	4.6	0.34	3.7	1.3	5.2	1.3	5.4	2.2	5.6	1.2	3.6	0.4	3.4	0.3
Radionuclides																						
Lead-210 (Bq/g)	0.001	0	0.001	0	0.001	-	0.001	-	0.001	0.0004	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-
Polonium-210 (Bq/g)	0.0002	0.00007	0.0002	0.00004	0.0002	-	0.0002	-	0.0002	0	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-
Radium-226 (Bq/g)	0.00006	-	0.00007	0.00002	0.00007	-	0.00006	-	0.00006	0.000004	0.00006	0.000005	0.00005	0.000005	0.00005	-	0.000064	-	0.00007	0.00002	0.00007	-
Thorium-230 (Bq/g)	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.00012	0.00004	0.00012	0.00004	0.0001	-

Appendix B, Table 2
Summary fish flesh chemistry results for the EARMP community program, 2011 to 2024.

Chemical ¹	Stony Rapids (Fond du Lac River)																					
	Lake Whitefish																					
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2018 (n = 5)		2019 (n = 5)		2020 (n = 5)		2021 (n = 5)		2022 (n = 5)		2023 (n = 5)		2024 (n = 5)	
	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD
Metals																						
Aluminum	0.5	-	0.50	-	0.5	-	0.5	0.06	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-
Arsenic	0.04	0.02	0.03	0.007	0.03	0.03	0.04	0.02	0.12	0.035	0.02	0.008	0.07	0.09	0.05	0.02	0.05	0.005	0.04	0.02	0.04	0.006
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.003	0.001	0.003	0.001	0.002	-	0.002	-	0.002	0	0.002	-	0.002	-
Cobalt	0.0060	0.0031	0.0046	0.00089	0.005	0.0021	0.014	0.0082	0.007	0.005	0.008	0.001	0.004	0.003	0.007	0.004	0.007	0.0004	0.004	0.001	0.005	0.0004
Copper	0.20	0.083	0.22	0.064	0.21	0.025	0.16	0.046	0.25	0.050	0.15	0.024	0.21	0.036	0.3	0.05	0.20	0.11	0.18	0.02	0.20	0.05
Iron	2.1	0.98	2.5	1.3	1.9	0.22	1.8	0.1	3.4	0.51	2.0	0.34	2.3	0.43	2.8	0.68	2.4	1.0	2.0	1.0	1.9	0.20
Lead	0.002	-	0.002	-	0.002	0.001	0.003	0.001	0.002	-	0.002	-	0.002	-	0.002	-	0.003	0.002	0.002	-	0.004	0.002
Mercury	0.13	0.10	0.06	0.021	0.093	0.027	0.041	0.0062	0.057	0.030	0.068	0.017	0.088	0.040	0.09	0.03	0.11	0.02	0.11	0.02	0.11	0.031
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	0.01	0.01	-	0.01	0.004	0.02	0.02	0.01	-	0.01	-	0.01	-	0.01	-	0.012	0.004	0.010	-	0.01	0
Selenium	0.15	0.049	0.13	0.013	0.12	0.029	0.13	0.036	0.17	0.056	0.10	0.015	0.17	0.083	0.13	0.041	0.11	0.01	0.19	0.07	0.12	0.020
Uranium	0.001	0	0.001	-	0.002	0.003	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	0.0004	0.001	-	0.002	-
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	4.9	1.7	4.3	0.61	3.7	0.53	4.6	0.26	4.6	0.74	3.5	1.5	4.3	0.82	5.2	0.99	4.5	1.0	4.3	0.7	3.4	0.6
Radionuclides																						
Lead-210 (Bq/g)	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	0.0004	0.001	-	0.001	0.0004	0.001	-	0.001	-
Polonium-210 (Bq/g)	0.0003	-	0.0002	0	0.0002	0	0.0002	-	0.0002	0.00009	0.00024	-	0.0002	-	0.0002	-	0.0004	0.0003	0.0002	0.00004	0.0002	0
Radium-226 (Bq/g)	0.0002	0.0003	0.00007	0.00002	0.00006	-	0.00006	-	0.00006	-	0.00006	0.000004	0.00007	0.00001	0.00006	-	0.00007	-	0.00007	0.00002	0.00007	-
Thorium-230 (Bq/g)	0.0003	0.0006	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	0.00005	0.0001	-	0.0001	-	0.0001	0.00005	0.0001	-

Appendix B, Table 2
Summary fish flesh chemistry results for the EARMP community program, 2011 to 2024.

Chemical ¹	Uranium City (Prospector Bay or Crackingstone Inlet)																							
	Lake Trout																							
	2011 Baseline (Crackingstone) (n = 5)		2012 Baseline (Prospector) (n = 5)		2013 (Prospector) (n = 5)		2014 (Prospector) (n = 5)		2016 (Prospector) (n = 3)		2018 (Prospector) (n = 5)		2019 (Prospector) (n = 5)		2020 (Prospector) (n = 5)		2021 (Crackingstone) (n = 5)		2022 (Crackingstone) (n = 5)		2023 (Crackingstone) (n = 5)		2024 (Prospector) (n = 5)	
	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD
Metals																								
Aluminum	0.6	0.2	0.5	-	0.5	-	0.5	-	0.6	0.1	0.5	-	0.5	-	0.5	-	0.5	-	0.52	0.045	0.5	-	0.5	-
Arsenic	0.09	0.03	0.08	0.03	0.06	0.02	0.084	0.07	0.12	0.061	0.12	0.11	0.09	0.044	0.07	0.039	0.12	0.10	0.12	0.018	0.10	0.054	0.06	0.01
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-
Cobalt	0.002	0.0004	0.002	-	0.002	-	0.002	0	0.003	0.001	0.003	0.001	0.002	-	0.002	-	0.002	-	0.004	0.003	0.002	-	0.002	0
Copper	0.21	0.053	0.24	0.029	0.22	0.042	0.29	0.027	0.36	0.24	0.30	0.11	0.32	0.078	0.28	0.069	0.24	0.084	0.29	0.079	0.26	0.088	0.32	0.15
Iron	3.0	1.4	2.8	1.1	3.0	2.6	2.7	0.62	3.4	2.6	2.7	1.3	2.3	0.36	1.8	0.46	1.9	1.19	3.0	0.82	2.5	0.73	4.5	1.0
Lead	0.002	-	0.002	-	0.003	0.002	0.002	0.0005	0.002	0	0.002	-	0.002	-	0.003	0.0009	0.002	-	0.003	0.0009	0.002	-	0.003	0.002
Mercury	0.16	0.024	0.20	0.046	0.14	0.056	0.17	0.069	0.15	0.031	0.17	0.080	0.14	0.037	0.15	0.042	0.16	0.024	0.22	0.076	0.28	0.082	0.35	0.11
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	0.004	0.01	-	0.01	0.004	0.01	0.004	0.01	-	0.01	-	0.01	-	0.01	-	0.01	-	0.01	0.004	0.01	-	0.01	-
Selenium	0.16	0.034	0.17	0.005	0.15	0.019	0.15	0.0055	0.15	0.036	0.18	0.0089	0.16	0.012	0.18	0.019	0.27	0.21	0.18	0.016	0.17	0.029	0.15	0.011
Uranium	0.001	0	0.001	-	0.001	-	0.002	0.002	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	0	0.002	0.002	0.005	0.003
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	4.8	2.2	4.3	0.65	3.0	0.48	4.8	2.0	4.2	1.7	4.1	1.6	3.5	0.53	3.9	0.91	4.7	2.0	4.6	1.0	3.9	1.1	4.0	0.7
Radionuclides																								
Lead-210 (Bq/g)	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.002	0.0005	0.0010	-	0.001	-
Polonium-210 (Bq/g)	0.0002	-	0.0002	-	0.0002	0	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-
Radium-226 (Bq/g)	0.0001	0.0001	0.00006	0.000004	0.00009	0.00006	0.00006	0.00001	0.00006	-	0.00006	0.00001	0.00006	0.00001	0.00007	0.00001	0.00006	0.00001	0.00007	-	0.00005	0.000004	0.00006	-
Thorium-230 (Bq/g)	0.0001	0.00004	0.0001	-	0.0001	0.00004	0.0001	-	0.0001	-	0.0001	0.00004	0.0001	-	0.0001	0.00005	0.0001	-	0.0001	0.00004	0.00010	-	0.0001	-

Appendix B, Table 2
Summary fish flesh chemistry results for the EARMP community program, 2011 to 2024.

Chemical ¹	Uranium City (Prospector Bay or Crackingstone Inlet)																							
	Lake Whitefish																							
	2011 Baseline (Crackingstone) (n = 5)		2012 Baseline (Prospector) (n = 5)		2013 (Prospector) (n = 5)		2014 (Prospector) (n = 5)		2016 (Prospector) (n = 3)		2018 (Prospector) (n = 5)		2019 (Prospector) (n = 5)		2020 (Prospector) (n = 3)		2021 (Crackingstone) (n = 5)		2022 (Crackingstone) (n = 5)		2023 (Crackingstone) (n = 5)		2024 (Prospector) (n = 5)	
	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD
Metals																								
Aluminum	0.5	-	0.5	-	0.5	-	0.5	0.04	0.5	0	0.5	-	0.5	-	0.5	-	0.5	0.04	0.5	-	0.5	-	0.5	-
Arsenic	0.10	0.029	0.07	0.029	0.19	0.026	0.10	0.075	0.07	0.044	0.076	0.049	0.08	0.04	0.08	0.061	0.16	0.059	0.18	0.071	0.13	0.056	0.08	0.063
Cadmium	0.002	0.0004	0.002	-	0.002	0	0.002	0	0.002	-	0.002	-	0.002	-	0.002	-	0.002	0.0004	0.002	-	0.002	-	0.002	-
Cobalt	0.004	0.003	0.006	0.005	0.009	0.006	0.008	0.005	0.004	0.001	0.005	0.001	0.003	0.001	0.01	0.003	0.002	0.0005	0.006	0.007	0.005	0.002	0.006	0.001
Copper	0.20	0.036	0.15	0.026	0.26	0.11	0.29	0.11	0.2	0.032	0.26	0.055	0.16	0.025	0.32	0.09	0.22	0.078	0.18	0.034	0.21	0.056	0.18	0.039
Iron	2.8	1.5	1.6	0.38	2.3	0.55	3.0	1.3	1.8	0.23	2.2	0.5	1.8	0.87	3.2	1.3	2.3	1.2	1.8	0.72	1.9	0.29	2.6	0.55
Lead	0.002	-	0.002	-	0.002	0.0006	0.005	0.004	0.003	0.002	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.003	0.001
Mercury	0.04	0.03	0.09	0.04	0.03	0.02	0.04	0.01	0.06	0.02	0.04	0.008	0.07	0.02	0.03	0.001	0.05	0.01	0.07	0.02	0.05	0.01	0.09	0.07
Molybdenum	0.02	0	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.02	0.03	0.01	-	0.01	0	0.02	0.02	0.01	-	0.01	-	0.01	-	0.01	-	0.01	-	0.01	0.009	0.01	-	0.01	-
Selenium	0.77	1.0	0.26	0.04	0.25	0.01	0.24	0.03	0.27	0.04	0.59	0.73	0.29	0.05	0.69	0.6	0.78	0.69	0.81	0.59	1.1	0.64	0.23	0.07
Uranium	0.007	0.004	0.001	-	0.001	-	0.002	0.0009	0.001	-	0.001	0.0004	0.001	-	0.004	0.005	0.001	0.0005	0.002	0.0005	0.003	0.002	0.003	0.002
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	4.5	0.7	4.8	1.6	4.3	1.7	4.6	0.74	4.6	1.5	5.1	0.7	3.6	0.29	4.4	0.25	5.5	1.4	4.4	0.77	4.2	0.57	4.0	0.41
Radionuclides																								
Lead-210 (Bq/g)	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.0012	0.0004	0.001	-	0.001	-
Polonium-210 (Bq/g)	0.0004	0.0003	0.0003	0.0002	0.0002	0.00006	0.0007	0.0003	0.0002	0.0001	0.0005	0.0003	0.0004	-	0.0007	0.0005	0.0006	0.0003	0.0005	0.0002	0.0006	0.0003	0.0002	0
Radium-226 (Bq/g)	0.0001	0.0001	0.00006	-	0.00006	0	0.00008	0.00002	0.00006	-	0.00006	-	0.00006	-	0.00006	0.000006	0.00006	-	0.00008	-	0.00007	0.00002	0.00007	-
Thorium-230 (Bq/g)	0.0002	0.0001	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	0	0.0001	-	0.0001	-	0.0001	-	0.0002	0.00004	0.0001	0.00005	0.0001	-

Appendix B, Table 2
Summary fish flesh chemistry results for the EARMP community program, 2011 to 2024.

Chemical ¹	Wollaston Lake/Hatchet Lake (Wollaston Lake)																					
	Lake Trout																					
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2018 (n = 5)		2019 (n = 5)		2020 (n = 5)		2021 (n = 5)		2022 (n = 5)		2023 (n = 5)		2024 (n = 5)	
	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD
Metals																						
Aluminum	0.5	-	0.50	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.52	0.04	0.5	0
Arsenic	0.04	0.02	0.03	0.02	0.03	0.01	0.05	0.04	0.08	0.03	0.07	0.061	0.03	0.016	0.05	0.02	0.09	0.03	0.03	0.01	0.10	0.05
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-
Cobalt	0.002	-	0.002	-	0.003	0.002	0.003	0.001	0.002	-	0.002	0.001	0.002	0.0004	0.002	-	0.003	0.003	0.003	0.001	0.002	-
Copper	0.45	0.15	0.34	0.030	0.31	0.077	0.28	0.072	0.42	0.16	0.30	0.18	0.33	0.088	0.24	0.032	0.44	0.20	0.23	0.02	0.27	0.11
Iron	3.0	1.3	2.4	0.36	2.0	0.43	2.7	1.1	3.5	1.1	2.3	1.4	2.4	1.0	1.9	0.42	3.6	1.5	1.6	0.2	2.6	0.7
Lead	0.002	-	0.003	0.001	0.002	0.0009	0.002	-	0.002	0.0009	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-
Mercury	0.16	0.035	0.12	0.038	0.24	0.083	0.20	0.035	0.15	0.041	0.15	0.043	0.16	0.047	0.16	0.091	0.17	0.05	0.24	0.06	0.27	0.03
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	0.003	0.01	-	0.02	0.02	0.01	-	0.01	-	0.01	-	0.01	-	0.01	-	0.01	-	0.01	0.004	0.01	0
Selenium	0.21	0.036	0.20	0.011	0.19	0.019	0.23	0.017	0.20	0.056	0.24	0.11	0.23	0.014	0.21	0.047	0.19	0.03	0.17	0.01	0.22	0.07
Uranium	0.001	-	0.001	0.0004	0.001	0	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.003	0.002
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	4.4	1.3	4.4	0.83	3.2	0.83	3	0.85	4.9	1.0	3.9	1.2	4.4	1.6	4.1	0.48	4.9	1.1	2.8	0.3	3.8	0.8
Radionuclides																						
Lead-210 (Bq/g)	0.001	0	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	0	0.001	-	0.001	-
Polonium-210 (Bq/g)	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0004	0.0004	0.0002	-	0.0002	-	0.0002	-	0.0002	-	0.0002	0
Radium-226 (Bq/g)	0.00009	0.00008	0.00009	0.00006	0.00005	-	0.00006	-	0.00006	0.000004	0.00006	0.000004	0.00006	0.000009	0.00006	-	0.00007	-	0.00005	-	0.00006	-
Thorium-230 (Bq/g)	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	0.00004	0.0001	-	0.0001	-	0.0001	-	0.0001	-

Appendix B, Table 2
Summary fish flesh chemistry results for the EARMP community program, 2011 to 2024.

Chemical ¹	Wollaston Lake/Hatchet Lake (Wollaston Lake)																					
	Lake Whitefish																					
	Baseline (n = 10)		2013 (n = 5)		2014 (n = 5)		2016 (n = 3)		2018 (n = 5)		2019 (n = 5)		2020 (n = 5)		2021 (n = 5)		2022 (n = 5)		2023 (n = 5)		2024 (n = 5)	
	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD
Metals																						
Aluminum	0.5	-	0.5	-	0.5	-	0.5	0	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-
Arsenic	0.16	0.042	0.15	0.035	0.11	0.035	0.11	0.076	0.11	0.034	0.08	0.037	0.14	0.099	0.21	0.04	0.18	0.08	0.21	0.03	0.13	0.06
Cadmium	0.002	-	0.002	-	0.002	-	0.002	-	0.003	0.002	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-	0.002	-
Cobalt	0.002	0.0010	0.002	0	0.003	0.001	0.003	0.0006	0.003	0.001	0.002	0.001	0.003	0.001	0.003	0.001	0.003	0.001	0.002	0.0004	0.002	0.0004
Copper	0.16	0.045	0.14	0.015	0.15	0.016	0.26	0.16	0.24	0.048	0.23	0.064	0.22	0.11	0.18	0.04	0.19	0.09	0.15	0.01	0.16	0.05
Iron	1.7	0.79	2.1	0.59	1.9	0.57	3.8	1.9	4.2	1.5	2.4	0.58	2.2	0.72	2.22	0.60	2.4	0.55	1.6	0.33	2.0	0.67
Lead	0.002	0	0.002	0	0.003	0.001	0.002	-	0.005	0.002	0.002	-	0.002	-	0.002	-	0.002	0.001	0.002	0.0004	0.002	-
Mercury	0.050	0.019	0.040	0.023	0.088	0.015	0.081	0.034	0.083	0.014	0.090	0.045	0.092	0.072	0.08	0.01	0.09	0.02	0.07	0.01	0.08	0.007
Molybdenum	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.01	-	0.01	0.004	0.01	0.004	0.01	0	0.01	0.004	0.01	-	0.01	-	0.01	-	0.01	-	0.01	-	0.01	0.009
Selenium	0.45	0.10	0.36	0.046	0.38	0.039	0.55	0.4	0.42	0.032	0.49	0.23	0.40	0.12	0.47	0.091	0.37	0.10	0.54	0.06	0.41	0.08
Uranium	0.001	-	0.001	-	0.001	0	0.001	-	0.002	0.0009	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.003	0.0009
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	4.1	0.67	4.0	0.88	3.6	0.89	4.9	2.4	5.0	1.7	3.4	0.32	4.3	0.69	4.0	0.79	4.3	0.91	3.4	0.32	4.2	0.97
Radionuclides																						
Lead-210 (Bq/g)	0.002	-	0.0009	0.0003	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-
Polonium-210 (Bq/g)	0.0005	0.0004	0.0004	0.0004	0.0003	0.0001	0.0004	0.0003	0.0007	0.0002	0.0006	0.0005	0.0002	0.0001	0.0003	0.0001	0.0003	0.0001	0.001	0.0005	0.0005	0.0002
Radium-226 (Bq/g)	0.0005	0.0008	0.0003	0.0004	0.00007	0.00002	0.00006	-	0.00006	0.000005	0.00006	0.000007	0.00006	0.00001	0.00005	0.00001	0.00006	-	0.00005	0.000005	0.00007	-
Thorium-230 (Bq/g)	0.0007	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	-	0.0001	0.00004	0.0001	-	0.0001	-	0.0001	-	0.0001	-

¹All concentrations are reported on a µg/g wet weight basis; unless specified otherwise.

²Regional reference data are from reference lakes north of Points North sampled between 2006 and 2014. The median corresponds to the 50th percentile, while the lower and upper limits are the 2.5th and 97.5th percentiles that delimit the 95% range of the reference data.

³Regional reference ranges could not be computed when all or nearly all values were lower than the reported detection limit (RDL).

SD = standard deviation; SDs of 0 signify no variability between samples, while "-" indicates insufficient data to calculate SD.

Values less than the RDL were set equal to the RDL when calculating summary statistics.

Appendix B, Table 3
Summary of snowshoe hare flesh chemistry for the EARMP community program, 2011 to 2024.

Chemical ¹	Black Lake			Camsell Portage						Fond du Lac					
	2017 (n = 4)		2021 (n = 1)	2011 Baseline (n = 5)		2014 (n = 3)		2024 (n = 3)		2017 (n = 3)		2021 ² (n = 3)		2024 (n = 3)	
	Mean	SD		Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD
Metals															
Aluminum	0.83	0.43	<0.5	0.5	0.04	0.5	-	0.5	-	0.5	-	0.5	-	0.5	-
Arsenic	0.01	0.005	<0.01	0.01	-	0.01	-	0.01	-	0.01	-	0.01	0	0.01	-
Cadmium	0.012	0.017	0.015	0.002	-	0.004	0.002	0.002	0.001	0.007	0.003	0.002	0	0.007	0.007
Cobalt	0.011	0.0025	0.005	0.004	0.001	0.013	0.017	0.007	0.001	0.018	0.004	0.01	0.003	0.007	0.003
Copper	2.5	1.0	2.1	1.8	0.38	1.9	0.15	2.7	0.46	2.0	0.6	2.3	0.5	2.0	0.31
Iron	36	6.6	30	26	6.6	21	3.2	32	4	36	1.5	29	3.5	30	6.0
Lead	0.004	0.001	2.4	0.003	0.0005	0.002	0.001	0.002	0.001	0.003	0.001	0.002	-	0.035	0.057
Mercury	-	-	-	-	-	-	-	0.001	0	-	-	-	-	0.001	0.0006
Molybdenum	0.02	-	<0.02	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.05	0.03	<0.01	0.01	0	0.03	0.03	0.01	0	0.07	0.02	0.01	-	0.01	0
Selenium	0.32	0.090	0.17	0.06	0.01	0.08	0.06	0.13	0.03	0.22	0.07	0.07	0.04	0.14	0.02
Uranium	0.00	-	<0.001	0.001	-	0.001	-	0.002	-	0.001	-	0.001	-	0.002	-
Vanadium	0.02	-	<0.02	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	18	3.8	15	13	3.2	13	3.0	18	3.1	20	3.6	16	3	18	3.1
Radionuclides															
Lead-210 (Bq/g)	0.001	-	<0.001	0.001	-	0.001	-	0.001	-	0.0017	0.0012	0.001	-	0.001	-
Polonium-210 (Bq/g)	0.001	0.0002	0.001	0.002	0.0007	0.002	0	0.0006	0.0002	0.0009	0.0003	0.0009	0.0004	0.00097	0.0006
Radium-226 (Bq/g)	0.0002	0	<0.00005	0.00017	0.00010	0.00009	0.00002	0.00009	-	0.0002	-	0.00006	-	0.00008	-
Thorium-230 (Bq/g)	0.0005	-	-	0.0001	-	0.0001	-	0.0002	-	0.0005	-	0.0001	-	0.0002	-

Appendix B, Table 3
Summary of snowshoe hare flesh chemistry results for the EARMP community program, 2011 to 2024.

Chemical ¹	Stony Rapids				Uranium City								Wollaston/Hatchet Lake					
	2017 (n = 3)		2021 ² (n = 3)		2011 Baseline (n = 5)		2014 (n = 2)		2021 ² (n = 3)		2024 ³ (n = 3)		2017 (n = 3)		2021 ² (n = 3)		2024 (n = 2)	
	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD
Metals																		
Aluminum	0.87	0.64	0.5	-	0.5	0.04	0.5	0	0.5	-	0.5	-	0.53	0.06	0.5	-	0.5	-
Arsenic	0.01	0.006	0.01	0	0.01	-	0.02	0.01	0.01	0	0.01	-	0.01	-	0.01	0	0.01	-
Cadmium	0.05	0.07	0.005	0.0006	0.004	0.003	0.004	0.002	0.007	0.008	0.004	0.002	0.01	0.003	0.008	0.006	0.003	0.0007
Cobalt	0.013	0.009	0.004	0.001	0.006	0.003	0.005	0.0007	0.005	0.001	0.005	0.001	0.008	0.002	0.003	0.001	0.004	0
Copper	1.6	0.4	2.0	0.4	1.8	0.4	2.3	0.2	1.9	0.95	2.4	0.21	2.1	0.35	2.6	0.4	2.3	0.9
Iron	39	16	28	5.9	26	3.6	26	7.1	26	7.0	31	4.4	30	6.0	28	2.9	34	2.8
Lead	0.005	0.003	0.002	-	0.003	0.002	0.002	0	0.002	0	0.004	0	0.006	0.004	0.013	0.019	0.002	-
Mercury	-	-	-	-	-	-	-	-	-	-	0.001	-					0.002	0.001
Molybdenum	0.02	0	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Nickel	0.03	0.015	0.01	-	0.02	0.009	0.04	0.02	0.01	0	0.01	0	0.03	0.02	0.01	-	0.01	0
Selenium	0.19	0.04	0.10	0.05	0.06	0.044	0.11	0.06	0.16	0.05	0.24	0.03	0.14	0.01	0.06	0.02	0.35	0.078
Uranium	0.001	0	0.001	-	0.001	-	0.001	-	0.001	-	0.002	-	0.001	-	0.001	0	0.002	-
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	24	7.0	17	5	15	4.7	13	4.2	16	3.5	16	1.5	16	0.6	16	2.6	18	7.8
Radionuclides																		
Lead-210 (Bq/g)	0.001	0.0000	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-	0.001	0.0006	0.001	-	0.001	-
Polonium-210 (Bq/g)	0.002	0.0009	0.0018	0.0006	0.002	0.0004	0.002	0.0005	0.0015	0.0015	0.0024	0.0004	0.001	0.0005	0.003	0.0007	0.002	0.0003
Radium-226 (Bq/g)	0.0002	-	0.0001	-	0.00011	0.00005	0.00009	0.00002	0.00006	-	0.00007	-	0.0002	-	0.0001	-	0.0001	-
Thorium-230 (Bq/g)	0.0005	-	-	-	0.0001	-	0.00015	-	0.0001	-	0.0001	-	0.0005	-	0.0001	-	0.0001	-

¹All concentrations are reported on a µg/g wet weight basis, except when specified otherwise.

²Select samples collected early 2022.

³Select samples collected early 2025.

SD = standard deviation; SDs of 0 signify "no variance between samples", not "a very small variance"; while "-" indicates insufficient data to calculate SD.

<RDL = less than the laboratory reported detection limit.

Values less than the RDL were set equal to the RDL when calculating summary statistics.

Appendix B, Table 4

Summary of spruce grouse and willow ptarmigan flesh chemistry results for the EARMP community program, 2017 to 2024.

Chemical ¹	Black Lake				Camsell Portage				Fond du Lac					
	Spruce Grouse													
	2017 (n = 3)		2021 ² (n = 3)		2021 ² (n = 3)		2024 (n = 3)		2017 (n = 3)		2021 ² (n = 3)		2024 (n = 3)	
	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD
Metals														
Aluminum	2	1.6	0.5	0.06	1.5	1.5	0.5	0	0.8	0.4	0.5	-	0.6	0.2
Arsenic	0.01	-	0.01	0.006	0.01	0	0.01	-	0.01	-	0.01	-	0.01	0
Cadmium	0.007	0.002	0.002	0	0.013	0.019	0.002	0.0006	0.016	0.011	0.009	0.004	0.002	0
Cobalt	0.02	0.016	0.002	0.0006	0.002	0	0.003	0.001	0.006	0.003	0.002	-	0.003	0.001
Copper	3.1	0.6	3.0	0.38	2.5	0.3	2.4	0.17	3.2	0.8	2.6	0.7	3	0.71
Iron	66	29	34	0.58	33	5.9	29	4.2	55	9	40	16	37	1.5
Lead	1.8	2.1	0.014	0.016	0.002	0	0.002	0	0.12	0.19	0.008	0.006	0.017	0.013
Mercury	-	-	-	-	-	-	0.001	0	-	-	-	-	0.001	0
Molybdenum	0.04	0.02	0.02	0	0.06	0.04	0.02	0.006	0.04	0.03	0.03	0.01	0.02	0.006
Nickel	0.04	0.03	0.01	-	0.01	-	0.01	-	0.02	0.02	0.01	-	0.01	0.006
Selenium	0.26	0.02	0.33	0.075	0.22	0.017	0.19	0.015	0.3	0.06	0.25	0.03	0.24	0.068
Uranium	0.001	-	0.001	0.0006	0.001	-	0.002	0	0.001	-	0.001	-	0.002	-
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	13	5	7.7	1.1	6.8	0.45	7.1	0.6	18	5	11	3.6	6.9	0.25
Radionuclides														
Lead-210 (Bq/g)	0.001	-	0.001	-	0.001	-	0.001	-	0.001	0.001	0.001	-	0.001	-
Polonium-210 (Bq/g)	0.0003	0.0001	0.0002	-	0.0006	0.0004	0.0003	0.0001	0.0008	0.0002	0.0005	0.0003	0.00067	0.0003
Radium-226 (Bq/g)	0.0002	0	0.00006	-	0.00005	-	0.00009	-	0.0002	0	0.00005	-	0.00009	-
Thorium-230 (Bq/g)	0.0005	-	-	-	-	-	0.0003	-	0.0005	-	-	-	0.0002	-

Appendix B, Table 4
Summary of spruce grouse and willow ptarmigan flesh chemistry results for the EARMP community program, 2017 to 2024.

Chemical ¹	Stony Rapids				Uranium City						Wollaston/Hatchet Lake					
	Spruce Grouse				Spruce Grouse				Willow Ptarmigan		Spruce Grouse					
	2017 (n =4)		2021 ² (n = 3)		2017 (n = 3)		2021 ² (n = 3)		2024 ³ (n = 3)		2017 (n = 3)		2021 ² (n = 3)		2024 (n = 3)	
	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD
Metals																
Aluminum	2.7	1.6	1.2	1	1	0.6	0.5	-	0.5	-	0.6	0.1	0.5	-	0.5	-
Arsenic	0.01	-	0.01	0	0.01	-	0.01	0	0.01	-	0.01	-	0.01	-	0.02	0.02
Cadmium	0.011	0.01	0.006	0.004	0.007	0.006	0.0027	0.0012	0.033	0.0075	0.003	0.002	0.003	0	0.004	0.002
Cobalt	0.004	0.001	0.002	-	0.003	0.001	0.002	-	0.004	0.0006	0.004	0.002	0.002	-	0.002	0
Copper	1.9	0.6	2.7	0.55	2	0.9	2.7	0.59	3.1	0.72	2.1	0.7	2.8	0.32	2.6	0.29
Iron	41	5	42	14	48	13	33	4	38	7.5	33	8	38	1	41	5.3
Lead	1	2	0.01	0.012	0.9	1.3	0.066	0.06	0.004	0.001	0.15	0.18	0.002	-	1.0	1.2
Mercury	-	-	-	-	-	-	-	-	0.001	-	-	-	-	-	0.001	0
Molybdenum	0.04	0.03	0.03	0.02	0.03	0.02	0.02	0.006	0.02	0.006	0.02	-	0.02	0	0.02	0.006
Nickel	0.03	0.01	0.01	-	0.01	0.01	0.01	-	0.01	-	0.02	0.01	0.01	-	0.01	0.006
Selenium	0.18	0.02	0.2	0.067	0.19	0.11	0.36	0.091	0.2	0.1	0.26	0.04	0.26	0.059	0.22	0.0058
Uranium	0.001	-	0.001	-	0.002	0.001	0.001	0	0.002	-	0.001	-	0.001	-	0.002	-
Vanadium	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-	0.02	-
Zinc	18	8	7.9	0.61	13	6	6.8	1.5	9	2.3	7	0	7.1	0.6	8.7	0.5
Radionuclides																
Lead-210 (Bq/g)	0.001	-	0.001	-	0.001	0.001	0.001	-	0.001	-	0.001	-	0.001	-	0.001	-
Polonium-210 (Bq/g)	0.0003	0.0001	0.0004	0.0002	0.0004	0.0002	0.0002	0	0.0006	0.0001	0.0003	0.0002	0.0006	0.0001	0.0006	0.0001
Radium-226 (Bq/g)	0.0002	-	0.00005	-	0.0002	-	0.00005	-	0.00009	-	0.0002	-	0.00005	-	0.00009	-
Thorium-230 (Bq/g)	0.0005	-	-	-	0.0005	-	-	-	0.0002	-	0.0005	-	-	-	0.0002	-

¹All concentrations are reported on a µg/g wet weight basis, except when specified otherwise.

²Select samples collected early 2022.

³Samples collected early 2025.

SD = standard deviation; SDs of 0 signify "no variance between samples", not "a very small variance"; while "-" indicates insufficient data to calculate SD.

<RDL = less than the laboratory reported detection limit.

Values less than the RDL were set equal to the RDL when calculating summary statistics.

APPENDIX C

DETAILED DATA

LIST OF TABLES

Appendix C, Table 1	Fall water chemistry results for the EARMP community program, 2011 to 2024.
Appendix C, Table 2	Detailed fish flesh chemistry data from the EARMP community program (Black Lake), 2011 to 2024.
Appendix C, Table 3	Detailed fish flesh chemistry data from the EARMP community program (Camsell Portage), 2011 to 2024.
Appendix C, Table 4	Detailed fish flesh chemistry data from the EARMP community program (Fond du Lac), 2011 to 2024.
Appendix C, Table 5	Detailed fish flesh chemistry data from the EARMP community program (Stony Rapids), 2011 to 2024.
Appendix C, Table 6	Detailed fish flesh chemistry data from the EARMP community program (Uranium City), 2011 to 2024.
Appendix C, Table 7	Detailed fish flesh chemistry data from the EARMP community program (Wollaston Lake/Hatchet Lake), 2011 to 2024.
Appendix C, Table 8	Detailed blueberry chemistry results from the EARMP community program, 2011 to 2022.
Appendix C, Table 9	Detailed bog cranberry chemistry results from the EARMP community program, 2011 to 2022.
Appendix C, Table 10	Detailed barren-ground caribou flesh chemistry results from the EARMP community program, 2012 to 2023.
Appendix C, Table 11	Detailed moose flesh chemistry results from the EARMP community program, 2011 to 2023.
Appendix C, Table 12	Detailed barren-ground caribou and moose organ chemistry results from the EARMP community program, 2014 to 2023.
Appendix C, Table 13	Detailed snowshoe hare flesh chemistry results from the EARMP community program, 2011 to 2024.
Appendix C, Table 14	Detailed spruce grouse and willow ptarmigan flesh chemistry results from the EARMP community program, 2017 to 2024.

APPENDIX C, TABLE 1

Fall water chemistry results from the EARMP community program, 2011 to 2024.

Chemical ¹	Black Lake											
	Black Lake											
	2011	2012	2013	2014	2017	2018	2019	2020	2021	2022	2023	2024
Inorganic Ions												
Bicarbonate	20	26	16	15	28	16	18	15	16	17	13	12
Calcium	3.5	3.3	3.4	3.4	2.7	3.1	3.1	2.9	2.5	2.8	3.2	3.4
Carbonate	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0	<1
Chloride	3.6	2	4	4.2	1.8	3.2	3.6	3.2	0.3	2.7	3	3.2
Hydroxide	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<0	<1
Magnesium	1.3	1.2	1.3	1.3	1.2	1.2	1.1	1.1	1	1	1.2	1.3
Potassium	0.8	0.7	0.8	0.6	0.8	0.7	0.7	0.6	0.6	0.7	0.6	0.7
Sodium	1.8	1.5	1.7	1.8	1.4	1.6	1.6	1.6	1	1.5	1.7	1.7
Sulphate	1.4	1	1.2	1.1	1.3	1.1	1.1	0.9	1.4	1.1	0.9	1.2
Metals												
Aluminum	0.002	0.0026	0.0026	0.0027	0.0061	0.0073	0.0069	0.0066	0.008	0.0059	0.0021	0.0037
Antimony	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0001	<0.0002
Arsenic (µg/L)	0.1	0.1	0.2	0.2	<0.1	0.2	0.2	0.1	<0.1	0.2	0.1	0.2
Barium	0.0044	0.0044	0.0043	0.0043	0.0048	0.0038	0.0046	0.0048	0.0044	0.0043	0.0041	0.0044
Beryllium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Boron	0.01	<0.01	<0.01	0.01	<0.01	0.02	<0.0001	0.01	<0.01	<0.01	0.01	0.01
Cadmium	0.00001	0.00001	<0.00001	<0.00001	<0.00001	<0.00001	0.01	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001
Chromium	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.00001	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
Cobalt	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	<0.0002	<0.0002	0.0003	<0.0002	<0.0002	0.0005	<0.0005	<0.0002	0.0002	<0.0002	<0.0002	<0.0002
Fluoride	0.04	0.07	0.07	0.06	0.03	0.07	0.05	0.065	0.07	0.06	0.06	0.05
Iron	0.026	0.013	0.022	0.021	0.022	0.17	0.027	0.02	0.028	0.038	0.03	0.028
Lead	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Manganese	0.036	0.0068	0.021	0.017	0.017	0.032	0.016	0.023	0.0042	0.013	0.01	0.013
Mercury (µg/L)	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	0.0002	0.0001	0.0001	0.0001	0.0001	<0.0001	0.0001	<0.0001	0.0001	<0.0001	0.0001	0.0001
Nickel	0.0002	0.0001	0.0001	<0.0001	0.0001	0.0001	0.0001	0.0001	0.0002	0.0001	0.0001	0.0001
Selenium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Silver	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
Strontium	0.047	0.033	0.049	0.058	0.031	0.066	0.043	0.041	0.015	0.042	0.048	0.042
Thallium	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Tin	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Titanium	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0004	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Uranium (µg/L)	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Vanadium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	0.0018	<0.0005	<0.0005	<0.0005	<0.0005	0.0019	0.0007	<0.0005	0.0006	<0.0005	0.0009	<0.0005
Nutrients												
Ammonia as nitrogen	<0.01	<0.01	<0.01	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Nitrate	-	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	0.04	0.09	<0.04	<0.04	0.93
Nitrate+Nitrite as nitrogen	-	-	-	-	<0.01	<0.01	<0.01	0.01	0.02	<0.01	<0.01	0.21
Organic carbon	2.5	3.8	2.9	3.0	3.6	3.6	3.0	3.8	4.0	3.7	3.3	4.0
Phosphorus	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Total Kjeldahl nitrogen	0.27	0.20	0.26	0.22	0.19	0.31	0.24	0.23	0.20	0.20	0.19	0.24
Total nitrogen	0.27	0.20	0.26	0.22	0.19	0.31	0.24	0.24	0.22	0.20	0.19	0.45
Physical Properties												
P. alkalinity	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
pH (pH units)	7.12	7.18	7.38	6.76	7.34	7.48	7.08	7.05	7.05	7.12	6.54	6.77
Specific conductivity (µS/cm)	40	38	38	43	29	28	31	26	30	34	39	36
Sum of ions	32	36	28	28	37	27	29	25	23	27	25	24
Total alkalinity	16	21	13	12	23	13	15	12	13	14	11	10
Total dissolved solids	30	30	14	31	26	32	30	29	21	32	28	29
Total hardness	14	13	29	14	12	13	12	12	10	11	13	14
Total suspended solids	<1	1	2	1	<1	2	<1	1	1	4	1	<1
Turbidity (NTU)	0.6	0.7	0.7	0.7	0.5	0.5	0.6	0.9	0.4	0.7	0.8	0.6
Radionuclides												
Lead-210 (Bq/L)	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Polonium-210 (Bq/L)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	<0.005	0.009	<0.005	0.008	<0.005	<0.005	0.01	<0.005	<0.005	<0.005	<0.005	<0.005
Thorium-230 (Bq/L)	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

APPENDIX C, TABLE 1

Fall water chemistry results from the EARMP community program, 2011 to 2024.

Chemical ¹	Camsell Portage									
	Ellis Bay, Lake Athabasca									
	2011	2012	2013	2014	2017	2019	2021	2022	2023	2024
Inorganic Ions										
Bicarbonate	35	30	34	38	35	37	32	33	30	27
Calcium	6.9	7.1	7.4	7.3	7	7.1	7.2	6.5	6.2	6.7
Carbonate	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloride	3.1	2.9	3.4	3	3.1	3.6	2.8	2.6	2.8	2.7
Hydroxide	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Magnesium	2.1	2.1	2.1	2.2	2.1	2	2.2	1.9	1.9	1.9
Potassium	0.9	0.9	0.8	0.7	1	0.8	0.9	0.8	0.8	0.9
Sodium	2.5	2.5	2.6	2.6	2.7	2.6	2.6	2.4	2.4	2.4
Sulphate	3.6	3.3	3.7	3.8	3.7	3.7	3.4	3.2	2.5	3.6
Metals										
Aluminum	0.0016	0.001	0.0044	0.0022	0.0027	0.0039	0.0036	0.0056	0.0022	0.0013
Antimony	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Arsenic (µg/L)	0.1	0.2	0.2	0.2	0.2	0.2	<0.1	0.1	0.1	0.2
Barium	0.01	0.01	0.011	0.011	0.011	0.011	0.011	0.011	0.01	0.01
Beryllium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Boron	<0.01	0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01
Cadmium	0.00001	0.00001	<0.00001	<0.00001	0.00001	<0.00001	<0.00001	0.00002	<0.00001	<0.00001
Chromium	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
Cobalt	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	<0.0002	0.0002	<0.0002	<0.0002	0.0002	0.0005	0.0002	0.0004	0.0003	0.0003
Fluoride	0.06	0.07	0.08	0.07	0.04	0.07	0.07	0.07	0.07	0.07
Iron	0.0049	0.0044	0.0078	0.0056	0.0054	0.0052	0.01	0.011	0.0051	0.0042
Lead	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0002	0.0002	0.0002	<0.0001	<0.0001
Manganese	0.0008	0.0008	0.0006	0.0006	0.0008	0.0007	0.0008	0.0006	0.001	0.0007
Mercury (µg/L)	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	<0.0001	0.0002	0.0002	0.0002
Nickel	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0002	0.0003	0.0002	0.0002
Selenium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Silver	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
Strontium	0.051	0.05	0.054	0.059	0.052	0.053	0.054	0.052	0.046	0.048
Thallium	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Tin	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Titanium	<0.0002	<0.0002	0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Uranium (µg/L)	<0.1	<0.1	0.1	0.1	0.1	<0.1	0.2	0.2	<0.1	0.1
Vanadium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0008	<0.0005	<0.0005	<0.0005	<0.0005
Nutrients										
Ammonia as nitrogen	<0.01	<0.01	<0.01	0.05	<0.01	<0.01	0.02	0.02	<0.01	<0.01
Nitrate	<0.04	0.09	<0.04	<0.04	<0.04	<0.04	<0.04	0.26	<0.04	<0.04
Nitrate+Nitrite as nitrogen	-	-	-	-	<0.01	<0.01	<0.01	0.06	<0.01	<0.01
Organic carbon	2.8	3.5	3.2	3.4	3.3	3.1	4.8	3.7	3.7	4.1
Phosphorus	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Total Kjeldahl nitrogen	0.23	0.21	0.22	0.19	0.17	0.14	0.28	0.18	0.14	0.22
Total nitrogen	0.23	0.23	0.22	0.19	0.17	0.14	0.28	0.24	0.14	0.22
Physical Properties										
P. alkalinity	<1	<1	<1	<1	<1	<1	-	<1	<1	<1
pH (pH units)	7.46	7.50	7.71	7.26	7.70	7.49	7.58	7.51	6.80	7.09
Specific conductivity (µS/cm)	66	69	69	73	66	63	70	65	61	64
Sum of ions	54	49	54	58	55	57	51	51	47	45
Total alkalinity	29	25	28	31	29	30	26	27	25	22
Total dissolved solids	40	44	27	46	41	44	-	50	42	40
Total hardness	26	26	47	27	26	26	27	24	23	24
Total suspended solids	<1	<1	<1	1	<1	<1	<3	3	<1	<1
Turbidity (NTU)	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.4	0.4
Radionuclides										
Lead-210 (Bq/L)	<0.02	<0.02	0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Polonium-210 (Bq/L)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	<0.005	<0.005	<0.005	<0.005	0.009	<0.005	0.006	0.006	<0.005	0.007
Thorium-230 (Bq/L)	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

APPENDIX C, TABLE 1

Fall water chemistry results from the EARMP community program, 2011 to 2024.

Chemical ¹	Fond du Lac											
	Fond du Lac River											
	2011	2012	2013	2014	2017	2018	2019	2020	2021	2022	2023	2024
Inorganic Ions												
Bicarbonate	18	27	28	17	8	8	20	12	15	21	15	13
Calcium	3.7	3.9	3.8	3.7	3.1	3.2	3.4	3.2	2.9	3.5	3.3	3.3
Carbonate	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	2.8	2.8	2.9	2.9	2.2	2.1	3	2.1	1.7	2.1	2.7	2.5
Hydroxide	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Magnesium	1.3	1.4	1.4	1.4	1.2	1.2	1.2	1.2	1	1.2	1.2	1.2
Potassium	0.8	0.8	0.8	0.6	0.8	0.8	0.7	0.7	0.6	0.8	0.7	0.7
Sodium	1.6	1.7	1.7	1.6	1.5	1.5	1.6	1.4	1.4	1.5	1.6	1.5
Sulphate	1.5	1.5	1.0	1.4	1.3	1.3	1.4	1.3	1.3	1.5	1.0	1.2
Metals												
Aluminum	0.014	0.02	0.011	0.019	0.011	0.011	0.008	0.013	0.035	0.012	0.01	0.0067
Antimony	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Arsenic (µg/L)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1
Barium	0.0051	0.0055	0.0052	0.0053	0.0046	0.0045	0.0045	0.0049	0.0065	0.0054	0.0045	0.0047
Beryllium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Boron	0.01	0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Cadmium	0.00002	<0.00001	0.00001	<0.00001	0.00003	0.00001	<0.00001	<0.00001	0.00002	0.00001	<0.00001	<0.00001
Chromium	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
Cobalt	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	0.0002	0.0003	0.0011	0.0002	0.0002	0.0002
Fluoride	0.05	0.07	0.05	0.06	0.06	0.07	0.06	0.047	0.05	0.06	0.06	0.06
Iron	0.023	0.03	0.017	0.023	0.021	0.023	0.016	0.05	0.087	0.03	0.012	0.021
Lead	<0.0001	<0.0001	<0.0001	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0032	<0.0001	<0.0001	<0.0001
Manganese	0.003	0.0027	0.0034	0.0037	0.0036	0.003	0.0032	0.0049	0.006	0.0042	0.0026	0.0033
Mercury (µg/L)	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	0.0001	0.0001	0.0001	<0.0001	0.0001	0.0001	0.0001	0.0001	0.0002	0.0001	<0.0001	<0.0001
Nickel	0.0002	0.0002	0.0003	0.0002	0.0001	0.0002	0.0002	0.0002	0.0004	0.0002	0.0001	0.0002
Selenium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Silver	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
Strontium	0.043	0.04	0.042	0.045	0.034	0.032	0.038	0.03	0.029	0.035	0.036	0.034
Thallium	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Tin	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Titanium	0.0008	0.0008	0.0004	0.0016	0.0008	0.0004	0.0003	0.0006	0.0018	0.0003	<0.0002	0.0004
Uranium (µg/L)	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Vanadium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0009	<0.0005	<0.0005	0.016	<0.0005	0.0006	<0.0005
Nutrients												
Ammonia as nitrogen	<0.01	<0.01	<0.01	0.04	0.02	<0.01	<0.01	<0.01	0.04	0.01	<0.01	<0.01
Nitrate	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	0.09	0.35	<0.04	<0.04
Nitrate+Nitrite as nitrogen	-	-	-	-	<0.01	<0.01	<0.01	<0.01	0.02	0.08	<0.01	<0.01
Organic carbon	2.7	1.9	3.2	3.4	3.6	4.0	3.3	4.4	5.3	3.9	3.7	4.2
Phosphorus	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.24	0.03	<0.01	<0.01	<0.01
Total Kjeldahl nitrogen	0.26	0.22	0.21	0.13	0.18	0.22	0.12	0.24	0.25	0.20	0.13	0.20
Total nitrogen	0.26	0.22	0.21	0.13	0.18	0.22	0.12	<0.01	0.27	0.28	0.13	0.20
Physical Properties												
P. alkalinity	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
pH (pH units)	7.22	7.14	6.86	6.88	7.32	7.48	7.15	7.16	7.28	7.20	6.59	6.81
Specific conductivity (µS/cm)	39	44	42	44	32	28	32	27	27	38	36	36
Sum of ions	30	39	40	29	18	18	31	22	24	32	26	23
Total alkalinity	15	22	23	14	7	7	16	10	12	17	12	11
Total dissolved solids	28	32	34	33	25	29	35	28	33	38	29	29
Total hardness	14	15	15	15	13	13	13	13	11	14	13	13
Total suspended solids	<1	2	1	2	<1	1	<1	1	1	3	<1	<1
Turbidity (NTU)	1	1.1	0.8	1.1	0.6	0.4	0.7	0.9	0.5	0.7	0.5	0.7
Radionuclides												
Lead-210 (Bq/L)	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Polonium-210 (Bq/L)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	<0.005	<0.005	<0.005	<0.005	0.005	<0.005	<0.005	<0.005	<0.005	0.008	<0.005	<0.005
Thorium-230 (Bq/L)	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

APPENDIX C, TABLE 1

Fall water chemistry results from the EARMP community program, 2011 to 2024.

Chemical ¹	Stony Rapids											
	Fond du Lac River											
	2011	2012	2013	2014	2017	2018	2019	2020	2021	2022	2023	2024
Inorganic Ions												
Bicarbonate	21	20	16	16	12	15	17	15	13	13	13	12
Calcium	3.4	3.4	3.3	3.2	2.9	3	3	3	2.8	2.7	3.1	3
Carbonate	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloride	3.2	2.8	2.8	2.4	1.5	1.6	2	2.5	1.5	1.2	3.2	1.6
Hydroxide	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Magnesium	1.1	1.3	1.2	1.2	1.1	1.2	1	1.1	1	1	1.2	1.2
Potassium	0.8	0.7	0.8	0.6	0.7	0.7	0.6	0.6	0.6	0.7	0.6	0.7
Sodium	1.7	1.6	1.6	1.5	1.3	1.4	1.4	1.5	1.2	1.1	1.6	1.3
Sulfate	1.4	1.2	1.4	1.3	1.2	1.2	1.3	1	1	1.2	0.9	1.1
Metals												
Aluminum	0.018	0.0084	0.012	0.012	0.014	0.0099	0.0093	0.017	0.0037	0.01	0.0058	0.011
Antimony	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Arsenic (µg/L)	0.2	0.2	0.2	0.1	0.1	0.2	0.1	0.1	<0.1	0.1	0.2	0.1
Barium	0.0046	0.0043	0.0044	0.0043	0.0045	0.0041	0.0044	0.0048	0.0044	0.0044	0.0043	0.0048
Beryllium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Boron	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
Cadmium	0.00002	<0.00001	0.00001	<0.00001	0.00001	0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001
Chromium	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
Cobalt	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0003
Fluoride	0.04	0.06	0.08	0.06	0.03	0.07	0.06	0.084	0.05	0.06	0.06	0.06
Iron	0.074	0.045	0.037	0.034	0.05	0.06	0.031	0.03	0.016	0.034	0.031	0.037
Lead	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Manganese	0.027	0.013	0.014	0.01	0.015	0.014	0.012	0.017	<0.0005	0.0088	0.012	0.0096
Mercury (µg/L)	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	0.0002	0.0002	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	0.0001	<0.0001	<0.0001	<0.0001
Nickel	0.0002	0.0001	0.0002	0.0001	0.0001	0.0002	0.0002	0.0002	0.0001	0.0002	0.0001	0.0002
Selenium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Silver	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
Strontium	0.044	0.04	0.039	0.04	0.027	0.028	0.03	0.034	0.029	0.026	0.041	0.029
Thallium	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Tin	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Titanium	0.0016	0.0007	0.0012	0.0006	0.0006	0.0005	<0.0002	0.0007	<0.0002	0.0004	0.0004	0.0005
Uranium (µg/L)	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Vanadium	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	<0.0005	<0.0005	<0.0005	<0.0005	0.0006	<0.0005	0.0008	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
Nutrients												
Ammonia as nitrogen	<0.01	<0.01	0.05	0.04	0.01	<0.01	<0.01	<0.01	0.02	0.03	<0.01	<0.01
Nitrate	<0.04	<0.04	<0.04	0.09	0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04
Nitrate+Nitrite as nitrogen	-	-	-	-	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Organic carbon	2.7	3.8	4.1	3.4	3.8	4.2	3.5	4.2	5.2	4.1	3.5	4.5
Phosphorus	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.22	<0.01	<0.01	<0.01	<0.01
Total Kjeldahl nitrogen	0.28	0.23	0.49	0.18	0.21	0.22	0.24	0.22	0.3	0.19	0.18	0.26
Total nitrogen	0.28	0.23	0.49	0.2	0.22	0.22	0.24	<0.01	0.3	0.19	0.18	0.26
Physical Properties												
P. alkalinity	<1	<1	<1	<1	<1	<1	<1	<1	-	<1	<1	<1
pH (pH units)	7.30	7.30	7.38	6.89	7.39	7.53	7.13	7.08	7.13	7.14	6.53	6.80
Specific conductivity (µS/cm)	39	40	36	38	28	25	27	25	36	30	36	32
Sum of ions	33	31	27	26	21	24	26	25	21	21	24	21
Total alkalinity	17	16	13	13	10	12	14	12	11	11	11	10
Total dissolved solids	32	33	13	28	21	34	31	31	-	34	32	34
Total hardness	13	14	31	13	12	12	12	12	11	11	13	12
Total suspended solids	5	2	2	2	2	2	<1	2	<3	3	2	<1
Turbidity (NTU)	1.3	1.2	1	0.7	0.6	0.5	0.7	1.3	0.7	0.7	0.9	1.2
Radionuclides												
Lead-210 (Bq/L)	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.02	<0.02	<0.02
Polonium-210 (Bq/L)	<0.006	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	<0.005	0.01	<0.005	<0.005	<0.005	<0.005	<0.005	0.006	<0.005	0.005	<0.005	<0.005
Thorium-230 (Bq/L)	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

APPENDIX C, TABLE 1

Fall water chemistry results from the EARMP community program, 2011 to 2024.

Chemical ¹	Uranium City											
	Fredette River											
	2011	2012	2013	2014	2017	2018	2019	2020	2021	2022	2023	2024
Inorganic Ions												
Bicarbonate	63	60	63	65	61	57	60	55	49	51	55	52
Calcium	15	16	17	16	15	16	15	15	12	12	14	14
Carbonate	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloride	1.5	1.2	2.3	1.2	1.1	1.2	1.6	1.2	0.8	0.9	1.0	0.9
Hydroxide	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Magnesium	2.9	3	3.2	3.2	2.9	3	2.8	2.8	2.6	2.4	2.7	2.6
Potassium	0.9	1	1.1	0.9	1.1	1	0.9	0.9	0.8	0.9	0.9	0.8
Sodium	1.9	1.6	1.8	1.7	1.6	1.6	1.6	1.6	1.3	1.3	1.4	1.5
Sulfate	4.5	3.8	4.1	5.5	4.3	4.2	4.1	3.9	3	3.2	2.9	3.3
Metals												
Aluminum	0.0051	0.0051	0.0057	0.0033	0.004	0.0033	0.0059	0.0076	0.0068	0.005	0.0034	0.0024
Antimony	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Arsenic (µg/L)	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1
Barium	0.032	0.031	0.032	0.028	0.03	0.026	0.029	0.029	0.025	0.023	0.028	0.027
Beryllium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Boron	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Cadmium	0.00001	0.00001	0.00002	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	0.00001	0.00001	<0.00001	<0.00001
Chromium	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
Cobalt	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	<0.0002	<0.0002	0.0006	<0.0002	<0.0002	0.0004	0.0003	0.0003	0.0004	0.0003	0.0003	0.0003
Fluoride	0.1	0.13	0.12	0.12	0.09	0.14	0.12	0.032	0.1	0.11	0.11	0.11
Iron	0.031	0.041	0.05	0.027	0.045	0.028	0.029	0.09	0.056	0.041	0.04	0.023
Lead	<0.0001	<0.0001	0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Manganese	0.014	0.024	0.026	0.017	0.023	0.012	0.015	0.01	0.023	0.017	0.016	0.0086
Mercury (µg/L)	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	0.0004	0.0004	0.0004	0.0004	0.0005	0.0004	0.0004	0.0004	0.0005	0.0004	0.0004	0.0004
Nickel	0.0001	0.0001	0.0002	0.0001	<0.0001	0.0001	0.0001	0.0001	0.0002	0.0002	0.0001	0.0001
Selenium	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Silver	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
Strontium	0.049	0.045	0.047	0.049	0.043	0.042	0.045	0.041	0.037	0.038	0.039	0.041
Thallium	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Tin	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Titanium	0.0003	<0.0002	0.0003	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Uranium (µg/L)	3.5	1.3	1.4	1.7	1.0	1.0	1.0	1.0	0.6	0.7	0.5	0.8
Vanadium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	0.0014	<0.0005	0.0013	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0005	<0.0005	<0.0005	0.0007
Nutrients												
Ammonia as nitrogen	<0.01	0.03	0.05	0.07	0.06	<0.01	0.12	0.04	0.03	0.01	<0.01	0.02
Nitrate	<0.04	<0.04	0.13	0.18	0.04	<0.04	<0.04	<0.04	0.04	<0.04	0.13	0.09
Nitrate+Nitrite as nitrogen	-	-	-	-	0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.03	0.02
Organic carbon	7.4	9.9	7.6	7.7	7.4	2.8	7.4	8.4	8.9	7.9	7.7	7.7
Phosphorus	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.33	<0.01	<0.01	<0.01	<0.01
Total Kjeldahl nitrogen	0.41	0.37	0.43	0.32	0.29	0.15	0.4	0.33	0.44	0.30	0.26	0.30
Total nitrogen	0.41	0.37	0.46	0.36	0.3	0.15	0.4	<0.01	0.45	0.30	0.29	0.32
Physical Properties												
P. alkalinity	<1	<1	<1	<1	<1	<1	<1	<1	-	<1	<1	<1
pH (pH units)	7.75	7.72	7.94	7.46	8.00	8.11	7.72	7.72	7.71	7.79	7.08	7.52
Specific conductivity (µS/cm)	114	112	113	114	102	98	101	92	91	89	95	98
Sum of ions	90	87	93	94	87	84	86	80	70	72	78	75
Total alkalinity	52	49	52	53	50	47	49	45	40	42	45	43
Total dissolved solids	72	76	56	83	67	81	84	71	-	66	62	71
Total hardness	49	52	80	53	49	52	49	49	41	40	46	46
Total suspended solids	2	1	<1	<1	<1	1	<1	<1	<3	3	<1	<1
Turbidity (NTU)	0.3	0.6	0.4	0.3	0.5	0.3	0.4	0.8	0.6	0.5	0.5	0.4
Radionuclides												
Lead-210 (Bq/L)	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Polonium-210 (Bq/L)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	0.008	0.01	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	0.007	<0.005	<0.005	<0.005
Thorium-230 (Bq/L)	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

APPENDIX C, TABLE 1

Fall water chemistry results from the EARMP community program, 2011 to 2024.

Chemical ¹	Wollaston Lake/Hatchet Lake											
	Wollaston Lake											
	2011	2012	2013	2014	2017	2018	2019	2020	2021	2022	2023	2024
Inorganic Ions												
Bicarbonate	17	20	15	15	17	10	21	15	15	18	12	12
Calcium	3.4	3.5	3.5	3.3	3.3	3.3	3.2	3.2	2.9	2.8	3.0	3.0
Carbonate	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloride	0.4	0.5	0.4	0.3	0.4	0.3	0.5	0.3	0.3	0.2	0.3	0.3
Hydroxide	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Magnesium	1.1	1.1	1.0	1.0	0.9	1.0	0.9	1.0	0.9	0.8	0.9	0.9
Potassium	0.7	0.6	0.7	0.5	0.7	0.6	0.6	0.6	0.6	0.7	0.6	0.6
Sodium	1.4	1.4	1.4	1.3	1.4	1.3	1.3	1.3	1.3	1.2	1.2	1.3
Sulfate	4.0	4.0	3.9	4.0	4.0	4.0	3.5	3.4	2.8	2.8	2.6	2.4
Metals												
Aluminum	0.0047	0.014	0.0074	0.0069	0.0058	0.005	0.0068	0.006	0.0049	0.0045	0.0039	0.0026
Antimony	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Arsenic (µg/L)	<0.1	<0.1	0.1	0.1	0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	0.1
Barium	0.0041	0.0042	0.0042	0.0039	0.0043	0.004	0.0039	0.0042	0.0038	0.0037	0.0037	0.0034
Beryllium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Boron	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Cadmium	0.00001	<0.00001	<0.00001	<0.00001	0.00014	<0.00001	<0.00001	<0.00001	<0.00001	<0.00001	0.00001	<0.00001
Chromium	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005
Cobalt	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Copper	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Fluoride	0.05	0.07	0.08	0.07	0.03	0.08	0.06	0.014	0.06	0.06	0.06	0.08
Iron	0.014	0.035	0.043	0.034	0.046	0.013	0.011	0.05	0.014	0.01	0.012	0.0059
Lead	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Manganese	0.0047	0.0087	0.0066	0.0053	0.0068	0.0047	0.0037	0.0041	0.0032	0.0028	0.0041	0.0035
Mercury (µg/L)	<0.01	<0.01	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Molybdenum	0.0012	0.0012	0.001	0.0009	0.0008	0.0007	0.0006	0.0006	0.0001	0.0005	0.0005	0.0005
Nickel	0.0001	0.0001	0.0001	<0.0001	<0.0001	0.0001	0.0001	<0.0001	0.0001	0.0004	<0.0001	<0.0001
Selenium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Silver	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
Strontium	0.012	0.012	0.012	0.013	0.012	0.012	0.012	0.011	0.011	0.011	0.011	0.011
Thallium	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Tin	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Titanium	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Uranium (µg/L)	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Vanadium	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001
Zinc	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	<0.0005	0.0008	<0.0005	0.0007	<0.0005	<0.0005	<0.0005
Nutrients												
Ammonia as nitrogen	<0.01	<0.01	<0.01	0.04	<0.01	0.08	0.07	<0.01	0.02	<0.01	<0.01	0.02
Nitrate	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04	<0.04
Nitrate+Nitrite as nitrogen	-	-	-	-	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Organic carbon	2.5	3	2.8	2.8	2.8	8.1	2.8	2.9	3.3	3.3	3.1	3.1
Phosphorus	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.17	<0.01	<0.01	<0.01	<0.01
Total Kjeldahl nitrogen	0.28	0.21	0.2	0.17	0.33	0.31	0.12	0.17	0.26	0.14	0.14	0.20
Total nitrogen	0.28	0.21	0.2	0.17	0.33	0.31	0.12	<0.01	0.26	0.14	0.14	0.20
Physical Properties												
P. alkalinity	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
pH (pH units)	7.1	7.12	7.37	6.91	7.38	7.53	7.11	7.14	7.15	7.10	6.60	6.71
Specific conductivity (µS/cm)	34	37	34	36	32	27	30	25	29	30	26	29
Sum of ions	28	31	26	25	28	21	31	25	24	26	21	20
Total alkalinity	14	16	12	12	14	8	17	12	12	15	10	10
Total dissolved solids	24	28	13	25	24	33	21	21	34	26	25	24
Total hardness	13	13	28	12	12	12	12	12	11	10	11	11
Total suspended solids	<1	2	2	1	<1	2	<1	<1	<1	<1	<1	2
Turbidity (NTU)	0.3	0.8	0.7	0.4	0.3	0.3	0.4	0.9	0.3	0.4	0.6	0.4
Radionuclides												
Lead-210 (Bq/L)	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Polonium-210 (Bq/L)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Radium-226 (Bq/L)	<0.005	0.009	<0.005	<0.005	<0.005	<0.005	0.005	<0.005	<0.005	<0.005	0.006	<0.005
Thorium-230 (Bq/L)	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01

¹All values are in mg/L (total), unless specified otherwise.

APPENDIX C, TABLE 2

Detailed fish flesh chemistry data from the EARMP community program (Black Lake), 2011 to 2024.

Chemical ¹	Black Lake (Black Lake)																			
	Lake Trout																			
	2011					2012					2013					2014				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05
Metals																				
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.05	0.06	0.07	0.05	0.1	0.06	0.14	0.07	0.06	0.06	0.05	0.04	0.04	0.05	0.06	0.07	0.1	0.04	0.04	0.07
Barium	0.02	0.03	0.01	<0.01	0.03	<0.01	0.01	0.01	0.02	0.01	0.01	<0.01	<0.01	0.01	0.02	0.01	0.03	0.01	<0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	<0.002	0.002	0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.005	0.003	0.002	0.006	<0.002
Copper	0.27	0.41	0.31	0.22	1	0.31	0.31	0.43	0.18	0.25	0.22	0.24	0.26	0.25	0.23	0.42	0.35	0.19	0.45	0.23
Iron	1.9	3.3	2	4.5	6	2.2	2	2.6	1.5	2.9	1.7	2	2	1.6	1.5	3.9	3.3	1.4	2.8	1.8
Lead	<0.002	0.004	<0.002	<0.002	<0.002	0.002	<0.002	0.002	<0.002	0.004	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	0.007	<0.002	<0.002	<0.002
Manganese	0.06	0.08	0.08	0.08	0.09	0.08	0.06	0.05	0.07	0.1	0.08	0.06	0.09	0.09	0.06	0.1	0.12	0.07	0.08	0.09
Mercury	0.45	0.41	0.37	0.33	0.37	0.16	0.16	0.18	0.36	0.35	0.42	0.5	0.45	0.37	0.28	0.37	0.53	0.37	0.45	0.5
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.04	0.01	<0.01	<0.01
Selenium	0.11	0.15	0.15	0.11	0.13	0.15	0.18	0.17	0.18	0.16	0.13	0.11	0.13	0.17	0.16	0.18	0.14	0.13	0.15	0.16
Silver	<0.002	<0.002	<0.002	<0.002	0.005	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.1	0.07	0.09	0.05	0.13	0.07	0.21	0.27	0.2	0.8	0.05	0.03	0.23	0.27	0.07	0.15	0.12	0.08	0.3	0.06
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.08	0.09	0.08	0.07	0.08	0.07	0.07	0.08	0.07	0.08	0.01	0.01	0.01	0.02	0.01	0.09	0.09	0.08	0.07	0.08
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	0.001	0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	2.9	4.7	2.5	2.2	5.9	3.6	4.7	4.4	3.6	6.3	3	3.2	4.1	3.5	3.3	5.5	4.1	2.5	4	2.5
Physical Properties																				
Moisture (%)	77.19	77.72	73.93	76.78	77.42	73.79	71.07	77.81	77.02	76.28	75.03	76.50	74.42	74.85	72.40	73.77	75.34	76.29	75.02	73.38
Length (cm)	44.9	51.2	48.7	48.3	50.5	51.3	52.7	51.2	62.5	65.2	54	56	53.2	54.8	49.6	52.6	53.2	53.5	50.5	54
Weight (g)	1730	1710	1480	1450	1740	1360	1740	1180	2060	2410	1940	2200	1720	1880	1760	1920	2240	1965	1900	2190
Sex	F	M	M	F	M	F	M	M	F	M	F	F	M	M	M	M	F	F	M	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	12	10	7	10	10	7	7	6	27	19	12	17	13	13	13	14	14	9	14	14
Radionuclides																				
Lead-210 (Bq/g)	0.002	<0.001	0.002	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00004	<0.00006	<0.00007	<0.00005	<0.00006	<0.00006	<0.0001	<0.00005	0.00005	<0.00006	<0.00006	0.0001	<0.00008	<0.00006	<0.00006	<0.00006	<0.00004	<0.00005	<0.00003	<0.00005
Thorium-230 (Bq/g)	<0.00009	<0.0001	0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.00009	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.00007	<0.0001	<0.00007	<0.0001

APPENDIX C, TABLE 2

Detailed fish flesh chemistry data from the EARMF community program (Black Lake), 2011 to 2024.

Chemical ¹	Black Lake (Black Lake)																	
	Lake Trout																	
	2016			2018					2019					2020				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT01	LT02	LT03	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT06	LT07	LT08	LT09	LT10
Metals																		
Aluminum	0.7	<0.5	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.1	0.07	0.07	0.07	0.06	0.06	0.09	0.05	0.06	0.02	0.06	0.08	0.06	0.12	0.07	0.13	0.09	0.06
Barium	0.04	0.16	0.18	0.04	0.09	<0.01	0.05	0.04	0.01	0.03	0.01	0.02	0.02	0.02	<0.01	0.02	0.02	0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	0.3	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.003	0.004	<0.002	0.003	0.002	<0.002	0.003	0.003	<0.002	0.002	0.002	0.003	<0.002	0.004	0.002	0.002	0.003	0.005
Copper	0.29	0.24	0.21	0.35	0.39	0.24	0.3	0.15	0.39	0.28	0.25	0.43	0.32	0.4	0.21	0.31	0.76	0.34
Iron	3.6	2.8	2.4	3.1	6.1	2.3	4.4	4.4	2.4	3.9	2.3	5.9	2.9	5.7	2.3	2.8	3.8	3.4
Lead	0.003	0.004	0.005	<0.002	<0.002	<0.002	0.002	<0.002	0.002	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	0.005
Manganese	0.12	0.14	0.08	0.09	0.1	0.09	0.1	0.09	0.09	0.09	0.1	0.12	0.09	0.09	0.08	0.07	0.08	0.08
Mercury	0.4	0.31	0.35	0.48	0.37	0.56	0.36	0.43	0.3	0.45	0.44	0.37	0.37	0.22	0.59	0.44	0.15	0.37
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.02	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01
Selenium	0.15	0.16	0.15	0.1	0.12	0.12	0.12	0.14	0.09	0.09	0.1	0.14	0.12	0.19	0.15	0.13	0.14	0.13
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.19	0.68	0.1	0.44	0.11	0.07	0.2	0.07	0.19	0.26	0.26	0.28	0.32	0.37	0.23	0.27	0.34	0.18
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.01	0.03	0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.01	0.02	0.01	0.01	<0.01	0.06	0.06	0.04	0.05	0.04
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	5.8	4.2	3.7	4.5	5.4	2.6	4.5	2.9	4	4.6	3.5	6.1	3.7	4.3	3.6	4	4.6	3.5
Physical Properties																		
Moisture (%)	76.61	69.74	66.98	80.57	78.50	79.94	79.39	76.88	77.98	81.02	79.47	79.31	76.58	74.34	79.34	77.52	74.80	80.15
Length (cm)	48	52.4	50.5	53.3	51.2	55	56.5	59.5	49.1	51.4	50.9	54.4	52.7	46	54.2	49.7	41.7	48.5
Weight (g)	1580	1920	1580	1610	1680	1640	1590	2250	1600	1500	1900	2040	1880	1210	1980	1650	1010	1360
Sex	M	M	M	F	M	F	F	M	M	M	F	M	M	M	F	F	M	F
Maturity	A	A	A	A	A	A	A	U	A	A	A	A	A	A	A	A	A	A
Age (years)	15	14	16	12	18	19	23	22	10	17	15	19	19	6	25	11	6	9
Radionuclides																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0003	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00007	<0.00005	<0.00006	<0.00006	<0.00005	<0.00006	<0.00006	<0.00006	<0.00006	<0.00007	<0.00006	<0.00006	<0.00007	<0.00007	0.00008	<0.00004
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.00009

APPENDIX C, TABLE 2

Detailed fish flesh chemistry data from the EARMP community program (Black Lake), 2011 to 2024.

Chemical ¹	Black Lake (Black Lake)																			
	Lake Trout																			
	2021					2022					2023					2024				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN2-1	GN2-1	GN2-1	GN2-1	GN2-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT06	LT07	LT08	LT09	LT10	LT01	LT02	LT03	LT04	LT05
Metals																				
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.08	0.04	0.09	0.12	0.05	0.06	0.06	0.04	0.05	0.04	0.03	0.05	0.07	0.04	0.03	0.08	0.04	0.06	0.07	0.03
Barium	0.01	< 0.01	0.1	0.02	0.04	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	0.02
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	0.003	<0.002	0.003	<0.002	0.005	0.005	0.002	0.005	<0.002	0.002	<0.002	0.003	<0.002	0.004	0.002	0.003	<0.002	0.003
Copper	0.43	0.33	0.46	0.12	0.25	0.35	0.45	0.25	0.31	0.22	0.3	0.56	0.17	0.31	0.27	0.55	0.28	0.29	0.27	0.21
Iron	3.2	5.6	5.2	2.1	4.2	1.9	4	2.3	2.4	3.9	2.2	3.8	1.5	2.1	2.7	5.0	1.7	1.6	1.6	2.0
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	<0.002	0.003	0.003	<0.002	0.003	0.003	<0.002
Manganese	0.06	0.07	0.11	0.08	0.11	0.1	0.08	0.06	0.06	0.08	0.06	0.07	0.08	0.08	0.1	0.12	0.09	0.10	0.07	0.07
Mercury	0.53	0.51	0.47	0.76	0.56	0.5	0.43	0.44	0.63	0.54	0.44	0.42	0.72	0.32	0.49	0.61	0.35	0.38	0.43	0.93
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	0.01	<0.01	<0.01
Selenium	0.12	0.13	0.16	0.15	0.15	0.17	0.15	0.14	0.15	0.15	0.12	0.14	0.13	0.2	0.12	0.17	0.13	0.14	0.15	0.14
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.23	0.13	0.36	0.06	0.15	0.21	0.2	0.16	0.15	0.16	0.09	0.08	0.05	0.31	0.1	0.29	0.16	0.24	0.04	0.36
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Uranium	<0.001	<0.001	0.002	0.002	0.004	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	0.001	<0.001	<0.001	0.001	0.004	0.007	0.008	0.003	<0.002
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	4.1	4.4	9.9	3	7	3.5	4.8	2.7	4.8	4.6	3.1	4.3	2.4	3.5	3.8	5.6	2.9	3.4	2.5	5.4
Physical Properties																				
Moisture (%)	76.99	81.82	78.38	82.5	79.22	72.40	75.60	78.60	73.90	79.90	72.50	78.40	78.50	75.40	77.40	78.7	77.5	73.7	72.2	76.1
Length (cm)	54.6	55.5	57.4	54.1	57.5	45.8	50.8	51.8	49.4	52.2	49.4	47	53.4	57.3	55.9	57.4	57.5	51.2	49.2	70.3
Weight (g)	1920	1860	2310	1850	2290	1110	1710	1540	1440	1590	1600	1280	2040	2540	2100	2220	2360	2000	1760	5000
Sex	F	M	F	M	F	M	F	F	F	M	M	M	F	M	M	M	F	M	F	F
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	22	21	21	19	19	7	11	12	10	18	9	10	14	9	17	21	25	10	10	16
Radionuclides																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	0.0003	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002
Radium-226 (Bq/g)	<0.00005	<0.00006	<0.00006	<0.00005	<0.00005	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00005	<0.00006	<0.00006	<0.00006	<0.00007	<0.00008	<0.00008	<0.00008
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0002

APPENDIX C, TABLE 2

Detailed fish flesh chemistry data from the EARMP community program (Black Lake), 2011 to 2024.

Chemical ¹	Black Lake (Black Lake)																			
	Lake Whitefish																			
	2011					2012					2013					2014				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LW06	LW07	LW08	LW09	LW10	LW06	LW07	LW08	LW09	LW10	LW06	LW07	LW08	LW09	LW10	LW06	LW07	LW08	LW09	LW10
Metals																				
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.25	0.27	0.4	0.14	0.37	0.04	0.05	0.08	0.14	0.04	0.01	0.03	0.03	0.03	0.02	0.2	0.16	0.2	0.07	0.2
Barium	0.06	0.13	0.09	<0.01	0.02	0.02	0.01	0.02	<0.01	0.02	0.02	0.02	0.02	0.01	0.01	<0.01	0.02	<0.01	<0.01	0.02
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.003	0.005	<0.002	0.003	0.003	<0.002	0.002	<0.002	<0.002	0.003	<0.002	0.002	<0.002	0.005	0.002	<0.002	<0.002	0.005	0.003	0.009
Copper	0.24	0.21	0.12	0.17	0.14	0.16	0.19	0.25	0.28	0.18	0.06	0.27	0.09	0.08	0.07	0.14	0.12	0.58	0.27	0.21
Iron	2.3	2.9	2.5	1.4	1.5	1	2	2.7	4	1.1	1.8	2.5	1.2	1.1	1.1	1.1	1.3	4	2.8	2.4
Lead	<0.002	0.002	<0.002	<0.002	<0.002	0.002	<0.002	0.003	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003
Manganese	0.18	0.39	0.22	0.06	0.09	0.06	0.07	0.11	0.06	0.06	0.08	0.07	0.07	0.05	0.04	0.08	0.11	0.09	0.09	0.1
Mercury	0.16	0.13	0.14	0.06	0.21	0.13	0.16	0.15	0.02	0.05	0.05	0.09	0.03	0.04	0.08	0.097	0.13	0.068	0.1	0.12
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	0.02
Selenium	0.3	0.35	0.25	0.36	0.31	0.28	0.24	0.26	0.15	0.2	0.2	0.23	0.3	0.18	0.19	0.27	0.34	0.29	0.25	0.36
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.79	0.24	1.2	0.28	0.22	0.27	0.31	0.25	0.16	0.17	0.55	0.45	0.47	0.47	0.42	0.27	0.49	0.25	0.21	0.28
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.08	0.09	0.08	0.08	0.08	0.07	0.08	0.09	0.08	0.08	0.02	0.01	0.02	0.01	<0.01	0.07	0.08	0.07	0.09	0.08
Uranium	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.9	4.6	3.5	4.7	3.3	6.7	6.2	4.6	4.4	4.4	3.4	4.7	4	3.5	4	3.6	3.1	4.9	3.5	3.7
Physical Properties																				
Moisture (%)	75.22	76.01	76.93	75.27	75.79	74.30	72.89	75.74	78.39	76.90	79.98	78.50	79.92	79.20	78.64	75.64	76.94	77.68	75.67	75.10
Length (cm)	38.3	41.8	45.5	48	45.2	46	45.7	45.5	40.2	46.2	43.9	41.5	38	43.2	45.6	39.5	42.4	38	41	40.7
Weight (g)	840	1060	1360	890	1450	980	1020	920	760	1140	1200	920	660	1100	1320	950	1060	805	895	950
Sex	F	M	M	F	F	M	M	M	M	F	M	M	F	F	F	F	F	M	M	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	21	21	26	10	27	9	15	15	7	10	12	10	10	11	15	15	16	10	14	15
Radionuclides																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.004	<0.004	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0002	<0.0002	0.0005	0.0007	<0.0002	<0.0002	<0.0002	<0.001	<0.001	<0.0002	0.0004	0.0006	0.0003	0.0003	0.0002	0.0003	<0.0002	0.0003	<0.0002	0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	0.00009	<0.00007	<0.00006	<0.00006	<0.00006	0.001	0.002	<0.00006	0.0002	<0.00007	0.0004	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00005	0.0002
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	<0.002	<0.002	<0.0001	<0.0001	<0.0001	0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 2

Detailed fish flesh chemistry data from the EARMP community program (Black Lake), 2011 to 2024.

Chemical ¹	Black Lake (Black Lake)																	
	Lake Whitefish																	
	2016			2018					2019					2020				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LW01	LW02	LW03	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05
Metals																		
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.04	0.38	0.24	0.02	0.17	0.33	0.06	0.12	0.03	0.17	0.11	0.1	0.1	0.13	0.12	0.22	0.22	0.04
Barium	0.06	0.06	0.01	0.04	0.02	0.04	0.24	0.14	0.02	0.06	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	0.2	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.006	0.002	0.002	<0.002	0.003	0.004	0.003	0.004	0.002	<0.002	<0.002	0.002	0.004	0.008	0.003	0.003	0.004	<0.002
Copper	0.1	0.17	0.15	0.36	0.18	0.59	0.17	0.14	0.16	0.21	0.22	0.12	0.13	0.19	0.12	0.17	0.18	0.16
Iron	2.4	4	2.6	7	2.9	7.6	3.3	2	1.8	2.3	2.9	2.5	2.1	2.9	1.5	2.4	2.2	1.6
Lead	0.002	0.004	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.1	0.17	0.13	0.14	0.1	0.13	0.12	0.1	0.07	0.11	0.08	0.08	0.12	0.09	0.1	0.1	0.08	0.09
Mercury	0.061	0.12	0.088	0.11	0.14	0.1	0.1	0.1	0.12	0.12	0.1	0.1	0.15	0.06	0.12	0.1	0.11	0.06
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	0.02	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.32	0.44	0.43	0.13	0.26	0.2	0.17	0.28	0.13	0.2	0.19	0.17	0.13	0.09	0.18	0.24	0.24	0.14
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.69	0.15	0.31	0.27	0.15	0.12	0.15	0.22	0.28	0.3	0.17	0.16	0.13	0.23	0.4	0.16	0.22	0.24
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.02	<0.01	0.01	<0.01	<0.01	0.01	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.06	0.06	0.04	0.05	0.04
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	4.8	4.2	4.8	4.5	4.8	5.2	3	3.6	3.4	3.2	3.9	2.4	3.4	6.1	3.2	4.2	4.9	3.8
Physical Properties																		
Moisture (%)	75.55	80.28	76.47	76.92	82.85	80.16	80.48	80.51	77.49	78.97	77.39	76.72	78.46	78.90	78.96	79.76	79.07	76.91
Length (cm)	50.6	47.1	39.9	47	44.5	39	42.2	45.7	49.5	45	38.8	43.6	47.6	43.3	42.5	40.4	41.7	46.0
Weight (g)	1580	1280	940	1420	1170	720	1000	1140	1920	1420	880	1140	2080	1240	1040	900	890	1520
Sex	F	F	M	F	M	M	F	F	F	F	F	F	F	F	F	F	F	F
Maturity	A	A	A	A	U	U	U	U	A	A	A	A	A	A	A	A	A	A
Age (years)	16	27	16	18	18	21	11	18	20	31	20	19	31	8	24	18	25	10
Radionuclides																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001
Polonium-210 (Bq/g)	0.0004	0.0004	0.0006	<0.0002	0.0004	0.0002	0.0004	0.0002	<0.0002	0.0002	0.0003	<0.0002	<0.0002	0.0002	0.0002	0.0003	0.0009	0.0008
Radium-226 (Bq/g)	<0.00006	<0.00005	<0.00006	<0.00006	<0.00005	<0.00005	<0.00006	<0.00005	<0.00006	<0.00006	<0.00007	<0.00006	<0.00007	<0.00006	<0.00006	<0.00007	<0.00007	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 2

Detailed fish flesh chemistry data from the EARMP community program (Black Lake), 2011 to 2024.

Chemical ¹	Black Lake (Black Lake)																			
	Lake Whitefish																			
	2021					2022					2023					2024				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN2-1	GN2-1	GN2-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05
Metals																				
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.08	0.08	0.07	0.02	0.08	0.05	0.04	0.07	0.17	0.04	0.04	0.08	0.04	0.07	0.05	0.03	0.04	0.03	0.06	0.03
Barium	0.02	0.02	0.02	< 0.01	0.01	<0.01	<0.01	<0.01	0.01	0.02	<0.01	<0.01	<0.01	0.04	0.01	0.02	0.01	<0.01	<0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.004	0.005	0.003	<0.002	0.004	0.012	0.006	0.012	0.01	0.015	<0.002	0.003	0.006	0.005	0.003	0.002	0.002	<0.002	0.002	<0.002
Copper	0.28	0.2	0.2	0.25	0.18	0.28	0.26	0.24	0.2	0.22	0.1	0.19	0.13	0.26	0.20	0.16	0.12	0.12	0.12	0.14
Iron	1.3	1.4	2	2.4	1.3	3.4	2.2	3.3	3.9	2.7	1.2	1.9	1.4	2.4	2.4	1.8	1.1	1.0	1.2	1.0
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.004	0.003	<0.002	0.003	<0.002
Manganese	0.1	0.1	0.08	0.08	0.12	0.11	0.1	0.1	0.17	0.13	0.14	0.08	0.06	0.11	0.1	0.07	0.05	0.08	0.04	0.06
Mercury	0.1	0.086	0.25	0.18	0.071	0.088	0.14	0.12	0.068	0.1	0.094	0.059	0.14	0.071	0.047	0.14	0.13	0.17	0.22	0.12
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.18	0.18	0.24	0.14	0.2	0.12	0.13	0.12	0.48	0.15	0.15	0.13	0.14	0.17	0.15	0.20	0.19	0.16	0.16	0.14
Silver	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.45	0.25	0.29	0.12	0.23	0.45	0.42	0.26	0.66	0.32	0.36	0.32	0.13	0.68	0.62	0.26	0.30	0.22	0.25	0.24
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	0.01	<0.01	<0.01	0.02	0.01	<0.01	<0.01	<0.01	0.01	<0.01
Uranium	<0.001	0.002	0.002	<0.001	0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	0.004	<0.001	0.005	0.001	<0.002	<0.002	<0.002	<0.002	<0.002
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	6.1	3.8	5.4	3.4	4.9	4.3	3.8	4.4	4	4.2	3.5	3.9	3.8	21	4.7	4.5	3.0	3.0	3.9	4.2
Physical Properties																				
Moisture (%)	75.04	76.70	76.90	77.66	75.49	78.60	78.90	76.80	75.00	79.80	77.00	76.6	74.5	75.6	76.7	74.9	71	74.4	74	75.1
Length (cm)	45.8	47.7	47.6	42.3	47.5	40.3	48.2	49.2	37.4	45.3	44.5	44.8	52.6	42.9	36.9	42.8	49.5	51.6	50.8	52.9
Weight (g)	1430	1710	1710	1160	1600	1100	1480	1600	840	1490	1360	1480	2700	1200	860	1260	2520	2100	2380	2380
Sex	F	F	F	F	F	F	M	F	M	F	F	F	F	M	F	F	F	F	F	F
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	10	10	14	9	8	6	10	12	20	7	8	9	17	-	-	7	11	15	15	20
Radionuclides																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	0.0003	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0004	<0.0002	<0.0002	0.0002	<0.0002	0.0003	0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00007	<0.00008	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00008	<0.00007	<0.00008	<0.0001	<0.00008
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0002	<0.0002	<0.0002

¹All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.

GN = gill net; LT = lake trout; LW = lake whitefish; F = female; M = male; A = adult; U = unknown.

APPENDIX C, TABLE 3

Detailed fish flesh chemistry data from the EARMP community program (Camsell Portage), 2011 to 2024.

Chemical ¹	Camsell Portage (Ellis Bay)																				
	Lake Trout																				
	2011					2012					2013					2014			2016		
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	AN1-1	AN1-1	AN1-1
	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT03	LT04	LT05	LT01	LT02	LT03
Metals																					
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.12	0.08	0.12	0.08	0.12	0.06	0.14	0.04	0.06	0.29	0.07	0.12	0.11	0.05	0.03	0.13	0.11	0.06	0.11	0.07	0.12
Barium	0.04	0.01	<0.01	<0.01	<0.01	0.05	0.08	0.02	0.04	0.02	<0.01	0.01	<0.01	0.22	0.04	0.04	0.02	0.02	0.02	0.03	0.04
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.003	0.003	<0.002	<0.002	0.002	<0.002	<0.002	<0.002	0.002	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	0.004	0.002	<0.002	0.003
Copper	0.52	0.52	0.11	0.32	0.28	0.24	0.28	0.33	0.58	0.21	0.22	0.28	0.38	0.23	0.28	0.39	0.29	0.4	0.49	0.26	0.42
Iron	4.5	3	1	2.2	2	1.5	2.7	3.5	5.8	1.6	1.4	2.1	2.1	2.6	2.4	3	3.8	4	2.6	2.6	4.2
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	0.004	<0.002	0.004	0.003
Manganese	0.1	0.09	0.09	0.07	0.08	0.06	0.09	0.6	0.08	0.06	0.09	0.06	0.08	0.08	0.09	0.07	0.08	0.07	0.07	0.13	0.07
Mercury	0.13	0.2	0.28	0.07	0.18	0.17	0.08	0.06	0.21	0.14	0.19	0.24	0.09	0.41	0.24	0.32	0.37	0.3	0.12	0.13	0.18
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.03	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.05	<0.01	<0.01	0.03	<0.01	0.06	<0.01	<0.01	0.02
Selenium	0.14	0.18	0.15	0.16	0.18	0.15	0.16	0.15	0.18	0.1	0.17	0.14	0.16	0.17	0.18	0.19	0.21	0.17	0.21	0.17	0.2
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.3	0.19	0.26	0.2	0.15	0.06	0.13	0.07	0.68	0.65	0.1	0.09	0.21	0.09	0.12	0.15	0.31	0.14	0.18	0.43	0.26
Thallium	<0.01	0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.02	0.01	0.01	0.02
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.07	0.15	0.06	0.07	0.06	0.01	0.02	0.02	0.01	<0.01	0.03	0.08	0.06	0.04	0.05	0.08	0.09	0.09	<0.01	<0.01	0.01
Uranium	0.014	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	11	3.8	2.9	3.8	3.5	2.6	3.2	2.6	10	6.3	3	2.8	3.6	3.3	3.6	5	5.1	6.3	3.7	5.2	6.2
Physical Properties																					
Moisture (%)	73.73	71.70	74.10	70.34	67.36	73.93	76.07	75.33	76.29	72.60	69.45	68.65	72.36	78.67	79.54	75.37	77.41	77.04	71.70	72.13	74.82
Length (cm)	49.8	48.6	53.9	48.5	55.6	62.2	69.1	53	60.3	63.5	55	56.1	55.2	55.9	55.6	51.5	52.2	59.1	56.2	49.8	56.1
Weight (g)	1490	1480	1920	1420	2480	3640	2920	1420	1760	2560	2200	1920	1720	1920	1740	1750	1450	2360	2120	1660	1960
Sex	M	M	F	F	F	F	M	M	M	F	M	F	M	M	M	M	M	M	M	M	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	12	8	23	8	11	19	13	9	20	18	15	15	10	25	17	13	14	17	12	12	16
Radionuclides																					
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0007	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00007	<0.00006	0.0002	0.00009	0.0001	<0.00007	<0.00007	<0.00006	<0.00005	<0.00004	0.0001	<0.00004	<0.00006	<0.00006	0.00009	<0.00003	<0.00005	<0.00006	<0.00006	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.00008	<0.0001	<0.0001	<0.0001	<0.00006	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 3

Detailed fish flesh chemistry data from the EARMF community program (Camsell Portage), 2011 to 2024.

Chemical ¹	Camsell Portage (Ellis Bay)																										
	Lake Trout																										
	2019					2020		2021					2022					2023					2024				
	GN1-1 LT01	GN1-1 LT02	GN1-1 LT03	GN1-1 LT04	GN1-1 LT05	GN1-1 LT01	GN1-1 LT02	GN1-1 LT01	GN1-1 LT02	GN1-1 LT03	GN1-1 LT04	GN1-1 LT05	GN1-1 LT01	GN1-1 LT02	GN1-1 LT03	GN1-1 LT04	GN1-1 LT05	GN1-1 LT06	GN1-1 LT07	GN1-1 LT08	GN1-1 LT09	GN1-1 LT10	AN1-1 LT01	AN1-1 LT02	AN1-1 LT03	AN1-1 LT04	AN1-1 LT05
Metals																											
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.13	0.07	0.23	0.05	0.06	0.24	0.13	0.11	0.08	0.09	0.37	0.11	0.1	0.26	0.08	0.22	0.08	0.06	0.05	0.12	0.06	0.1	0.1	0.1	0.1	0.06	0.05
Barium	0.02	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	0.04	0.03	0.01	<0.01	<0.01	0.03	0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	0.02	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.002	<0.002	<0.002	<0.002	<0.002	0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.005	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	0.002	0.002	0.003	<0.002	<0.002	<0.002	0.003	<0.002
Copper	0.26	0.27	0.28	0.28	0.23	0.43	0.32	0.24	0.38	0.18	0.18	0.22	0.36	0.22	0.2	0.29	0.2	0.15	0.21	0.35	0.35	0.22	0.29	0.40	0.26	0.23	0.17
Iron	2.8	2.3	2.9	2	2.6	3	6.4	1.9	2.6	2.3	1.9	2.8	3.7	2.8	1.6	3.1	2.1	1.4	1.8	4.9	4.2	2	2.4	3.4	2.9	2.8	2.1
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.004	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	0.002	<0.002	<0.002	0.002
Manganese	0.1	0.07	0.07	0.07	0.07	0.11	0.12	0.08	0.06	0.08	0.05	0.05	0.12	0.11	0.08	0.08	0.08	0.05	0.07	0.03	0.06	0.07	0.09	0.07	0.08	0.1	0.08
Mercury	0.08	0.086	0.078	0.16	0.23	0.15	0.24	0.24	0.16	0.27	0.14	0.27	0.32	0.3	0.2	0.24	0.36	0.47	0.23	0.42	0.23	0.26	0.21	0.22	0.25	0.21	0.31
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.01	<0.01	0.01	<0.01	0.01	0.01
Selenium	0.15	0.13	0.14	0.14	0.13	0.18	0.2	0.17	0.18	0.15	0.17	0.13	0.26	0.16	0.21	0.14	0.2	0.12	0.18	0.13	0.17	0.16	0.15	0.16	0.19	0.16	0.15
Silver	<0.002	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.2	0.05	0.27	0.21	0.12	0.28	0.19	0.27	0.16	0.3	0.15	0.08	0.57	0.46	0.12	0.28	0.09	0.15	0.26	0.12	0.1	0.15	0.07	0.04	0.24	0.09	0.25
Thallium	0.01	0.01	<0.01	0.01	<0.01	<0.01	0.01	0.01	0.01	< 0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.01	<0.01	<0.01	0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.04	<0.01	<0.01	<0.01	<0.01	0.04	0.05	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	0.01	0.01	0.02
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.003	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	0.001	0.002	<0.001	0.001	<0.002	<0.002	<0.002	<0.002	<0.002
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	2.8	2.3	8.6	2.5	3.5	4.7	6.6	4	3.8	5.6	4.3	4.8	6.4	5.8	3.4	5.2	3.6	3	4.5	4.1	4.9	5	3	3.2	2.5	3	2.8
Physical Properties																											
Moisture (%)	75.97	72.58	74.83	76.43	78.91	75.34	78.21	76.61	75.4	78.23	72.62	77.18	76.2	77.6	78.3	75	77.7	80.8	77.1	80.6	78.8	76.3	80.2	73.9	77.9	78.3	77.7
Length (cm)	52.8	52.5	49.7	54.7	57.3	47.2	57	53.8	54.5	56.7	58.7	55.5	63.4	53.5	52	52.9	55.8	57.8	55.2	61.2	63.7	54.4	55.5	57.0	51.2	56.3	56.3
Weight (g)	1840	2040	1580	2020	2460	1400	2140	1740	2040	2460	2680	2550	2950	2540	2120	2790	2520	2040	2100	2920	2760	2000	2400	2400	1800	2500	2420
Sex	M	M	M	M	F	M	M	M	F	F	F	F	M	F	M	F	M	F	M	F	M	M	F	F	F	F	F
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	11	11	10	16	26	12	24	12	13	18	19	24	17	20	16	-	23	28	13	19	24	20	21	15	13	19	17
Radionuclides																											
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00007	<0.00008	<0.00006	<0.00006	<0.00006	<0.00005	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00007	<0.00007	<0.00005	<0.00006	<0.00006	<0.00006	<0.00006	<0.00007	<0.00008	<0.00008	<0.00006	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0001

APPENDIX C, TABLE 3

Detailed fish flesh chemistry data from the EARMP community program (Camsell Portage), 2011 to 2024.

Chemical ¹	Camsell Portage (Ellis Bay)																			
	Lake Whitefish																			
	2011					2012		2013					2014					2016		
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LW06	LW07	LW08	LW09	LW10	LW06	LW07	LW06	LW07	LW08	LW09	LW10	LW06	LW07	LW08	LW09	LW10	LW06	LW07	LW08
Metals																				
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.8	0.5	1.1	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.38	0.24	0.36	0.31	0.17	0.37	0.24	0.14	0.31	0.34	0.17	0.48	0.25	0.26	0.33	0.03	0.05	0.24	0.09	0.07
Barium	<0.01	0.04	0.06	<0.01	<0.01	0.03	0.02	0.04	0.05	0.05	0.02	0.02	0.09	0.02	0.04	0.02	<0.01	0.02	0.01	0.03
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	0.007	0.002	0.002	<0.002	0.003	0.004	0.005	0.002	<0.002	<0.002	0.006	0.004	0.007	0.008	0.003	0.006	0.004	0.004
Copper	0.12	0.15	0.38	0.11	0.15	0.18	0.18	0.27	0.14	0.13	0.18	0.11	0.36	0.23	0.19	0.21	0.22	0.26	0.24	0.18
Iron	1.5	1.2	3.6	1.1	2.2	1.8	3.9	2.9	2.5	3.6	1.6	2.2	4.5	2.3	3.8	2.4	2.9	2.8	2.6	1.8
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	0.008	0.005	0.008	0.006	<0.002	<0.002	<0.002	<0.002
Manganese	0.12	0.19	0.13	0.12	0.1	0.11	0.11	0.17	0.32	0.14	0.1	0.13	0.16	0.07	0.1	0.07	0.08	0.11	0.09	0.07
Mercury	0.07	0.06	0.03	0.03	0.02	0.05	0.06	0.17	0.07	0.04	0.02	0.08	0.051	0.06	0.06	0.044	0.058	0.037	0.043	0.036
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.05	0.03	0.08	0.02	<0.01	<0.01	<0.01	<0.01
Selenium	0.29	0.25	0.25	0.22	0.25	0.31	0.25	0.27	0.26	0.24	0.29	0.25	0.25	0.23	0.27	0.2	0.24	0.28	0.27	0.25
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.15	0.74	1	0.18	0.24	0.15	0.23	0.51	0.64	0.43	0.2	0.25	0.92	0.24	0.28	0.71	0.21	0.24	0.22	0.27
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.07	0.07	0.06	0.06	0.07	0.02	<0.01	0.04	0.03	0.04	0.04	0.05	0.11	0.11	0.16	0.1	0.12	<0.01	<0.01	<0.01
Uranium	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	0.004	0.003	0.002	<0.001	0.003	0.002	0.002	0.002	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3	2.8	4.4	3.3	3.1	2.8	3.2	5.5	3.3	2.5	3.9	3.3	4.9	3.6	6.4	3.8	4	3.9	3.3	5.1
Physical Properties																				
Moisture (%)	74.81	78.24	73.86	77.91	76.16	74.12	74.97	77.14	77.18	76.99	75.03	77.45	75.83	74.78	76.26	77.59	74.18	72.23	74.17	76.38
Length (cm)	32	43.2	40	39.5	38.6	49.1	48.5	40.2	44.8	37.9	37.4	44.6	41.3	44	47.6	38.2	43.5	45.4	45	49.6
Weight (g)	1250	1260	1380	1120	880	1180	1120	840	1120	820	720	1380	980	1280	1460	880	1400	1560	1540	1880
Sex	M	M	F	F	F	M	M	F	F	F	M	M	F	F	F	F	F	M	M	F
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	31	27	22	18	11	30	33	30	25	25	9	28	14	14	14	8	14	15	15	11
Radionuclides																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0005	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.0002	0.0002	0.0007	0.0012	<0.0002	0.0009	0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.0002	<0.00006	0.0003	<0.00007	<0.00006	0.0001	<0.00006	<0.00006	<0.00008	0.0002	<0.00006	<0.00007	<0.00006	<0.00005	<0.00005	<0.00006	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0003	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 3

Detailed fish flesh chemistry data from the EARMF community program (Camsell Portage), 2011 to 2024

Chemical ¹	Camsell Portage (Ellis Bay)																								
	Lake Whitefish																				Northern Pike				
	2021					2022					2023					2024					2012				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	AN1-1	AN1-1	AN1-1	AN1-1	AN1-1
	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	NP01	NP02	NP03	NP04	NP05
Metals																									
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.03	0.14	0.13	0.08	0.13	0.23	0.2	0.23	0.17	0.17	0.06	0.15	0.06	0.11	0.39	0.1	0.08	0.11	0.09	0.09	0.09	0.15	0.09	0.12	0.1
Barium	<0.01	0.04	<0.01	<0.01	0.02	<0.01	0.05	<0.01	0.01	0.01	<0.01	<0.01	0.07	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	0.02	0.02	0.02	0.02	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.004	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.007	0.002	0.005	0.017	0.007	0.004	<0.002	0.005	0.004	0.003	0.008	<0.002	0.007	0.003	0.002	0.006	0.004	0.01	0.008	<0.002	0.003	0.003	<0.002	<0.002	0.003
Copper	0.22	0.21	0.16	0.14	0.21	0.22	0.22	0.21	0.19	0.46	0.11	0.18	0.15	0.3	0.2	0.22	0.22	0.26	0.21	0.21	0.39	0.45	0.16	0.17	0.28
Iron	2.6	1.4	1.4	0.7	1.3	1.8	3.2	1.5	2.4	3.2	0.9	1.4	0.9	2.6	2.3	2.6	2	2	2	2.1	2.8	3.2	1.3	0.6	3.2
Lead	0.004	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.11	0.09	0.1	0.13	0.08	0.07	0.1	0.1	0.12	0.07	0.05	0.07	0.17	0.06	0.06	0.12	0.09	0.07	0.1	0.1	0.08	0.09	0.08	0.08	0.08
Mercury	0.099	0.06	0.052	0.13	0.082	0.06	0.082	0.071	0.08	0.1	0.1	0.082	0.083	0.061	0.12	0.04	0.056	0.042	0.05	0.092	0.19	0.13	0.08	0.17	0.24
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.2	0.27	0.21	0.34	0.26	0.25	0.32	0.32	0.28	0.28	0.16	0.28	0.2	0.26	0.26	0.2	0.23	0.23	0.22	0.22	0.2	0.17	0.22	0.18	0.19
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.23	0.38	0.19	0.16	0.56	0.29	0.22	0.25	0.3	0.29	0.11	0.28	2.2	0.17	0.2	0.15	0.17	0.19	0.14	0.13	0.16	0.2	0.18	0.11	0.14
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.02	0.01	0.03	<0.01	0.02	0.02	0.02	0.01	0.01
Uranium	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	0.004	<0.001	0.015	0.002	0.003	0.002	<0.001	<0.002	<0.002	0.009	<0.002	<0.002	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	4.4	4.4	4.4	4.6	4.6	3.9	4	5.2	5.8	4.9	3.2	3.8	4.1	3.4	3.6	3.8	4.4	4.2	3.4	3.7	4.2	9.8	5.4	4.9	6.5
Physical Properties																									
Moisture (%)	75.71	73.83	76.5	78.26	72.88	71.7	74.9	75	78	74.1	75.5	73.2	74.8	79	76	76	76.4	72.5	75.3	77.9	76.89	77.35	76.06	77.29	79.91
Length (cm)	45.8	39.8	39.5	52.4	43	43.9	41.1	39.7	39.4	42.5	-	-	-	42.1	45.3	45.5	40.8	45.5	41	43.6	76	67.7	67.8	72.3	89.5
Weight (g)	1660	1080	1070	2380	1880	1590	1300	1060	1060	1360	-	-	-	1140	1600	1240	1060	1300	1120	1400	2800	2760	1660	2760	4860
Sex	M	M	U	M	F	F	F	F	F	F	U	U	U	M	M	F	M	F	M	F	F	M	F	F	F
Maturity	A	A	U	A	A	A	A	A	A	A	U	U	U	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	7	10	9	15	12	11	7	8	8	15	-	-	-	9	24	11	8	10	6	10	6	9	5	7	16
Radionuclides																									
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0003	<0.0002	0.0005	<0.0002	0.0011	<0.0002	<0.0002	0.0002	0.0004	<0.0002	<0.0002	0.0005	0.0002	0.0003	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	0.0002	0.0004	0.0008	0.0003	0.0003
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00006	<0.00009	<0.00006	<0.00006	<0.00007	<0.0006	<0.0007	<0.00007	<0.00006	<0.00007	<0.00006	<0.00006	<0.00007	<0.00007	<0.00008	<0.00008	<0.00007	<0.00006	<0.00007	<0.00008	<0.00006	0.00008
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.003

¹All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.
AN = angling; GN = gill net, LT = lake trout; LW = lake whitefish; NP = northern pike; F = female; M = male; A = adult, U = unknown.

APPENDIX C, TABLE 4

Detailed fish flesh chemistry data from the EARMF community program (Fond du Lac), 2011 to 2024.

Chemical ¹	Fond du Lac (Fond du Lac River)																			
	Lake Trout																			
	2011					2012					2013					2014				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT01	LT02	LT03	LT04	LT05	LT06	LT07	LT08	LT09	LT10	LT06	LT07	LT08	LT09	LT10	LT06	LT07	LT08	LT09	LT10
Metals																				
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.17	0.08	0.1	0.05	0.12	0.05	0.06	0.1	0.14	0.08	0.05	0.04	0.08	0.11	0.06	0.07	0.04	0.11	0.13	0.05
Barium	<0.01	0.02	0.01	0.66	0.01	0.02	0.02	0.02	<0.01	<0.01	<0.01	0.01	0.01	<0.01	0.01	0.01	<0.01	0.01	0.01	0.04
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	0.003	0.002	0.003
Copper	0.17	0.31	0.4	0.19	0.4	0.31	0.26	0.23	0.28	0.21	0.36	0.25	0.24	0.43	0.24	0.2	0.17	0.4	0.22	0.36
Iron	2.1	2.1	3.2	1.8	2.8	3.4	1.8	1.4	4	1.4	2.2	1.3	1.6	2.1	1.3	2.6	2.3	3.3	2.8	3.6
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	0.004	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	0.008	<0.002	<0.002	0.003	<0.002	0.002	0.004	0.007
Manganese	0.09	0.08	0.09	0.1	0.08	0.07	0.04	0.07	0.06	0.08	0.05	0.06	0.07	0.07	0.05	0.09	0.04	0.12	0.14	0.1
Mercury	0.26	0.3	0.24	0.1	0.23	0.17	0.14	0.14	0.26	0.31	0.09	0.11	0.09	0.05	0.04	0.83	0.46	0.49	0.74	0.44
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	0.02	<0.01	<0.01	0.02	<0.01	0.02	0.02	0.02
Selenium	0.17	0.12	0.16	0.16	0.13	0.16	0.14	0.18	0.15	0.13	0.18	0.14	0.14	0.16	0.16	0.13	0.07	0.16	0.09	0.12
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.11	0.16	0.18	0.2	0.18	0.12	0.09	0.21	0.16	0.15	0.1	0.09	0.11	0.04	0.08	0.19	0.05	0.13	0.15	0.13
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.01	0.01	0.01	<0.01	0.01	0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.08	0.09	0.09	0.1	0.08	0.08	0.07	0.08	0.08	0.08	0.01	<0.01	0.01	0.01	<0.01	0.09	0.04	0.1	0.08	0.09
Uranium	<0.001	0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3	3.7	4.2	3.2	3.9	4.2	3.4	3.8	4.4	3.4	4.2	3.3	2.9	3.3	2.8	3.8	1.8	3.6	6.3	3.8
Physical Properties																				
Moisture (%)	76.91	76.77	74.35	75.75	71.88	77.01	75.50	69.03	77.64	68.66	74.35	74.57	75.49	72.33	73.93	81.13	73.27	76.95	79.64	74.40
Length (cm)	49.6	46.4	53.9	49.1	49.2	60.5	55.6	61.2	63.4	63.5	48.5	52.7	56.8	51.5	50.1	54.5	57.1	60.2	55.7	58.5
Weight (g)	1430	1310	2020	1230	1530	1680	1420	1940	1840	2280	1520	1940	2200	1640	1620	1405	2205	2860	1670	2410
Sex	M	F	F	F	M	M	M	F	F	F	M	M	M	M	M	F	M	F	F	F
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	12	10	15	9	8	17	11	15	-	14	9	11	12	9	8	29	20	16	21	13
Radionuclides																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00005	<0.00006	<0.00005	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00005	<0.00006	<0.00004	0.00007	<0.00005	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.00008	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 4

Detailed fish flesh chemistry data from the EARMP community program (Fond du Lac), 2011 to 2024.

Chemical ¹	Fond du Lac (Fond du Lac River)																	
	Lake Trout																	
	2016			2018					2019					2020				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT01	LT02	LT03	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT06	LT07	LT08	LT09	LT10
Metals																		
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.05	0.05	0.07	0.16	0.1	0.12	0.21	0.05	0.09	0.05	0.06	0.08	0.13	0.06	0.02	0.09	0.2	0.28
Barium	0.03	0.06	0.07	0.61	0.36	0.22	0.25	0.44	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	0.003	0.012	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	0.002	<0.002	<0.002	<0.002	0.004	0.004	0.002	<0.002
Copper	0.22	0.33	0.33	0.41	0.34	0.45	0.35	0.33	0.22	0.22	0.2	0.42	0.2	0.27	0.36	0.65	1	0.45
Iron	3	2.2	5	4	3	4.4	3.5	5	2	1.5	2.3	3.6	2.9	3.8	5.9	6	7.9	4
Lead	0.002	0.002	0.003	<0.002	<0.002	<0.002	0.005	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.07	0.08	0.08	0.07	0.09	0.1	0.08	0.09	0.08	0.05	0.07	0.07	0.06	0.07	0.06	0.1	0.11	0.1
Mercury	0.19	0.085	0.25	0.15	0.19	0.11	0.16	0.18	0.21	0.17	0.22	0.14	0.2	0.32	0.28	0.2	0.24	0.21
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	<0.01	<0.01
Selenium	0.16	0.18	0.16	0.17	0.14	0.16	0.14	0.17	0.1	0.11	0.1	0.13	0.11	0.12	0.15	0.18	0.16	0.15
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.08	0.14	0.09	0.57	0.33	0.28	0.47	0.51	0.16	0.09	0.08	0.06	0.36	0.12	0.08	0.25	0.38	0.14
Thallium	<0.01	<0.01	0.02	0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	<0.01	<0.01	0.01	0.01	0.01	0.01	<0.01	0.01	<0.01	0.01	0.02	<0.01	<0.01	0.03	0.04	0.06	0.04	0.04
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	6.1	3	3.6	5.6	4.3	4.1	4.9	4.3	2.8	2.2	2.8	3.2	3.3	3.2	4.3	3.9	7.5	3.8
Physical Properties																		
Moisture (%)	77.54	71.06	72.59	73.29	74.63	77.43	64.88	76.64	74.46	73.12	74.54	76.15	75.12	77.69	81.82	71.29	79.87	75.50
Length (cm)	58.9	57.6	54	55.9	58.2	51.1	59.3	58	58.5	52.7	55.3	52.4	57.2	59.5	56	59.8	56.7	57.5
Weight (g)	2160	2060	1740	1790	1950	1150	2300	2190	2240	1440	1900	1580	2300	1900	1740	2500	2040	2340
Sex	F	F	M	M	F	M	F	M	F	M	F	M	F	U	M	U	M	M
Maturity	A	A	A	U	A	U	U	U	A	A	A	A	A	A	A	A	A	A
Age (years)	18	11	21	15	17	11	15	21	20	9	22	15	25	12	24	13	11	16
Radionuclides																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00005	<0.00006	<0.00007	<0.00006	<0.00007	<0.00006	<0.00006	<0.00005	<0.00005	<0.00007	<0.00006	<0.00005	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 4

Detailed fish flesh chemistry data from the EARMF community program (Fond du Lac), 2011 to 2024.

Chemical ¹	Fond du Lac (Fond du Lac River)																			
	Lake Trout																			
	2021					2022					2023					2024				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT06	LT07	LT08	LT09	LT10	LT01	LT02	LT03	LT04	LT05
Metals																				
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.04	0.1	0.17	0.03	0.04	0.12	0.11	0.15	0.15	0.13	0.06	0.05	0.05	0.14	0.07	0.06	0.06	0.05	0.06	0.04
Barium	0.01	<0.01	<0.01	<0.01	0.02	0.02	<0.01	0.02	<0.01	0.03	0.01	<0.01	0.01	0.01	<0.01	0.02	<0.01	0.01	0.06	0.04
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.004	0.002	0.002	0.002	0.004	0.002	<0.002	0.002	0.002	0.003	0.002	0.004	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	<0.002	<0.002
Copper	0.31	0.27	0.24	0.24	0.15	0.34	0.28	0.6	0.26	0.57	0.22	0.38	0.25	0.19	0.53	0.36	0.42	0.23	0.32	0.27
Iron	3.2	2.6	2.5	2.8	1	4.4	3.6	3.7	1.8	7.8	2.3	5	2.7	3	4.4	2.5	2.7	2.3	2.8	2.5
Lead	0.005	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	0.004	<0.002
Manganese	0.09	0.1	0.07	0.06	0.08	0.09	0.08	0.14	0.07	0.07	0.06	0.07	0.04	0.07	0.05	0.08	0.09	0.07	0.1	0.08
Mercury	0.59	0.2	0.18	0.38	0.44	0.34	0.32	0.38	0.25	0.51	0.29	0.32	0.34	0.4	0.25	0.21	0.2	0.29	0.18	0.17
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	0.04	<0.01	<0.01
Selenium	0.2	0.19	0.16	0.19	0.18	0.18	0.18	0.19	0.24	0.19	0.14	0.15	0.13	0.12	0.15	0.17	0.16	0.16	0.17	0.14
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.29	0.16	0.18	0.09	0.09	0.47	0.16	0.32	0.07	0.87	0.09	0.12	0.12	0.14	0.13	0.09	0.14	0.06	0.11	0.07
Thallium	<0.01	0.01	<0.01	<0.01	<0.01	0.01	0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01
Titanium	<0.01	0.09	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01
Uranium	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.004	<0.001	<0.001	<0.001	<0.002	<0.002	0.004	0.004	<0.002
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	9.2	3.9	4.2	3.3	4.5	12	4.4	4.9	3.9	13	3.3	3.6	2.2	4	4	3.2	3.4	3.5	3.3	2.7
Physical Properties																				
Moisture (%)	79.52	77.78	74.53	81.51	79.85	79.6	79.4	78.6	76.8	80.7	80.6	80.4	80	77.2	78.1	75.6	75.4	77.5	79.1	76.8
Length (cm)	45.6	56.7	2000	52.8	50.8	57.4	54.2	55.4	60	57.6	54.4	61	59.2	56.8	49.3	51.7	45	49.8	54.5	52.8
Weight (g)	980	48.5	1420	1620	1630	2120	2010	2180	2630	2120	2640	2600	2400	2280	1480	1600	1320	1520	1860	1660
Sex	F	F	F	M	F	M	M	F	M	F	F	F	F	M	M	M	M	M	M	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	U	A
Age (years)	12	12	9	12	13	26	22	11	15	25	>15	20	15	15	13	11	9	12	-	13
Radionuclides																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00005	<0.00005	<0.00006	<0.00006	<0.00006	<0.00007	<0.00006	<0.00006	<0.00005	<0.00005	<0.00005	<0.00005	<0.00006	<0.00006	<0.00006	<0.00007	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 4

Detailed fish flesh chemistry data from the EARMF community program (Fond du Lac), 2011 to 2024.

Chemical ¹	Fond du Lac (Fond du Lac River)																			
	Lake Whitefish																			
	2011					2012					2013					2014				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LW06	LW07	LW08	LW09	LW10	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05
Metals																				
Aluminum	<0.5	<0.5	<0.5	<0.5	1.3	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.4	0.19	0.2	0.52	0.29	0.02	0.22	0.22	0.18	0.19	0.04	0.04	0.11	0.08	0.03	0.16	0.02	0.04	0.28	0.04
Barium	0.06	0.04	0.02	<0.01	0.03	0.02	0.04	0.01	0.07	0.02	0.01	<0.01	0.02	0.03	0.01	0.14	<0.01	0.04	0.06	0.05
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.002	<0.002	<0.002	<0.002	0.006	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.003	0.005	0.003	0.003	0.015	0.003	0.002	0.003	0.003	<0.002	0.004	0.014	0.003	0.004	<0.002	0.007	0.006	0.02	0.003	0.012
Copper	0.14	0.18	0.12	0.22	0.28	0.27	0.16	0.16	0.15	0.13	0.22	0.16	0.15	0.34	0.13	0.13	0.14	0.19	0.16	0.17
Iron	1.7	2.9	1.3	2.6	6	2	1	1.4	1.4	1.3	2.1	3.1	1.3	4.4	1.1	1.8	1.4	3.1	1.8	2
Lead	<0.002	0.002	<0.002	<0.002	<0.002	0.003	0.004	0.003	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	0.008	<0.002	<0.002
Manganese	0.17	0.13	0.07	0.14	0.08	0.05	0.08	0.14	0.19	0.08	0.08	0.09	0.06	0.1	0.07	0.21	0.07	0.19	0.1	0.1
Mercury	0.14	0.12	0.14	0.18	0.18	0.02	0.05	0.02	0.02	0.03	0.03	0.02	0.02	0.03	0.04	0.086	0.14	0.051	0.081	0.059
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.02	0.02	0.04	<0.01	0.1
Selenium	0.25	0.15	0.22	0.2	0.29	0.17	0.28	0.2	0.16	0.23	0.22	0.13	0.27	0.21	0.18	0.15	0.11	0.12	0.24	0.17
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	1	0.88	0.55	0.15	0.36	0.51	0.24	0.27	1.6	0.2	0.19	0.26	0.19	0.61	0.15	2.2	0.33	1.2	0.68	0.33
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.08	0.08	0.09	0.07	0.1	0.07	0.08	0.07	0.08	0.07	0.02	0.01	0.02	0.02	0.02	0.1	0.09	0.1	0.07	0.09
Uranium	0.002	<0.001	<0.001	<0.001	0.003	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.004	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3	4.2	3.2	3	4.2	6.2	3.8	3.5	4	3.4	3.8	4	3.9	5.4	3.5	3.3	4.6	4.4	4.2	3.6
Physical Properties																				
Moisture (%)	73.98	78.34	76.86	75.56	75.69	75.73	71.01	74.93	73.77	76.15	75.67	78.03	73.18	76.28	78.04	78.86	77.96	76.51	77.23	76.57
Length (cm)	38.5	44.9	36.4	41.1	42.2	44.4	43.8	46.6	42.8	36.5	46.5	43.4	40.5	40.1	42.3	42.5	45	41.3	41.9	39.4
Weight (g)	900	1340	805	1100	1120	940	1040	1100	860	520	1420	1120	980	820	1000	965	1240	910	965	875
Sex	M	M	F	F	M	M	F	M	F	M	F	M	F	M	M	F	F	M	F	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	30	26	31	33	38	7	27	20	15	27	14	12	13	13	8	19	9	15	17	11
Radionuclides																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.004	<0.004	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.001	<0.001	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00008	<0.00006	<0.00006	<0.00006	<0.00007	<0.00007	<0.00008	<0.00009	<0.001	0.002	<0.00009	0.0001	<0.00006	<0.00006	<0.00006	0.00008	<0.00006	<0.00007	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.002	<0.002	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0002	<0.0001

APPENDIX C, TABLE 4

Detailed fish flesh chemistry data from the EARMF community program (Fond du Lac), 2011 to 2024.

Chemical ¹	Fond du Lac (Fond du Lac River)																	
	Lake Whitefish																	
	2016			2018					2019					2020				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LW04	LW05	LW06	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05
Metals																		
Aluminum	<0.5	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.03	0.29	0.26	0.16	0.1	0.12	0.21	0.05	0.02	0.02	0.24	0.02	0.16	0.24	0.26	0.2	0.23	0.32
Barium	0.06	0.21	0.01	0.61	0.36	0.22	0.25	0.44	<0.01	0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	0.003	<0.002	<0.002	<0.002	0.002	<0.002	<0.002	<0.002	0.003
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.016	0.011	0.004	<0.002	<0.002	<0.002	0.003	<0.002	0.005	0.011	0.007	0.01	0.008	0.009	0.002	0.003	0.005	0.008
Copper	0.19	0.1	0.26	0.41	0.34	0.45	0.35	0.33	0.19	0.2	0.13	0.18	0.14	0.12	0.11	0.17	0.14	0.14
Iron	1.8	1.9	2.6	4	3	4.4	3.5	5	3	3.4	3	2.3	1.4	3.8	1.2	2.1	2.3	3.3
Lead	0.004	0.005	<0.002	<0.002	<0.002	<0.002	0.005	<0.002	<0.002	<0.002	0.004	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.08	0.22	0.09	0.07	0.09	0.1	0.08	0.09	0.05	0.12	0.08	0.14	0.19	0.09	0.08	0.09	0.08	0.09
Mercury	0.079	0.12	0.065	0.15	0.19	0.11	0.16	0.18	0.15	0.11	0.095	0.046	0.075	0.11	0.08	0.11	0.1	0.08
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.02	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.02	<0.01	0.01	<0.01	<0.01
Selenium	0.34	0.24	0.16	0.17	0.14	0.16	0.14	0.17	0.12	0.14	0.24	0.15	0.27	0.27	0.24	0.26	0.19	0.31
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.21	1.4	0.31	0.57	0.33	0.28	0.47	0.51	0.3	0.36	0.25	0.24	0.26	0.24	0.19	0.17	0.26	0.19
Thallium	<0.01	<0.01	<0.01	0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.02	0.01	<0.01	0.01	0.01	0.01	<0.01	0.01	0.07	<0.01	<0.01	<0.01	<0.01	0.03	0.03	0.04	0.04	0.03
Uranium	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	5	4	3.8	5.6	4.3	4.1	4.9	4.3	3.5	4.8	3.1	4.6	3.3	4	2.6	2.9	2.8	3.9
Physical Properties																		
Moisture (%)	74.60	81.27	73.88	73.29	74.63	77.43	64.88	76.64	78.08	79.05	79.37	76.69	77.22	79.02	79.31	79.99	80.97	79.37
Length (cm)	47	38.6	47.4	38	40.6	39.3	37	38.3	49.3	44.5	40	45.4	43.5	39.5	39.4	40.6	45.5	40.9
Weight (g)	1540	840	1360	840	1110	850	800	760	1460	1260	1140	1480	1340	1000	960	1100	1380	1080
Sex	F	M	F	M	M	M	M	M	F	F	M	M	M	M	M	F	F	F
Maturity	A	A	A	U	U	U	U	U	A	A	A	A	A	A	A	A	A	A
Age (years)	11	33	16	25	30	23	37	26	16	11	34	9	12	33	25	30	26	29
Radionuclides																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0003	<0.0002	<0.0002	<0.0002	<0.0002	0.0003	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00005	<0.00006	<0.00007	<0.00006	<0.00006	<0.00005	<0.00006	<0.00006	<0.00006	<0.00005	<0.00005	<0.00006	<0.00007
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 4

Detailed fish flesh chemistry data from the EARMP community program (Fond du Lac), 2011 to 2024.

Chemical ¹	Fond du Lac (Fond du Lac River)																			
	Lake Whitefish																			
	2021					2022					2023					2024				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05
Metals																				
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.04	0.03	0.03	0.03	0.02	0.45	0.36	0.27	0.44	0.22	0.4	0.22	0.27	0.06	0.52	0.3	0.25	0.39	0.23	0.34
Barium	<0.01	0.03	<0.01	<0.01	<0.01	0.01	0.01	0.02	0.04	<0.01	0.01	0.02	0.01	<0.01	<0.01	0.02	0.02	0.02	0.02	0.02
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.008	0.009	0.009	0.01	0.004	0.004	0.003	0.006	0.003	0.004	0.002	0.004	0.005	0.003	0.003	0.004	0.002	0.004	0.002	0.003
Copper	0.16	0.15	0.15	0.2	0.17	0.14	0.19	0.18	0.13	0.11	0.12	0.17	0.32	0.18	0.22	0.15	0.2	0.19	0.15	0.09
Iron	1.8	3.2	2.3	2.2	1.8	2.2	3.4	2	2.5	1.4	1.8	3.3	4	2.2	3.2	1.8	1.8	2.9	1.8	1.4
Lead	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	<0.002	<0.002	0.002	0.003	<0.002	<0.002
Manganese	0.12	0.11	0.09	0.09	0.06	0.09	0.11	0.08	0.11	0.06	0.1	0.08	0.08	0.06	0.1	0.1	0.12	0.12	0.13	0.11
Mercury	0.13	0.13	0.11	0.12	0.1	0.13	0.17	0.1	0.1	0.12	0.11	0.1	0.1	0.62	0.11	0.085	0.092	0.075	0.073	0.1
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	<0.01	<0.01	0.02	0.02	<0.01	0.03	<0.01	<0.01
Selenium	0.17	0.19	0.23	0.23	0.26	0.32	0.31	0.35	0.28	0.17	0.28	0.26	0.32	0.16	0.28	0.29	0.31	0.32	0.24	0.29
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.1	0.09	0.08	0.21	0.08	0.3	0.42	0.34	0.67	0.24	0.28	0.3	0.32	0.21	0.19	0.22	0.15	0.24	0.49	0.16
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Uranium	<0.001	0.003	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	0.002	0.001	<0.001	0.005	<0.002	<0.002	0.005	<0.002	0.003
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	4	7.1	7.6	4.2	4.1	4.8	4.2	3.9	4.6	3.1	3	3.1	3.2	3.9	3.4	3.3	3.3	3.7	3.2	2.7
Physical Properties																				
Moisture (%)	78.59	80.88	80.18	77.34	79.4	73.1	75	74.8	75	80.3	78.5	77.1	74.4	78.4	75.1	74.5	76.7	76.3	77.1	74.6
Length (cm)	46.2	45.5	42.5	44.3	42.7	37.2	39.9	39	39.3	34.2	40.7	38.8	42	43.9	40.8	36.5	37.4	38.5	37.9	36.5
Weight (g)	1380	1240	1160	1320	1200	900	950	1060	1000	1200	1040	960	1220	1220	1120	920	960	1000	860	860
Sex	M	M	F	F	M	F	F	M	M	M	M	M	F	F	F	M	F	F	M	F
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	15	16	10	11	14	27	28	26	27	26	22	24	26	16	30	21	20	21	20	25
Radionuclides																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0003	0.0003	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00005	0.0002	<0.00006	<0.00006	<0.00007	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.0001	<0.0001	<0.00008	<0.00006	<0.00006	<0.00006	<0.00007	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

¹All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.
GN = gill net; LT = lake trout; LW = lake whitefish; F = female; M = male; A = adult, U = unknown.

APPENDIX C, TABLE 5

Detailed fish flesh chemistry data from the EARMP community program (Stony Rapids), 2011 to 2024.

Chemical ¹	Stony Rapids (Fond du Lac River)																		
	Lake Trout																		
	2011					2012				2013					2014				
	GN1-1	GN1-1	GN1-1	GN1-1	SP01-01	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT01	LT02	LT03	LT04	LT05	LT06	LT07	LT08	LT09	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05
Metals																			
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.02	0.06	0.05	0.06	0.09	0.07	0.18	0.06	0.07	0.06	0.18	0.25	0.09	0.08	0.14	0.11	0.04	0.07	0.04
Barium	<0.01	<0.01	0.01	<0.01	0.01	0.01	0.01	0.02	0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.1	0.09	<0.01	0.07	0.03
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.006	0.005	<0.002	0.004	0.003
Copper	0.28	0.2	0.22	0.22	0.17	0.21	0.78	0.2	0.36	0.39	0.45	0.32	0.32	0.28	0.43	0.93	0.34	0.3	0.3
Iron	1.9	1.7	1.5	1.6	1.2	2.3	8.6	2.6	4	3.6	3.3	6.1	3.1	2.7	10	8.9	3	2.3	2.1
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.011	0.003	<0.002	0.004	<0.002
Manganese	0.09	0.09	0.08	0.12	0.06	0.09	0.08	0.1	0.07	0.11	0.07	0.06	0.06	0.07	0.13	0.09	0.06	0.07	0.06
Mercury	0.27	0.46	0.57	0.38	0.49	0.12	0.19	0.18	0.27	0.17	0.12	0.13	0.3	0.16	0.11	0.24	0.23	0.21	0.19
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	0.06	<0.01	<0.01	0.01	<0.01
Selenium	0.1	0.11	0.09	0.14	0.16	0.15	0.19	0.17	0.19	0.16	0.19	0.15	0.18	0.15	0.13	0.15	0.16	0.15	0.14
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.1	0.09	0.21	0.23	0.09	0.13	0.14	0.14	0.14	0.08	0.14	0.3	0.14	0.1	0.26	0.15	0.2	0.34	0.28
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.02	<0.01	0.01	0.01	0.01	<0.01	0.02	0.01	<0.01	0.01	0.01	0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.08	0.07	0.08	0.08	0.08	0.07	0.08	0.08	0.08	0.04	0.03	0.04	0.03	0.03	0.14	0.09	0.09	0.09	0.08
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	4.7	3.1	3.4	3.3	2.5	3.8	5.4	3.6	3.8	3.1	4	4	3.8	3.1	3.3	5.2	4.3	4.3	3
Physical Properties																			
Moisture (%)	77.77	77.90	77.43	76.77	73.64	78.8	76.77	78.11	78.05	73.56	74.02	75.29	75.06	73.99	73.76	75.09	76.30	76.67	75.55
Length (cm)	54.9	55.9	57.2	64.9	69.6	57.2	62.8	61.0	59.8	52.0	52.5	55.0	57.0	51.2	49.5	51.9	44.7	54.0	48.7
Weight (g)	1750	2060	2180	2840	3720	1520	2060	1840	1820	1720	1680	1940	2060	1600	1580	1640	1100	1670	1440
Sex	F	F	F	F	M	M	M	M	M	F	M	F	M	F	F	M	M	M	F
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	10	15	16	17	15	14	22	21	22	12	12	11	16	13	11	14	12	12	11
Radionuclides																			
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	0.0004	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0003	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00007	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00007	<0.00006	<0.00008	<0.00006	0.0001	<0.00006	<0.00006	<0.00008	<0.00006	<0.00007
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001

APPENDIX C, TABLE 5

Detailed fish flesh chemistry data from the EARMP community program (Stony Rapids), 2011 to 2024.

Chemical ¹	Stony Rapids (Fond du Lac River)																
	Lake Trout																
	2016			2018					2019					2020			
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT01	LT02	LT03	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT06	LT07	LT08	LT09
Metals																	
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.1	0.12	0.08	0.11	0.14	0.12	0.08	0.18	0.03	0.05	0.11	0.05	0.03	0.04	0.04	0.05	0.03
Barium	0.02	0.05	0.03	0.11	0.15	0.06	0.1	0.19	0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	0.02	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.004	0.004	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	0.002	<0.002	0.002	<0.002	<0.002	<0.002	<0.002
Copper	0.43	0.73	0.61	0.28	0.41	0.4	0.36	0.33	0.28	0.25	0.32	0.19	0.49	0.29	0.36	0.38	0.29
Iron	4	6.1	4.2	3.2	5	4.4	4.4	4.3	4.5	3.6	2.8	1.6	4.4	3	4	4.1	5.4
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	0.005	<0.002	<0.002	<0.002	0.002	<0.002	<0.002	0.003	<0.002
Manganese	0.05	0.05	0.08	0.08	0.07	0.06	0.08	0.06	0.06	0.06	0.11	0.06	0.06	0.15	0.08	0.1	0.08
Mercury	0.14	0.2	0.16	0.1	0.11	0.1	0.11	0.099	0.24	0.25	0.19	0.17	0.13	0.17	0.13	0.32	0.32
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.07	<0.01	<0.01
Selenium	0.18	0.16	0.16	0.15	0.14	0.17	0.18	0.14	0.14	0.12	0.14	0.12	0.12	0.19	0.2	0.18	0.14
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.22	0.25	0.17	0.3	0.24	0.21	0.24	0.14	0.19	0.12	0.72	0.08	0.33	0.67	0.39	0.55	0.18
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.02	<0.01	0.01	0.02	0.02	0.01	0.02	0.05	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	0.04	0.05
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.003	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.5	3.8	3.2	5.1	4.4	4.9	4.3	4.5	3.7	2.9	5.8	2.3	3.7	3.7	5.3	6.9	4.7
Physical Properties																	
Moisture (%)	70.53	75.35	72.93	77.90	76.77	74.99	78.64	74.12	79.89	79.11	76.18	77.07	79.64	76.00	75.89	79.24	81.49
Length (cm)	55.0	55.7	52.1	47.6	53.9	56.2	52.5	61.0	61.8	59.7	50.8	59.2	52.0	65.2	61.2	58.7	57.2
Weight (g)	2080	1960	1920	1130	1640	1680	1660	2480	2180	2500	1560	2120	1480	2520	2290	2420	1980
Sex	F	F	F	F	F	M	F	F	M	M	M	M	M	M	M	F	M
Maturity	A	A	A	U	U	U	U	U	A	A	A	A	A	A	A	A	A
Age (years)	15	11	15	13	13	13	12	11	21	25	16	19	14	12	11	26	31
Radionuclides																	
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00005	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00005	<0.00006	<0.00007	<0.00007	<0.00006	<0.00006	<0.00005	<0.00005	<0.00005	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 5

Detailed fish flesh chemistry data from the EARMP community program (Stony Rapids), 2011 to 2024.

Chemical ¹	Stony Rapids (Fond du Lac River)																			
	Lake Trout																			
	2021					2022					2023					2024				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT06	LT07	LT08	LT09	LT10	LT01	LT02	LT03	LT04	LT05
Metals																				
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.07	0.06	0.08	0.06	0.13	0.25	0.24	0.22	0.11	0.13	0.05	0.08	0.07	0.04	0.06	0.06	0.06	0.06	0.03	0.04
Barium	<0.01	<0.01	<0.01	<0.01	0.01	0.02	<0.01	0.02	0.03	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	0.002	0.003	0.002	0.003	<0.002	0.002	0.003	0.004	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Copper	0.21	0.25	0.34	0.32	0.33	0.5	0.39	0.48	0.26	0.45	0.33	0.27	0.28	0.26	0.34	0.26	0.19	0.28	0.25	0.25
Iron	3.5	2.1	7.2	3.1	3.3	4.6	4.4	6.3	3.4	5.2	3.2	2.5	2.2	2.5	4.4	2.7	3	2.8	2.9	2.3
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.006	<0.002	0.002	<0.002	<0.002
Manganese	0.07	0.06	0.07	0.06	0.05	0.1	0.07	0.07	0.08	0.11	0.05	0.08	0.1	0.05	0.07	0.08	0.06	0.06	0.09	0.09
Mercury	0.37	0.31	0.33	0.25	0.2	0.23	0.21	0.22	0.42	0.3	0.35	0.25	0.46	0.34	0.19	0.29	0.36	0.66	0.14	0.069
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.03	0.01	<0.01	0.01	<0.01	<0.01	0.01	0.03	0.04
Selenium	0.13	0.15	0.15	0.17	0.13	0.16	0.18	0.17	0.14	0.14	0.15	0.14	0.12	0.14	0.15	0.11	0.11	0.1	0.12	0.1
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	0.005	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.2	0.15	0.25	0.14	0.23	0.44	0.38	0.71	0.42	0.72	0.2	0.34	0.16	0.09	0.22	0.18	0.15	0.08	0.25	0.13
Thallium	<0.01	<0.01	<0.01	0.01	<0.01	0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
Uranium	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.002	0.002
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	8.9	5.6	5.3	4	3.3	4.8	4.7	7.7	5.1	5.7	3.2	3.1	4.2	4	3.3	3.2	3	3.5	3.9	3.4
Physical Properties																				
Moisture (%)	81.03	81.49	81.25	78.31	79.43	75.2	77.3	77.7	77.5	77.3	77.7	75.2	73.3	78.4	74.8	82.3	80.7	77.4	79.2	77.9
Length (cm)	59.4	54.1	58.9	53.5	52.6	58.8	53.4	50.7	53.5	50.0	53.9	52.8	55.0	55.6	52.9	57.5	56.7	58.7	57.9	57.3
Weight (g)	2220	1840	2050	1820	1800	2140	1660	1600	1920	1680	1640	1960	1800	2120	1540	1900	2480	2500	2040	(blank)
Sex	F	F	F	M	F	M	M	M	F	F	M	F	M	M	M	F	F	F	F	U
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	26	18	28	18	13	18	13	15	19	15	19	12	12	21	12	19	23	17	23	21
Radionuclides																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00005	<0.00005	<0.00006	<0.00005	<0.00008	<0.00006	<0.00006	<0.00006	<0.00006	<0.0001	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00007	<0.00007	<0.00008	<0.00008
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002

APPENDIX C, TABLE 5

Detailed fish flesh chemistry data from the EARMP community program (Stony Rapids), 2011 to 2024.

Chemical ¹	Stony Rapids (Fond du Lac River)																			
	Lake Whitefish																			
	2011					2012					2013					2014				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LW06	LW07	LW08	LW09	LW10	LW01	LW02	LW03	LW04	LW05	LW06	LW07	LW08	LW09	LW10	LW06	LW07	LW08	LW09	LW10
Metals																				
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.06	0.03	0.03	0.07	0.02	0.02	0.06	0.05	0.03	0.04	0.03	0.02	0.04	0.03	0.03	0.01	0.01	0.01	0.02	0.09
Barium	0.01	0.01	0.09	<0.01	0.02	0.01	0.05	0.01	0.01	0.02	<0.01	0.02	<0.01	<0.01	0.02	0.07	<0.01	0.08	0.03	0.04
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.005	0.009	0.012	0.004	0.008	<0.002	0.009	0.005	0.007	0.003	0.004	0.004	0.006	0.004	0.005	0.003	0.005	0.003	0.004	0.008
Copper	0.36	0.15	0.14	0.26	0.19	0.24	0.14	0.3	0.14	0.11	0.31	0.15	0.17	0.23	0.25	0.19	0.2	0.25	0.23	0.2
Iron	3.5	2	2	2.2	1.7	1.3	1.4	4.2	1.9	1.1	4.7	1.9	1.2	2.2	2.4	1.9	1.8	1.6	2.2	2
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.004
Manganese	0.09	0.1	0.18	0.08	0.1	0.08	0.22	0.08	0.1	0.1	0.09	0.12	0.08	0.12	0.19	0.09	0.09	0.1	0.18	0.09
Mercury	0.23	0.06	0.15	0.37	0.06	0.05	0.05	0.14	0.06	0.13	0.09	0.04	0.04	0.07	0.06	0.13	0.098	0.08	0.1	0.056
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.05	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01
Selenium	0.13	0.1	0.15	0.27	0.12	0.18	0.12	0.14	0.18	0.13	0.14	0.13	0.15	0.12	0.12	0.11	0.08	0.11	0.12	0.16
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.23	0.26	2	0.12	0.24	0.28	1.8	0.3	0.23	0.24	0.27	0.22	0.17	0.22	0.25	0.36	0.1	0.18	0.3	0.29
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.07	0.08	0.08	0.07	0.09	0.06	0.07	0.07	0.06	0.06	0.03	0.03	0.03	0.03	0.03	0.09	0.06	0.09	0.09	0.08
Uranium	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.007	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	4	4	4.1	8.3	4.7	6.1	7	3.6	3.4	3.4	4	4.6	3.4	4.9	4.7	3.8	2.8	3.6	4.2	3.9
Physical Properties																				
Moisture (%)	76.78	78.07	78.94	77.19	75.50	74.99	80.97	76.82	80.22	79.53	76.95	78.07	73.93	75.51	76.73	74.28	79.20	76.81	75.18	76.08
Length (cm)	47.8	44.8	48.1	51.4	42.5	48.0	47.0	50.6	50.8	49.5	44.5	42.2	43.3	39.9	40.5	44.0	43.2	44.2	41.8	49.6
Weight (g)	1490	1640	1730	2060	1410	1420	980	1680	1360	1520	1180	940	1100	1000	960	1300	1120	1120	1130	1560
Sex	F	F	F	F	M	F	F	M	F	F	M	F	F	M	M	F	F	F	M	F
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	27	14	13	29	8	9	14	18	15	18	18	8	11	11	10	11	9	9	8	11
Radionuclides																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.001	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00008	0.0001	0.00006	0.0001	<0.00006	<0.00005	0.001	<0.00006	<0.00007	<0.00005	<0.00006	<0.00006	0.0001	0.00009	<0.00006	<0.00007	<0.00006	<0.00006	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0002	<0.00009	<0.00008	<0.0002	<0.0001	<0.0001	<0.002	<0.0001	<0.0001	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 5

Detailed fish flesh chemistry data from the EARMP community program (Stony Rapids), 2011 to 2024.

Chemical ¹	Stony Rapids (Fond du Lac River)																	
	Lake Whitefish																	
	2016			2018					2019					2020				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LW04	LW05	LW06	LW01	LW02	LW03	LW04	LW05	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05
Metals																		
Aluminum	<0.5	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.02	0.06	0.04	0.14	0.13	0.17	0.1	0.08	0.01	0.03	0.01	0.02	0.02	0.23	0.06	0.02	0.03	0.02
Barium	<0.01	0.04	0.05	0.03	0.22	0.07	0.14	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	0.005	<0.002	<0.002	<0.002	<0.002	<0.002	0.005	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.012	0.023	0.007	0.009	0.014	0.003	0.006	<0.002	0.008	0.008	0.007	0.009	0.007	0.002	0.004	0.003	0.009	0.003
Copper	0.17	0.11	0.2	0.18	0.26	0.24	0.24	0.32	0.16	0.17	0.14	0.12	0.18	0.22	0.18	0.2	0.26	0.17
Iron	1.9	1.7	1.8	3	3.2	3.2	4.3	3.5	1.6	2.4	1.7	2.1	2.2	2.4	1.8	2.6	2.7	1.8
Lead	0.004	0.004	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.12	0.08	0.08	0.1	0.11	0.11	0.11	0.08	0.09	0.1	0.06	0.09	0.1	0.15	0.08	0.14	0.09	0.15
Mercury	0.036	0.048	0.039	0.03	0.032	0.052	0.073	0.1	0.043	0.066	0.087	0.064	0.082	0.15	0.09	0.04	0.07	0.09
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	0.02	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.12	0.17	0.1	0.08	0.16	0.19	0.22	0.21	0.08	0.12	0.1	0.11	0.11	0.31	0.13	0.11	0.12	0.17
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.5	0.5	0.34	0.28	0.45	0.4	0.46	0.29	0.29	0.36	0.13	0.34	0.25	0.3	0.29	0.3	0.38	0.4
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	<0.01	<0.01	0.01	0.01	0.02	0.01	0.02	0.03	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	0.03	0.04	0.04
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	4.5	4.9	4.4	4.6	4.6	5.6	3.5	4.5	3.4	6.2	2.4	3	2.6	4.2	3.1	4.2	5.3	4.8
Physical Properties																		
Moisture (%)	76.94	75.08	76.91	79.48	75.79	73.45	77.61	78.27	77.70	77.03	80.34	75.85	74.44	79.89	78.62	77.46	78.42	73.15
Length (cm)	42	47.4	41	41.4	48.7	44	40.6	48.2	46.4	43.7	47.3	45.8	42.6	39.3	46.8	44.4	47.4	43.8
Weight (g)	1160	1520	1040	1070	1420	1080	850	1420	1560	1460	1540	1420	1240	800	1520	1350	1600	1300
Sex	F	F	F	F	F	M	M	F	F	F	F	M	M	M	F	M	F	M
Maturity	A	A	A	U	U	U	U	U	A	A	A	A	A	A	A	A	A	A
Age (years)	8	12	12	10	11	13	13	10	8	15	18	16	14	24	21	6	15	17
Radionuclides																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	0.0004	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0003	0.0003	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00007	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00008	<0.00008	<0.00007
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001

APPENDIX C, TABLE 5

Detailed fish flesh chemistry data from the EARMP community program (Stony Rapids), 2011 to 2024.

Chemical ¹	Stony Rapids (Fond du Lac River)																			
	Lake Whitefish																			
	2021					2022					2023					2024				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-2	GN1-3	GN1-4	GN1-5	GN1-6
	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05
Metals																				
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.06	0.05	0.02	0.07	0.06	0.04	0.05	0.05	0.05	0.04	0.04	0.03	0.02	0.08	0.03	0.03	0.04	0.03	0.04	0.04
Barium	<0.01	0.03	<0.01	0.03	<0.01	<0.01	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.06	<0.01	0.05	<0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.004	0.004	0.013	0.009	0.005	0.008	0.007	0.007	0.007	0.007	0.003	0.005	0.004	0.006	0.002	0.005	0.005	0.005	0.004	0.005
Copper	0.26	0.18	0.26	0.25	0.32	0.15	0.15	0.11	0.38	0.21	0.19	0.2	0.15	0.19	0.15	0.15	0.2	0.15	0.22	0.27
Iron	3.5	1.7	3	2.9	3.1	2.4	1.8	1.9	4	1.7	1.8	1.8	3.9	1.1	1.3	2	2.1	1.6	1.8	2
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	0.007	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.007	0.004	0.005	<0.002	<0.002
Manganese	0.09	0.11	0.09	0.14	0.06	0.1	0.09	0.09	0.15	0.11	0.11	0.07	0.07	0.07	0.09	0.08	0.08	0.1	0.1	0.08
Mercury	0.11	0.072	0.13	0.058	0.084	0.13	0.11	0.1	0.088	0.13	0.12	0.09	0.15	0.097	0.081	0.12	0.15	0.13	0.07	0.094
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.01	0.01	<0.01
Selenium	0.11	0.19	0.14	0.08	0.14	0.1	0.11	0.09	0.11	0.13	0.3	0.12	0.13	0.24	0.14	0.11	0.13	0.11	0.1	0.15
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.26	0.25	0.44	0.3	0.22	0.27	0.26	0.32	0.34	0.46	0.62	0.22	0.41	0.22	0.66	0.2	0.2	0.25	0.2	0.18
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	0.02	<0.01
Uranium	0.001	<0.001	0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.002	<0.002
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	6.2	3.6	5.2	5.7	5.5	3.3	4.5	3.9	4.7	6.1	5.4	4.2	3.8	3.4	4.6	4	3	4.2	3	3
Physical Properties																				
Moisture (%)	78.42	79.19	77.21	75.30	78.04	78.2	77.8	76.2	76	77.2	75.4	78.6	77.6	76.4	74.8	78.2	77.4	77.4	77	78.6
Length (cm)	45.3	47.3	34.4	44.2	46.7	44.8	44.1	45.6	46	39.1	40.8	44.5	44	44.3	39.9	41.5	43.9	54	47.6	44.3
Weight (g)	1360	1640	1380	1720	1480	1240	1120	1620	1540	940	1140	1140	1340	1160	980	1120	1240	2220	1520	1200
Sex	F	F	F	F	F	M	M	F	M	M	F	M	M	F	F	M	M	F	F	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	16	7	10	6	11	19	17	13	10	9	9	7	21	11	5	6	11	21	10	6
Radionuclides																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	0.0002	0.0002	<0.0002	<0.0002	0.0007	0.0009	<0.0002	<0.0002	<0.0002	0.0003	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00007	<0.00008	<0.00006	<0.0001	<0.00007	<0.00006	<0.00006	<0.00006	<0.00007	<0.00006	<0.00009	<0.00007	<0.00007
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0002	-	<0.0001	<0.0001	-	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001

¹All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.

GN = gill net; LT = lake trout; LW = lake whitefish; F = female; M = male; A = adult, U = unknown.

APPENDIX C, TABLE 6

Detailed fish flesh chemistry data from the EARMF community program (Uranium City), 2011 to 2024.

Chemical ¹	Uranium City (Prospector Bay or Crackingstone Inlet)																			
	Lake Trout																			
	2011 (Crackingstone Inlet)					2012 (Prospector Bay)					2013 (Prospector Bay)					2014 (Prospector Bay)				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05
Metals																				
Aluminum	0.9	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.11	0.08	0.12	0.07	0.06	0.07	0.07	0.08	0.07	0.13	0.07	0.04	0.04	0.07	0.07	0.06	0.04	0.07	0.05	0.2
Barium	0.03	<0.01	0.04	0.01	<0.01	0.01	0.03	0.02	0.02	0.03	<0.01	<0.01	<0.01	0.04	0.01	0.03	0.06	0.02	0.03	0.04
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	<0.002	0.002	0.002
Copper	0.27	0.13	0.2	0.24	0.22	0.27	0.21	0.21	0.26	0.26	0.18	0.19	0.22	0.28	0.25	0.29	0.27	0.3	0.25	0.32
Iron	5.3	1.9	1.9	2.3	3.4	2.2	4.5	2	3.3	1.9	1.2	1.6	2.7	7.5	1.9	2.1	2.1	2.7	3.6	2.8
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	0.004	0.002	0.006	0.003	0.003	<0.002	<0.002	<0.002
Manganese	0.2	0.06	0.07	0.06	0.09	0.08	0.07	0.05	0.05	0.05	0.07	0.06	0.07	0.12	0.08	0.08	0.08	0.08	0.07	0.06
Mercury	0.13	0.17	0.18	0.17	0.13	0.17	0.24	0.23	0.21	0.13	0.13	0.15	0.23	0.09	0.1	0.16	0.11	0.14	0.29	0.16
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	0.01	0.02	<0.01
Selenium	0.16	0.15	0.12	0.21	0.18	0.18	0.17	0.17	0.18	0.17	0.15	0.14	0.18	0.15	0.13	0.15	0.15	0.14	0.15	0.14
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.17	0.17	0.46	0.07	0.12	0.17	0.11	0.13	0.25	0.32	0.05	0.04	0.07	0.18	0.16	0.15	0.12	0.26	0.08	0.16
Thallium	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.11	0.07	0.08	0.08	0.08	0.07	0.07	0.07	0.07	0.06	0.04	0.02	0.03	0.03	0.03	0.08	0.08	0.1	0.08	0.07
Uranium	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.006	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	6.5	3.4	3.8	2.6	7.8	4.3	4	3.7	5.4	4.1	2.7	2.7	3.1	3.8	2.7	7.2	3.4	3.6	3.2	6.8
Physical Properties																				
Moisture (%)	66.65	72.8	72.26	70.93	75.14	74.73	78.66	78.14	75.87	76.30	76.09	74.75	77.52	77.24	77.69	74.48	72.13	75.17	78.50	73.75
Length (cm)	55.1	55.7	54.1	53.3	52.6	55.6	60.2	59.1	61.8	63.4	46.8	50.1	52.3	51.5	54.2	54.9	52	52.1	56.7	55.1
Weight (g)	2280	2160	1780	1950	1680	1380	1700	1520	1840	2140	1500	1580	1580	1540	1900	1940	1710	1605	2305	2010
Sex	M	F	F	M	M	M	M	M	M	M	F	M	F	M	F	F	M	M	F	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	14	19	14	14	-	12	24	25	19	11	12	11	21	13	12	13	12	13	13	22
Radionuclides																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00007	<0.00006	<0.00007	<0.00006	0.0004	<0.00005	<0.00006	<0.00006	<0.00006	0.00006	<0.00006	0.0002	<0.00006	0.00009	<0.00006	<0.00006	<0.00006	0.00008	<0.00005	<0.00006
Thorium-230 (Bq/g)	<0.0001	0.0002	<0.0001	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 6

Detailed fish flesh chemistry data from the EARMF community program (Uranium City), 2011 to 2024.

Chemical ¹	Uranium City (Prospector Bay or Crackingstone Inlet)																	
	Lake Trout																	
	2016 (Prospector Bay)			2018 (Prospector Bay)					2019 (Prospector Bay)					2020 (Prospector Bay)				
	AN1-1	AN1-1	AN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT01	LT02	LT03	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05
Metals																		
Aluminum	0.6	0.5	0.7	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.09	0.08	0.19	0.06	0.04	0.04	0.16	0.29	0.15	0.12	0.1	0.04	0.06	0.11	0.06	0.03	0.05	0.12
Barium	0.01	0.04	0.03	0.04	0.06	0.04	0.05	0.03	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.03
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	0.004	0.003	0.003	<0.002	0.003	<0.002	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Copper	0.25	0.2	0.63	0.23	0.43	0.23	0.4	0.21	0.35	0.35	0.42	0.27	0.22	0.22	0.31	0.36	0.2	0.32
Iron	2.4	1.4	6.4	2.4	5	1.7	2.4	2.1	2	2.2	2.9	2.4	2.1	1.4	1.8	1.8	1.6	2.6
Lead	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	0.004	<0.002	<0.002
Manganese	0.05	0.08	0.11	0.1	0.08	0.09	0.08	0.08	0.06	0.05	0.07	0.06	0.06	0.05	0.1	0.05	0.09	0.08
Mercury	0.12	0.14	0.18	0.12	0.24	0.1	0.11	0.27	0.076	0.13	0.15	0.17	0.16	0.18	0.17	0.12	0.2	0.1
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.11	0.16	0.18	0.17	0.19	0.17	0.18	0.17	0.17	0.17	0.14	0.16	0.16	0.16	0.18	0.17	0.21	0.17
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.3	0.08	0.14	0.14	0.14	0.12	0.14	0.2	0.29	0.1	0.1	0.14	0.08	0.26	0.04	0.22	0.2	0.57
Thallium	<0.01	0.01	0.01	<0.01	0.01	<0.01	0.01	<0.01	0.01	0.02	0.01	0.01	<0.01	<0.01	0.01	<0.01	0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	0.03	0.04	0.04	0.04	0.07
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.2	3.2	6.1	2.9	6.6	3.8	4.6	2.7	3.7	3.6	3.2	4.3	2.9	4.4	3.1	3.1	3.6	5.2
Physical Properties																		
Moisture (%)	70.91	72.53	72.20	75.87	78.10	76.49	75.43	77.39	72.75	71.40	75.39	75.42	73.01	73.91	73.37	75.05	77.99	75.76
Length (cm)	59.6	50.7	54.7	56.3	57.4	51.6	53.5	51	53.5	53.8	58.1	58.6	53.4	58.9	54.3	56	54.1	52.1
Weight (g)	2840	1760	2140	2120	2060	1500	1750	1620	1820	2040	2460	2720	1880	2360	2220	1880	1740	1620
Sex	F	M	M	F	M	M	M	F	M	M	F	M	M	F	M	M	M	M
Maturity	A	A	A	U	U	U	U	U	A	A	A	A	A	A	A	A	A	A
Age (years)	15	16	21	18	19	13	13	18	10	17	15	17	16	17	17	11	15	12
Radionuclides																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00006	<0.00005	<0.00006	<0.00008	<0.00006	<0.00006	<0.00005	<0.00006	<0.00007	<0.00006	<0.00008	<0.00006	<0.00006	<0.00007	<0.00008
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0002

APPENDIX C, TABLE 6

Detailed fish flesh chemistry data from the EARMF community program (Uranium City), 2011 to 2024.

Chemical ¹	Uranium City (Prospector Bay or Crackingstone Inlet)																			
	Lake Trout																			
	2021 (Crackingstone Inlet)					2022 (Crackingstone Inlet)					2023 (Crackingstone Inlet)					2024 (Prospector Bay)				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT07	LT08	LT09	LT10	LT11	LT01	LT02	LT03	LT04	LT05
Metals																				
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.08	0.11	0.05	0.3	0.07	0.11	0.12	0.09	0.14	0.12	0.08	0.06	0.09	0.05	0.2	0.07	0.06	0.04	0.06	0.05
Barium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	0.02	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.02	0.01	0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.002	<0.002	<0.002	0.002	<0.002	<0.002	0.003	0.002	0.009	0.003	<0.002	0.002	<0.002	<0.002	<0.002	0.002	<0.002	0.002	0.002	<0.002
Copper	0.38	0.2	0.16	0.23	0.21	0.21	0.38	0.21	0.35	0.31	0.17	0.39	0.16	0.32	0.25	0.3	0.51	0.16	0.44	0.2
Iron	2.9	0.5	1.4	3.4	1.4	1.7	3.9	2.8	3.3	3.2	1.3	3.3	2	3.1	2.6	3.8	4.3	4.4	6.3	3.9
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.004	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.006	<0.002	<0.002
Manganese	0.07	0.07	0.08	0.05	0.08	0.06	0.08	0.07	0.07	0.12	0.05	0.07	0.04	0.05	0.06	0.05	0.08	0.07	0.07	0.06
Mercury	0.19	0.15	0.18	0.17	0.13	0.18	0.18	0.35	0.17	0.24	0.28	0.24	0.44	0.26	0.2	0.53	0.24	0.30	0.34	0.36
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.2	0.15	0.15	0.64	0.2	0.16	0.17	0.2	0.17	0.19	0.13	0.2	0.16	0.17	0.21	0.15	0.16	0.14	0.15	0.13
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.22	0.08	0.13	0.36	0.17	0.09	0.3	0.17	0.34	0.19	0.1	0.14	0.08	0.14	0.26	0.06	0.05	0.17	0.06	0.15
Thallium	0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Uranium	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	0.001	<0.001	0.001	<0.001	0.002	0.005	<0.001	0.001	<0.001	0.006	0.007	<0.002	0.007	<0.002
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	7.4	3	2.8	6.2	3.9	3.4	5.9	3.8	5.1	4.9	2.4	5.4	3	4.5	4.4	3	5	3.9	4.2	3.7
Physical Properties																				
Moisture (%)	80.11	75.7	74.8	73.69	74.46	74.5	78.7	79.6	76.7	78.7	75.1	76.8	81.6	78.7	75.4	82.8	78	82.9	80.8	74.3
Length (cm)	52.8	54.1	50.5	58.7	54.3	57.8	55.4	64.7	59.5	58.1	59.2	53	61	56.2	49.8	55.2	54.2	56.0	59.4	59.0
Weight (g)	1500	2220	1660	2720	2070	2320	1960	3880	2680	2630	2640	1840	2520	2160	1500	2060	2140	1940	2360	3080
Sex	M	F	M	F	F	M	M	F	F	M	F	M	F	M	M	F	M	M	M	F
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	9	16	19	14	10	12	15	25	13	27	15	16	23	20	11	20	15	35	25	18
Radionuclides																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	0.002	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00005	<0.00006	<0.00006	<0.00007	<0.00006	<0.00008	<0.00005	<0.00007	<0.00007	<0.00006	<0.00005	<0.00006	<0.00005	<0.00005	<0.00005	<0.00007	<0.00005	<0.00006	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 6

Detailed fish flesh chemistry data from the EARMF community program (Uranium City), 2011 to 2024.

Chemical ¹	Uranium City (Prospector Bay or Crackingstone Inlet)																	
	Lake Whitefish																	
	2011 (Crackingstone Inlet)					2012 (Prospector Bay)					2013 (Prospector Bay)			2014 (Prospector Bay)				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LW06	LW07	LW08	LW09	LW10	LW06	LW07	LW08	LW09	LW10	LW01	LW02	LW03	LW01	LW02	LW03	LW04	LW05
Metals																		
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.12	0.05	0.12	0.11	0.11	0.08	0.03	0.09	0.05	0.1	0.17	0.18	0.22	0.23	0.06	0.07	0.05	0.07
Barium	0.63	0.6	0.01	0.17	0.04	0.01	0.02	0.01	0.01	0.01	0.02	<0.01	0.02	0.01	0.1	0.02	0.09	0.03
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.002	0.009	0.004	<0.002	0.004	<0.002	0.003	0.013	0.009	<0.002	0.004	0.006	0.016	0.004	0.004	0.007	0.016	0.008
Copper	0.19	0.25	0.15	0.19	0.2	0.12	0.13	0.17	0.18	0.14	0.22	0.18	0.39	0.48	0.22	0.28	0.26	0.23
Iron	1.3	2.1	4.4	1.8	4.3	1	2	1.8	1.6	1.4	2.3	1.8	2.9	4.3	1.8	2	4.4	2.4
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	<0.002	0.003	<0.002	0.003	<0.002	0.005	0.011
Manganese	0.09	0.08	0.07	0.11	0.11	0.07	0.06	0.07	0.07	0.12	0.1	0.06	0.11	0.09	0.12	0.12	0.1	0.08
Mercury	0.04	0.04	0.09	0.02	0.02	0.05	0.13	0.06	0.12	0.11	0.05	0.02	0.02	0.051	0.033	0.053	0.026	0.034
Molybdenum	<0.02	<0.02	<0.02	<0.02	0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	0.08	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.02	0.01	0.01	0.05	0.02
Selenium	0.18	0.21	0.58	2.6	0.28	0.28	0.22	0.23	0.32	0.26	0.26	0.24	0.26	0.24	0.27	0.23	0.19	0.26
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.22	0.18	0.34	0.75	0.45	0.22	0.19	0.4	0.4	0.25	0.25	0.23	0.25	0.26	1.8	0.29	0.65	0.31
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01
Titanium	0.07	0.07	0.06	0.08	0.07	0.08	0.07	0.08	0.08	0.08	0.03	0.03	0.04	0.08	0.1	0.08	0.11	0.11
Uranium	<0.001	0.007	0.006	0.008	0.012	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.003	0.002	<0.001	0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	3.6	4.4	5.3	5	4.1	4.3	4.5	7.6	4.3	3.3	3.2	3.4	6.3	4	4.1	4.7	5.8	4.2
Physical Properties																		
Moisture (%)	75.91	75.86	76.21	73.83	74.66	79.31	78.40	75.72	73.83	76.89	79.25	76.91	72.22	74.04	74.06	76.04	75.15	76.82
Length (cm)	40.1	41.4	43.4	40.4	41.3	46.7	49.6	48.8	55	50	46.9	47	42.9	47.2	41.5	45.9	41.7	36.5
Weight (g)	1090	1220	1260	1060	1150	640	980	1140	1520	1080	1480	1520	1300	1780	1090	1620	1310	750
Sex	F	M	M	F	F	M	M	F	F	F	M	M	F	M	F	M	F	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	14	8	13	14	19	12	29	14	17	21	23	14	11	19	10	15	10	10
Radionuclides																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	0.0007	0.0007	<0.0002	<0.0002	<0.0002	0.0006	<0.0002	<0.0002	0.0003	<0.0002	<0.0002	0.0006	0.0005	0.0004	0.0011	0.0007
Radium-226 (Bq/g)	<0.00008	<0.00006	0.0003	<0.00007	<0.00008	<0.00006	<0.00007	<0.00005	<0.00006	<0.00008	0.00006	<0.00006	<0.00006	0.0001	<0.00006	<0.00006	<0.00007	0.0001
Thorium-230 (Bq/g)	0.0004	<0.0001	<0.0002	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0002

APPENDIX C, TABLE 6

Detailed fish flesh chemistry data from the EARMF community program (Uranium City), 2011 to 2024.

Chemical ¹	Uranium City (Prospector Bay or Crackingstone Inlet)																
	Lake Whitefish																
	2016 (Prospector Bay)			2018 (Prospector Bay)					2019 (Prospector Bay)					2020 (Prospector Bay)			
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LW01	LW02	LW03	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	LW06	LW07	LW08	LW09
Metals																	
Aluminum	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.04	0.12	0.05	0.08	0.16	0.05	0.04	0.05	0.06	0.07	0.05	0.08	0.14	0.15	0.05	0.04	0.05
Barium	0.11	0.04	0.02	0.05	0.1	0.05	0.05	0.09	<0.01	<0.01	0.02	<0.01	<0.01	0.02	<0.01	<0.01	0.1
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.005	0.003	0.004	0.004	0.004	0.004	0.006	0.007	0.002	0.003	0.004	0.002	0.003	0.005	0.007	0.011	0.018
Copper	0.21	0.22	0.16	0.23	0.3	0.21	0.33	0.21	0.18	0.13	0.18	0.13	0.16	0.39	0.21	0.35	1.4
Iron	1.9	1.5	1.9	2	2.6	2.3	2.5	1.4	1.7	1	3.3	1.5	1.6	4.3	1.8	3.5	10
Lead	0.006	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.01
Manganese	0.09	0.1	0.09	0.08	0.09	0.13	0.07	0.14	0.14	0.09	0.09	0.08	0.1	0.1	0.11	0.08	0.37
Mercury	0.063	0.037	0.074	0.041	0.04	0.043	0.026	0.028	0.083	0.038	0.094	0.061	0.052	0.027	0.026	0.028	0.027
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.03
Selenium	0.28	0.3	0.23	0.26	0.26	0.26	1.9	0.26	0.33	0.28	0.27	0.22	0.33	0.39	1.4	0.28	2.1
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.21	0.48	0.31	0.24	0.31	0.33	0.4	0.4	0.24	0.24	0.3	0.22	0.24	0.29	0.25	0.18	0.92
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	0.04	0.05	0.05
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	0.001	0.01	0.033
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	6.3	3.8	3.6	5.7	4.1	4.5	5.4	5.6	3.5	3.2	3.8	3.4	3.9	4.1	4.6	4.4	11
Physical Properties																	
Moisture (%)	68.43	76.07	73.75	75.53	75.03	73.10	78.38	77.34	75.21	73.42	75.93	76.37	74.76	74.64	77.98	74.98	76.71
Length (cm)	57.8	43.6	53.1	41.1	38.4	37.7	46	46.5	48.3	46.3	50.8	49	51.1	48.1	38.5	38.4	29.6
Weight (g)	3380	1280	2440	1010	800	810	1520	1360	1840	1520	2060	1760	2080	1840	860	800	320
Sex	M	M	F	F	M	M	F	M	F	F	F	M	M	M	U	M	F
Maturity	A	A	A	U	U	U	U	U	A	A	A	A	A	A	A	A	A
Age (years)	18	13	32	11	5	5	13	7	12	14	26	23	17	13	6	8	5
Radionuclides																	
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	0.0003	<0.0002	0.0002	0.0006	0.0004	0.0005	0.001	0.0004	0.0004	0.0004	0.0004	0.0006	0.0006	0.0012	0.0003	0.0004
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00007	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	-

APPENDIX C, TABLE 6

Detailed fish flesh chemistry data from the EARMP community program (Uranium City), 2011 to 2024.

Chemical ¹	Uranium City (Prospector Bay or Crackingstone Inlet)																				
	Lake Whitefish																				
	2021 (Crackingstone Inlet)					2022 (Crackingstone Inlet)					2023 (Crackingstone Inlet)						2024 (Prospector Bay)				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	LW06	LW01	LW02	LW03	LW04	LW05
Metals																					
Aluminum	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	-	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.12	0.26	0.13	0.16	0.12	0.23	0.06	0.23	0.21	0.19	0.06	0.11	0.23	0.13	0.11	-	0.05	0.12	0.17	0.04	0.02
Barium	0.02	0.02	0.01	< 0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.05	<0.01	0.01	-	0.01	0.06	0.06	0.03	0.02
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	-	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	-	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	-	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	-	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.002	0.003	0.002	0.003	0.002	0.003	0.019	0.004	0.004	0.002	0.01	0.004	0.005	0.004	0.003	-	0.007	0.006	0.004	0.007	0.006
Copper	0.35	0.24	0.16	0.16	0.21	0.21	0.17	0.23	0.16	0.15	0.15	0.28	0.16	0.2	0.28	-	0.21	0.24	0.16	0.15	0.16
Iron	2.3	4.3	2.2	1.5	1.4	1.8	1.5	1.4	3.1	1.4	1.6	1.9	1.6	2.2	2.3	-	2.5	2.8	1.7	2.7	3.2
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	-	<0.002	<0.002	0.005	<0.002	<0.002
Manganese	0.08	0.08	0.11	0.1	0.07	0.08	0.09	0.09	0.06	0.06	0.07	0.09	0.09	0.06	0.08	-	0.12	0.12	0.12	0.14	0.06
Mercury	0.039	0.044	0.041	0.069	0.034	0.07	0.098	0.076	0.043	0.086	0.073	0.05	0.041	0.039	0.044	-	0.041	0.089	0.051	0.061	0.21
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	-	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.03	<0.01	0.01	0.01	0.01	<0.01	-	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.61	0.31	1.8	0.4	1.1	0.72	0.23	0.81	1.8	0.51	0.34	1.6	0.34	1.5	1.8	-	0.18	0.33	0.28	0.18	0.19
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	-	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.38	0.28	0.27	0.21	0.23	0.24	0.22	0.25	0.33	0.3	0.18	0.36	0.87	0.19	0.34	-	1	0.19	0.2	0.11	0.12
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	-	<0.01	<0.01	<0.01	<0.01	<0.01
Uranium	<0.001	0.002	0.002	<0.001	0.001	0.001	<0.001	0.002	0.002	0.002	0.002	0.002	0.006	0.002	0.003	-	<0.002	<0.002	0.003	<0.002	0.007
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	-	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	5.9	7.6	4.8	4	5	5.5	4.4	3.4	4.5	4	3.5	4.5	3.9	3.8	5.1	-	4.7	3.8	3.6	4	4
Physical Properties																					
Moisture (%)	74.96	75.28	73.55	73.51	75.88	76.2	73	71.2	77	70.9	76.3	75	77.2	77.8	78.9	-	77.1	74.4	77.6	74.3	78.8
Length (cm)	43.4	43.2	46.2	48.8	43.4	49	49.2	25.2	51	52.2	39.9	45.5	38.4	37.7	32.8	31	38.8	50.3	45.4	52.2	57.0
Weight (g)	1300	1320	1520	1770	1260	1900	1820	1580	1760	1800	1140	1540	860	840	500	480	1000	1880	1400	2240	2440
Sex	M	F	M	M	M	F	M	F	M	F	M	M	F	M	F	F	F	M	F	M	F
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	U	U	A	A	A	A	A
Age (years)	8	11	19	15	7	12	8	15	28	12	9	8	8	9	4	7	6	18	13	18	18
Radionuclides																					
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	-	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0008	0.0005	0.0006	0.0002	0.001	0.0008	0.0003	0.0005	0.0003	0.0007	0.0003	0.001	0.0005	0.0004	0.001	-	0.0002	0.0002	0.0003	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00008	<0.00008	<0.00008	<0.00007	<0.00008	<0.00006	<0.00006	<0.0001	<0.00006	<0.00006	-	<0.00007	<0.00006	<0.00006	<0.00009	<0.00007
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	0.0002	<0.0002	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	0.0002	-	<0.0001	<0.0001	<0.0001	<0.0002

¹All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.
GN = gill net; LT = lake trout; LW = lake whitefish; F = female; M = male; A = adult, U = unknown.

APPENDIX C, TABLE 7

Detailed fish flesh chemistry data from the EARMF community program (Wollaston Lake/Hatchet Lake), 2011 to 2024.

Chemical ¹	Wollaston Lake/Hatchet Lake (Wollaston Lake)																			
	Lake Trout																			
	2011					2012					2013					2014				
	GN1-1	GN1-1	GN1-1	SP01-01	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT01	LT02	LT03	LT04	LT05	LT06	LT07	LT08	LT09	LT10	LT07	LT08	LT09	LT10	LT11	LT07	LT08	LT09	LT10	LT11
Metals																				
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.06	0.03	0.04	0.02	0.04	0.05	0.04	0.04	0.08	0.02	0.02	0.04	0.03	0.06	0.02	0.01	0.03	0.02	0.03	0.05
Barium	0.02	0.02	0.02	0.02	<0.01	0.02	0.01	<0.01	0.02	<0.01	<0.01	0.02	<0.01	<0.01	0.02	0.02	0.03	0.02	0.01	0.03
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	0.006	0.002
Copper	0.62	0.48	0.53	0.31	0.3	0.52	0.39	0.4	0.69	0.24	0.35	0.38	0.34	0.3	0.32	0.44	0.25	0.29	0.26	0.29
Iron	6	4	2.6	1.8	1.9	3.1	2.8	2.2	3.8	1.6	2.3	3	2.6	2.2	2.1	2	1.9	1.7	1.6	2.7
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.005	<0.002	<0.002	0.004	<0.002	<0.002
Manganese	0.1	0.1	0.07	0.06	0.07	0.08	0.06	0.08	0.07	0.05	0.08	0.09	0.1	0.1	0.09	0.08	0.11	0.06	0.1	0.09
Mercury	0.15	0.16	0.16	0.2	0.12	0.24	0.15	0.13	0.16	0.14	0.14	0.1	0.09	0.1	0.18	0.18	0.26	0.2	0.19	0.38
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.05	<0.01	<0.01	0.01	<0.01
Selenium	0.17	0.28	0.19	0.18	0.19	0.27	0.21	0.22	0.22	0.21	0.21	0.2	0.2	0.18	0.2	0.19	0.18	0.2	0.21	0.16
Silver	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.09	0.22	0.09	0.15	0.05	0.19	0.09	0.07	0.11	0.03	0.19	0.1	0.05	0.04	0.05	0.12	0.24	0.08	0.04	0.16
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.09	0.09	0.09	0.09	0.07	0.07	0.07	0.07	0.08	0.07	0.03	0.03	0.03	0.07	0.04	0.08	0.08	0.07	0.08	0.08
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	5.5	6.6	3.9	3.1	3.3	5.8	3.6	3.8	4.8	3.1	5.7	4.2	3.8	4.8	3.7	3.6	3	2.5	2.6	4.5
Physical Properties																				
Moisture (%)	78.93	75.50	76.46	75.65	75.48	75.41	73.15	73.02	79.09	75.73	76.78	72.75	72.82	71.52	74.12	78.37	75.48	75.05	77.38	74.92
Length (cm)	51.5	46.3	46.8	47.9	46.6	55.6	50.5	50.8	50.5	52.0	45.3	46.5	44.1	45.4	48.5	48.4	49.8	52.2	50.6	55.9
Weight (g)	1730	1220	1440	1410	1430	1760	1420	1360	1400	1520	1200	1340	1060	1060	1400	1580	1610	1850	1780	2020
Sex	F	M	M	F	M	M	M	M	M	M	M	M	F	F	F	M	F	M	M	F
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	7	7	7	8	6	6	7	7	9	7	8	7	8	8	8	8	9	9	9	12
Radionuclides																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	0.0003	0.00009	<0.00006	<0.00006	<0.00005	<0.00007	<0.00005	0.0002	0.00007	<0.00006	<0.00006	0.00008	<0.00004	<0.00006	<0.00005	<0.00005	<0.00005
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.00009	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.00008	<0.0001	<0.00009	<0.0001	<0.0001

APPENDIX C, TABLE 7

Detailed fish flesh chemistry data from the EARMF community program (Wollaston Lake/Hatchet Lake), 2011 to 2024.

Chemical ¹	Wollaston Lake/Hatchet Lake (Wollaston Lake)																	
	Lake Trout																	
	2016			2018					2019					2020				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	SP01-01	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LT01	LT02	LT03	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05
Metals																		
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.03	0.02	0.09	0.08	0.09	0.04	0.12	0.06	0.1	0.03	0.03	0.04	0.17	0.02	0.03	0.02	0.03	0.06
Barium	<0.01	<0.01	<0.01	0.13	0.14	0.09	0.03	0.01	0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	0.02
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.004	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	0.002	0.003	<0.002	<0.002	<0.002	<0.002	0.003	0.002
Copper	0.32	0.33	0.2	0.62	0.31	0.32	0.29	0.56	0.25	0.26	0.18	0.62	0.21	0.31	0.33	0.31	0.24	0.48
Iron	3.2	3.4	1.4	4.6	2.3	3.4	4.7	2.7	2.2	1.8	1.3	4.7	1.6	1.9	1.9	2	1.9	4.1
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.004	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.11	0.09	0.1	0.09	0.1	0.08	0.11	0.12	0.1	0.07	0.06	0.08	0.09	0.08	0.11	0.08	0.07	0.07
Mercury	0.16	0.22	0.22	0.22	0.14	0.14	0.11	0.16	0.072	0.17	0.17	0.17	0.16	0.13	0.19	0.1	0.22	0.16
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.21	0.24	0.24	0.17	0.19	0.14	0.2	0.29	0.43	0.18	0.21	0.22	0.16	0.22	0.22	0.24	0.22	0.25
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.06	0.03	0.02	0.24	0.3	0.36	0.1	0.14	0.14	0.05	0.06	0.21	0.1	0.11	0.14	0.15	0.1	0.24
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.01	<0.01	0.01	0.02	0.01	0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	0.04	0.05	0.07	0.08
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	4	2.7	2.4	6.2	5.4	5	4.3	3.7	3.1	2.9	3.7	5.8	4.1	4.7	3.3	3.7	3.3	7
Physical Properties																		
Moisture (%)	75.20	77.38	77.09	76.68	75.09	76.32	76.31	76.97	75.27	74.33	73.39	77.05	73.18	75.29	73.85	75.24	74.46	77.26
Length (cm)	48.0	52.0	52.4	58.0	47.0	53.4	54.1	51.0	49.1	50.0	56.8	52.7	49.4	46.1	48.1	43.3	44.5	48.7
Weight (g)	1600	1800	1980	2360	1520	1860	1840	1900	1680	1560	2260	1920	1600	1300	1440	1220	2160	1400
Sex	F	F	F	F	M	F	F	F	F	F	F	M	F	M	M	M	M	M
Maturity	A	A	A	A	U	A	U	U	A	A	A	A	A	A	A	A	A	A
Age (years)	11	9	11	13	12	12	10	9	9	10	14	-	13	7	9	7	15	10
Radionuclides																		
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.001	<0.0002	<0.0002	0.0002	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00005	<0.00007	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00005	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00008	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001

APPENDIX C, TABLE 7

Detailed fish flesh chemistry data from the EARMF community program (Wollaston Lake/Hatchet Lake), 2011 to 2024.

Chemical ¹	Wollaston Lake/Hatchet Lake (Wollaston Lake)																			
	Lake Trout																			
	2021					2022					2023					2024				
	GN1-1	GN1-1	GN1-1	GN1-1	GN 2-1	GN1-1	GN1-1	GN1-1	GN1-1	GN 2-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN 2-1	GN 2-1
	LT01	LT02	LT03	LT04	LT05	LT01	LT02	LT03	LT04	LT05	LT06	LT07	LT08	LT09	LT10	LT01	LT02	LT03	LT04	LT05
Metals																				
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	<0.5	<0.5	<0.5	0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.04	0.09	0.04	0.04	0.04	0.11	0.08	0.12	0.1	0.05	0.03	0.02	0.06	0.03	0.02	0.06	0.09	0.15	0.04	0.14
Barium	<0.01	<0.01	0.01	<0.01	0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.02	0.06	0.04	<0.01	0.06
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.002	<0.002	0.002	<0.002	<0.002	0.002	<0.002	0.008	<0.002	0.002	<0.002	<0.002	0.002	0.002	0.005	<0.002	<0.002	<0.002	<0.002	<0.002
Copper	0.23	0.26	0.27	0.25	0.19	0.48	0.36	0.76	0.39	0.22	0.2	0.24	0.22	0.26	0.21	0.3	0.24	0.44	0.15	0.23
Iron	2.5	1.9	1.9	1.6	1.4	4.5	3.7	5.2	3	1.4	1.7	1.3	1.3	1.9	1.7	2.4	2.9	2.7	1.6	3.4
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.1	0.06	0.12	0.08	0.07	0.09	0.12	0.08	0.09	0.07	0.1	0.05	0.04	0.04	0.09	0.08	0.1	0.07	0.05	0.1
Mercury	0.14	0.1	0.11	0.13	0.32	0.18	0.25	0.15	0.14	0.15	0.34	0.21	0.24	0.22	0.17	0.24	0.28	0.22	0.29	0.3
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.02	<0.01	0.01	<0.01	<0.01	0.01
Selenium	0.23	0.16	0.28	0.22	0.18	0.21	0.22	0.18	0.16	0.16	0.18	0.18	0.15	0.16	0.18	0.18	0.17	0.32	0.17	0.27
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.18	0.15	0.17	0.07	0.04	0.08	0.16	0.06	0.08	0.19	0.08	0.06	0.04	0.04	0.04	0.1	0.24	0.04	0.04	0.22
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.006	<0.002	<0.002	<0.002	<0.002
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	4.2	4.8	4	3.5	3.9	5.8	5.9	5.4	4	3.6	2.8	3.3	2.4	2.6	2.8	3.8	4.9	4.2	2.6	3.6
Physical Properties																				
Moisture (%)	76.81	73.88	76.67	76.38	78.71	76.4	73.7	76.2	75.6	75.6	75.8	76.2	79.6	78.8	76.7	77.6	77	76.2	79.6	79.5
Length (cm)	45.1	42.8	46.2	46.5	51.5	47.4	49.9	46.6	45.0	42.6	50.0	50.6	52.6	49.0	52.1	55.5	54.4	48.7	48.9	46.7
Weight (g)	1120	1180	1240	1300	1940	1580	1920	1640	1390	1250	1820	1680	2020	1520	1880	2260	2360	1540	1600	1640
Sex	F	M	F	M	F	M	M	M	M	M	M	M	M	M	M	F	F	F	M	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	10	6	7	8	15	9	13	7	7	7	13	10	11	7	9	8	14	8	17	15
Radionuclides																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0003
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.00008	<0.00007	<0.00008	<0.00006	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00006	<0.00006	<0.00005	<0.00007	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 7

Detailed fish flesh chemistry data from the EARMF community program (Wollaston Lake/Hatchet Lake), 2011 to 2024.

Chemical ¹	Wollaston Lake/Hatchet Lake (Wollaston Lake)																			
	Lake Whitefish																			
	2011					2012					2013					2014				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LW06	LW07	LW08	LW09	LW10	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW05	LW06	LW01	LW02	LW03	LW05	LW06
Metals																				
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.24	0.13	0.17	0.09	0.18	0.19	0.12	0.17	0.16	0.13	0.15	0.18	0.17	0.09	0.14	0.14	0.15	0.11	0.11	0.06
Barium	0.11	0.01	0.01	0.02	0.02	0.02	0.02	0.04	0.02	0.02	0.02	0.01	0.12	0.05	0.03	0.02	0.02	0.04	0.08	0.02
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	<0.002	<0.002	<0.002	0.005	<0.002	<0.002	<0.002	0.002	<0.002	0.003	<0.002	<0.002	<0.002	0.002	<0.002	0.004	0.002	0.005	<0.002	0.002
Copper	0.26	0.16	0.18	0.12	0.14	0.12	0.18	0.13	0.14	0.21	0.13	0.16	0.16	0.14	0.13	0.17	0.17	0.14	0.14	0.14
Iron	2.2	1.3	1.5	3.1	1.4	1.1	1	1.5	1	3	1.8	1.7	2.5	3	1.7	1.7	1.5	2	2.9	1.6
Lead	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.002	0.002	0.004	0.004	<0.002	<0.002
Manganese	0.15	0.09	0.09	0.12	0.1	0.09	0.07	0.14	0.1	0.13	0.11	0.09	0.1	0.25	0.11	0.12	0.1	0.11	0.24	0.1
Mercury	0.06	0.05	0.05	0.05	0.08	0.03	0.02	0.07	0.03	0.05	0.02	0.02	0.06	0.07	0.03	0.086	0.094	0.11	0.07	0.082
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	0.01	<0.01	0.01	0.02	0.01	0.01	<0.01
Selenium	0.39	0.41	0.34	0.38	0.38	0.5	0.53	0.38	0.68	0.51	0.31	0.34	0.32	0.41	0.4	0.44	0.34	0.36	0.39	0.36
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.47	0.08	0.11	0.24	0.14	0.11	0.13	0.25	0.15	0.18	0.16	0.12	0.14	0.62	0.21	0.15	0.15	0.16	0.54	0.11
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.07	0.08	0.08	0.11	0.08	0.07	0.07	0.07	0.07	0.07	0.04	0.04	0.03	0.03	0.04	0.1	0.07	0.08	0.09	0.08
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	5.1	3	3.8	4.7	4.3	3.7	4.5	3.2	4.5	4	3.7	3.7	5.5	3.3	3.6	4.9	3.3	4.1	2.8	2.9
Physical Properties																				
Moisture (%)	73.60	75.29	75.27	76.01	73.60	73.90	70.19	74.68	71.83	76.61	73.91	73.39	75.49	79.53	78.40	71.26	72.78	76.40	76.45	79.18
Length (cm)	36.5	38.0	40.6	36.9	39.2	47.9	43.3	46.2	44.4	43.6	36.2	37.4	37.5	39.5	40.1	43.4	37.9	42.4	38.6	41.9
Weight (g)	780	820	940	810	825	1380	880	1060	860	840	620	620	640	700	720	1230	850	930	950	1010
Sex	M	M	M	M	F	M	F	F	F	M	M	F	F	F	M	M	F	M	F	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	16	16	14	12	17	19	11	21	12	18	12	12	15	13	18	12	13	18	13	10
Radionuclides																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.004	<0.001	<0.004	<0.004	0.0003	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0003	0.0004	<0.0002	0.0002	0.0004	<0.0002	<0.001	<0.0002	<0.001	<0.001	<0.001	<0.0002	<0.0002	0.0002	0.0006	0.0005	<0.0002	0.0004	0.0002	0.0003
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00008	<0.00006	<0.00006	<0.00006	0.001	<0.00005	0.002	0.002	<0.001	0.0001	<0.0001	0.0001	0.0001	<0.00006	<0.00006	<0.00006	<0.00006	0.0001
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.002	<0.0001	<0.002	<0.002	<0.00002	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

Detailed fish flesh chemistry data from the EARMP community program (Wollaston Lake/Hatchet Lake), 2011 to 2024.

Page 5 of 6

APPENDIX C, TABLE 7

Detailed fish flesh chemistry data from the EARMP community program (Wollaston Lake/Hatchet Lake), 2011 to 2024.

Chemical ¹	Wollaston Lake/Hatchet Lake (Wollaston Lake)																			
	Lake Whitefish																			
	2021					2022					2023					2024				
	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1	GN1-1
	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05	LW01	LW02	LW03	LW04	LW05
Metals																				
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.22	0.18	0.18	0.27	0.18	0.13	0.06	0.19	0.26	0.24	0.15	0.24	0.21	0.22	0.21	0.15	0.1	0.06	0.12	0.23
Barium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	0.01	0.03	0.01	<0.01	0.02	<0.01	<0.01	0.01	0.05	0.01	0.01	0.04	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.004	0.004	0.004	<0.002	<0.002	0.002	<0.002	0.003	0.005	<0.002	0.003	<0.002	<0.002	<0.002	0.002	<0.002	0.002	0.003	<0.002	0.002
Copper	0.16	0.16	0.16	0.16	0.24	0.16	0.12	0.15	0.35	0.17	0.13	0.17	0.17	0.15	0.15	0.13	0.19	0.24	0.13	0.13
Iron	2.2	1.2	2.4	2.6	2.7	2.6	1.6	2.2	3.1	2.3	1.3	1.8	2.1	1.2	1.7	1.4	2.6	2.9	1.8	1.5
Lead	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.004	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Manganese	0.08	0.14	0.11	0.14	0.12	0.13	0.18	0.06	0.14	0.09	0.08	0.14	0.1	0.07	0.09	0.13	0.07	0.07	0.1	0.09
Mercury	0.089	0.092	0.06	0.072	0.063	0.12	0.088	0.11	0.063	0.092	0.053	0.079	0.073	0.057	0.077	0.07	0.082	0.083	0.069	0.07
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.03	<0.01	<0.01	0.01
Selenium	0.45	0.39	0.62	0.41	0.46	0.24	0.29	0.44	0.46	0.4	0.62	0.43	0.56	0.58	0.53	0.44	0.36	0.3	0.5	0.47
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.11	0.08	0.09	0.1	0.1	0.21	0.48	0.14	0.27	0.08	0.11	0.19	0.13	0.16	0.21	0.18	0.06	0.08	0.21	0.1
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	0.004	<0.002	0.003	<0.002
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	5.2	3	4	3.8	4.2	3.4	3.5	5.4	5.1	4.1	3.1	3.1	3.4	3.7	3.9	3.1	3.3	5.2	5	4.5
Physical Properties																				
Moisture (%)	77.77	80.55	78.37	76.14	78.6	79	80.3	79.7	74.6	77.4	75.4	77.6	76.6	73.2	77.1	76.2	78	73.9	77.6	76
Length (cm)	40.7	42.6	39.8	39.6	38.8	46.6	47.4	39.6	42.2	41.5	42.0	39.5	42.2	40.1	39.3	40.9	41.7	45.5	43.9	40.6
Weight (g)	1040	1100	1060	1060	940	1580	1680	810	1220	1320	1300	1060	1160	1080	1040	1000	1180	1500	1280	1160
Sex	F	M	M	M	F	M	F	F	M	F	M	M	M	M	F	F	F	F	F	M
Maturity	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
Age (years)	22	19	18	20	16	15	12	27	17	21	18	19	18	13	20	18	19	10	18	18
Radionuclides																				
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0004	<0.0002	<0.0002	0.0004	0.0004	<0.0002	<0.0002	0.0002	0.0004	0.0003	0.0005	0.0012	0.0015	0.0011	0.0021	0.0004	0.0007	0.0003	0.0006	0.0006
Radium-226 (Bq/g)	<0.00006	<0.00005	<0.00005	<0.00006	<0.00005	<0.00008	<0.00007	<0.00005	<0.00006	<0.00005	<0.00006	<0.00005	<0.00005	<0.00005	<0.00006	<0.00007	<0.00008	<0.00007	<0.00008	<0.00006
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0002	<0.0001

¹All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.
GN = gill net; LT = lake trout; LW = lake whitefish; F = female; M = male; A = adult, U = unknown.

APPENDIX C, TABLE 8

Detailed blueberry chemistry results from the EARMP community program, 2011 to 2022.

Chemical ¹	Black Lake														
	2011					2012					2013				
	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5
Metals															
Aluminum	6	8.6	7.9	8.6	6	13	6	7.1	7.9	7.7	11	7.1	11	8.9	7.8
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	12	15	13	11	15	13	14	17	15	15	11	12	14	14	7
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	6	5	5	3	5	6	8	5	5	7	8	4	7	5	13
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	0.05	0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
Copper	3.3	3.2	2.5	2.6	3.1	2.8	3.8	3.5	3.4	3.8	3.2	1.8	1.8	1.8	1.6
Iron	8.4	11	8.6	11	10	20	10	8.1	8.8	9.8	10	6	8	8	5
Lead	0.07	0.02	0.02	0.07	<0.01	0.03	<0.01	<0.01	0.02	<0.01	0.02	0.02	<0.01	0.02	<0.01
Manganese	160	130	120	180	220	100	100	170	170	120	160	220	200	250	160
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	0.2	0.2	0.1	0.1	0.2	<0.1	<0.1	<0.1	<0.1	0.1	0.1	0.1	0.2	0.1	<0.1
Nickel	0.66	0.68	0.54	0.56	0.38	0.32	0.56	0.58	0.66	0.54	0.58	0.38	0.41	0.37	0.34
Selenium	<0.05	0.08	<0.05	<0.05	0.06	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	2.1	4.4	3.5	2.1	1.2	1.1	1.7	1.7	2	1.8	1.7	1.8	3	2	2
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Titanium	<0.05	0.08	0.06	0.1	0.15	0.1	0.05	0.05	0.08	<0.05	0.11	<0.05	0.12	0.07	0.06
Uranium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	4.8	6.1	5	3.9	5.5	3.9	6.1	6	5.3	6.4	5.8	6.2	6.7	7	3.6
Physical Properties															
Moisture (%)	86.24	86.69	85.12	86.04	87.39	86.19	85.89	84.95	84.99	84.86	84.23	83.47	84.32	83.26	84.73
Radionuclides															
Lead-210 (Bq/g)	0.009	0.005	0.007	0.009	0.012	0.002	0.002	<0.001	0.002	<0.001	0.002	<0.001	0.002	<0.001	<0.001
Polonium-210 (Bq/g)	0.001	0.002	0.001	0.002	<0.0009	0.0015	0.002	0.0024	0.0014	0.0012	0.0008	0.0008	0.0005	0.0008	0.0008
Radium-226 (Bq/g)	0.002	0.004	0.004	0.002	0.002	<0.00003	0.0012	<0.00003	0.0028	0.001	0.0025	0.0042	0.0029	0.0028	0.0022
Thorium-230 (Bq/g)	<0.002	<0.002	<0.002	<0.002	<0.002	<0.001	0.002	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.002	<0.002

APPENDIX C, TABLE 8

Detailed blueberry chemistry results from the EARMP community program, 2011 to 2022.

Chemical ¹	Black Lake													
	2014					2015			2016			2022		
	1	2	3	4	5	1	2	3	1	2	3	1	2	3
Metals														
Aluminum	19	16	12	12	12	45	19	5.7	6.8	13	7.7	53	62	46
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	21	18	24	22	24	14	15	12	16	18	12	8.9	15	13
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	4	4	4	4	4	4	4	6	5	4	3	7	5	5
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	0.02	0.02	0.01	0.01	0.01	0.03	0.02	<0.01	0.02	0.02	0.01	0.02	0.02	0.02
Copper	3.7	3.6	4	3.6	4	3.5	3.4	3.4	2.7	3.6	2.6	2.4	2.6	2.8
Iron	31	21	18	18	17	51	22	10	11	16	12	37	43	38
Lead	0.03	0.03	0.02	0.02	<0.01	0.02	0.01	<0.01	0.13	0.02	<0.01	0.01	0.02	0.02
Manganese	220	200	89	98	83	300	390	200	150	139	182	520	670	690
Mercury	-	-	-	-	-	-	-	-	-	-	-	<0.005	<0.005	<0.005
Molybdenum	<0.1	<0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.3	0.2	0.2	<0.1	<0.1	<0.1
Nickel	0.47	0.55	0.78	0.59	0.72	0.69	0.6	0.28	0.49	0.68	0.46	0.69	0.85	0.81
Selenium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	3.7	3.6	11	9.8	9.9	1.5	1.6	0.9	1.5	3	1.2	1.6	2.8	1.9
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Titanium	0.69	0.52	0.23	0.22	0.34	3.4	0.98	0.2	0.1	0.29	0.1	2	2.1	1.7
Uranium	<0.01	0.01	0.03	0.02	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	8.8	7.1	6.2	5.7	5.7	5.6	5.1	4.8	6.4	6.7	5.8	4.5	6.1	6.2
Physical Properties														
Moisture (%)	85.74	85.93	87.13	86.97	87.28	85.47	85.47	84.86	84.76	85.97	84.71	83.70	82.80	82.40
Radionuclides														
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	0.002	<0.001	0.003	0.001	0.002	<0.001	0.002	0.001	0.001	<0.001	0.001
Polonium-210 (Bq/g)	0.0007	0.0007	0.0011	0.0005	0.0007	0.0017	0.0014	0.0014	0.0008	0.0006	0.0007	0.0004	0.0002	0.0004
Radium-226 (Bq/g)	0.002	0.0008	0.001	0.001	0.002	0.0059	0.0066	0.0022	0.002	0.002	0.001	0.0002	0.0008	0.001
Thorium-230 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	0.0009	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.002	<0.0007	<0.0008

APPENDIX C, TABLE 8

Detailed blueberry chemistry results from the EARMP community program, 2011 to 2022.

Chemical ¹	Camsell Portage															
	2012					2013					2014			2022		
	1	2	3	4	5	1	2	3	4	5	1	2	3	1	2	3
Metals																
Aluminum	7.2	7.3	7	7.4	6	6.8	7.7	6.7	7.1	7.2	10	13	8.6	5.2	5.3	5
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	12	24	20	22	20	11	13	12	12	13	22	24	20	13	12	12
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	5	8	8	8	6	4	4	4	4	4	5	6	5	3	5	4
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
Copper	3.5	3	3.4	3.5	2.6	2.2	2.2	2.2	2.2	2.4	3.8	3.8	3.5	2.9	2.8	2.8
Iron	11	8.7	9.7	18	13	8	10	10	13	9	15	17	16	11	13	9
Lead	<0.01	0.04	<0.01	<0.01	<0.01	0.03	0.02	0.03	<0.01	0.02	0.01	0.02	0.01	<0.01	<0.01	<0.01
Manganese	280	490	490	480	580	350	390	360	380	360	430	470	370	488	462	446
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.005	<0.005	<0.005
Molybdenum	0.1	0.1	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	<0.1	<0.1	<0.1
Nickel	0.44	0.37	0.6	0.79	0.44	0.12	0.17	0.16	0.14	0.14	0.36	0.36	0.39	0.32	0.36	0.3
Selenium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	1.4	1.4	1.4	1.6	1.5	0.9	1	1	1	1.1	1.9	1.8	2	1.7	1.8	1.6
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.1
Titanium	0.07	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.06	<0.05	0.15	0.21	0.14	0.11	0.15	0.06
Uranium	0.01	0.08	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.01	0.01	<0.01	<0.01	<0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	13	6.5	8.9	8	5.9	6	6.7	5.6	8.4	6.2	7.6	7.8	6.9	5.8	5.8	6
Physical Properties																
Moisture (%)	83.98	85.16	84.30	84.62	85.57	84.78	84.99	84.99	84.76	84.82	84.37	84.90	83.77	82.20	82.30	82.20
Radionuclides																
Lead-210 (Bq/g)	0.001	0.004	<0.001	0.001	0.002	<0.004	0.013	0.004	0.008	<0.004	0.002	0.002	0.002	0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0014	0.0017	0.0013	0.001	0.0016	<0.001	0.001	<0.001	<0.001	<0.001	0.0018	0.0013	0.0012	<0.0002	0.0002	0.0002
Radium-226 (Bq/g)	0.0025	0.0028	0.0025	0.0049	0.0045	0.003	0.002	0.002	0.004	0.003	0.003	0.004	0.003	0.0019	0.0018	0.0013
Thorium-230 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.002	<0.002	<0.001	<0.0009	<0.001	<0.0008	<0.0008	<0.0007

APPENDIX C, TABLE 8

Detailed blueberry chemistry results from the EARMP community program, 2011 to 2022.

Chemical ¹	Fond du Lac																			
	2011					2012					2013					2014				
	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5
Metals																				
Aluminum	4.4	9.5	6.2	7	6.2	14	20	7.3	13	5.9	10	21	13	14	15	29	13	33	12	39
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	12	12	13	13	12	12	9.9	14	11	11	14	14	16	18	15	20	16	22	14	29
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	8	6	7	8	6	14	6	5	8	5	6	4	5	4	6	6	7	6	5	7
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	<0.5	<0.5	<0.5
Cobalt	0.01	0.02	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	0.02	<0.01	<0.01	0.02	0.02	0.02	0.01	0.05	0.03	0.05	0.03	0.06
Copper	2.7	3	3.6	3.2	3.9	2.8	3.9	3.3	3.9	2.8	1.8	2.4	2.8	1.8	2.1	5.2	5	5.6	5.2	5.6
Iron	10	8.2	9.7	11	9.3	14	21	12	16	10	10	23	17	17	10	48	23	40	22	44
Lead	<0.01	0.02	<0.01	0.03	0.01	0.03	0.01	<0.01	0.01	<0.01	0.04	0.02	0.02	0.01	0.02	0.02	0.03	0.17	0.14	0.04
Manganese	140	150	140	140	130	280	460	240	370	310	460	410	660	700	460	400	380	400	390	390
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	0.4	0.2	0.4	0.4	0.4	0.2	0.2	<0.1	0.2	<0.1	0.2	0.3	0.3	0.3	0.2	0.5	0.5	0.6	0.4	0.6
Nickel	0.97	0.67	0.75	0.8	0.74	0.48	0.55	0.54	0.6	0.5	0.4	0.7	0.62	0.53	0.48	2.2	0.89	2.3	0.89	2.1
Selenium	<0.05	<0.05	<0.05	0.08	0.07	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	1.3	1.3	1.4	1.6	1.3	2.8	1.8	1.8	2.6	1.6	1.8	2.4	1.8	1.8	2	6.4	2.5	6.3	1.9	5
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.09	<0.05	0.07	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.15	<0.05
Titanium	<0.05	0.08	0.08	0.08	0.1	0.35	0.88	0.07	0.42	0.05	0.21	0.86	0.43	0.4	0.21	1.5	0.46	2	0.33	1.7
Uranium	<0.01	0.02	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.01	0.01	0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	5.6	6	7.5	7	7.1	4.4	5.1	10	5.4	5.8	6.7	6.2	7.1	8.4	6.4	7.7	7.7	8.6	6.5	8.2
Physical Properties																				
Moisture (%)	87.1	85.5	86.68	84.6	86.31	83.99	83.87	84.56	83.79	84.11	84.33	83.47	84.18	84.47	83.71	84.83	82.79	84.76	82.2	84.79
Radionuclides																				
Lead-210 (Bq/g)	<0.004	0.007	0.01	0.011	0.006	<0.001	<0.001	<0.001	<0.001	<0.001	<0.004	0.002	<0.001	0.009	0.005	<0.001	<0.001	0.001	0.001	<0.001
Polonium-210 (Bq/g)	0.001	0.002	0.001	0.004	0.002	0.0012	0.0009	0.0015	0.0012	0.0014	0.001	0.0066	0.0008	0.002	<0.001	0.001	0.001	0.0008	0.0007	0.0018
Radium-226 (Bq/g)	0.002	0.004	0.003	0.001	0.005	0.0023	0.0018	0.0026	0.0021	0.0026	0.003	0.0033	0.0038	0.006	0.005	0.001	0.004	<0.0005	0.002	0.003
Thorium-230 (Bq/g)	<0.002	<0.002	<0.002	<0.002	<0.002	<0.001	<0.001	<0.0004	<0.001	<0.0003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.001	<0.001	<0.0009	<0.0009	<0.0009

APPENDIX C, TABLE 8

Detailed blueberry chemistry results from the EARMP community program, 2011 to 2022.

Chemical ¹	Fond du Lac																			
	2015			2016			2018					2019					2022			
	1	2	3	1	2	3	1	2	3	4	5	1	2	3	4	5	1	2	3	
Metals																				
Aluminum	47	18	23	34	15	11	16	10	9.5	8.9	9	7.8	6.8	6	7.8	6	11	8.9	11	
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	<0.1	<0.1	<0.1	
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	<0.05	<0.05	<0.05	
Barium	18	14	18	16	27	19	14	15	15	16	17	15	16	13	8.8	16	18	17	17	
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	<0.01	<0.01	<0.01	
Boron	5	5	6	4	5	4	7	5	6	5	6	6	6	6	3	6	5	5	17	
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	<0.01	<0.01	<0.01	
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	<0.5	<0.5	<0.5	
Cobalt	0.03	0.02	0.02	0.03	0.01	<0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	< 0.01	0.02	0.02	0.02	
Copper	3.9	3.8	3.1	4.6	4.2	3.7	2.8	2.3	2.4	2.3	2.4	2.6	2.4	2.4	3.2	2.3	2.7	2.8	2.8	
Iron	54	18	22	30	20	14	11	10	10	10	9.8	9.2	8.9	7.9	11	7.2	27	21	22	
Lead	0.04	0.01	0.03	0.03	0.02	0.02	0.03	0.02	0.06	0.03	0.02	0.02	< 0.01	< 0.01	< 0.01	< 0.01	0.21	<0.01	0.02	
Manganese	290	340	480	336	94	113	227	202	210	197	204	195	172	174	389	223	161	183	153	
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.005	<0.005	<0.005	
Molybdenum	0.3	0.3	0.2	0.4	1.4	1.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.4	0.1	0.2	0.2	0.2	
Nickel	1.3	0.69	0.77	1.7	1.2	0.96	0.77	0.51	0.55	0.55	0.55	1	0.99	0.94	0.82	0.79	1	1	1	
Selenium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	<0.05	<0.05	<0.05	
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	<0.01	<0.01	<0.01	
Strontium	4.4	2.6	2.5	3.1	3.8	2.5	1.4	1.2	1.2	1.2	1.2	1.4	1.5	1.4	1.8	1.4	1.7	1.8	1.8	
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	<0.05	<0.05	<0.05	
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	< 0.05	< 0.05	< 0.05	< 0.05	< 0.05	<0.05	0.2	<0.05	
Titanium	3.3	0.76	0.77	1.2	0.49	0.19	0.08	0.14	0.11	0.19	0.08	0.09	0.08	0.06	0.12	0.06	0.26	0.3	0.38	
Uranium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	< 0.01	< 0.01	< 0.01	< 0.01	< 0.01	<0.01	<0.01	<0.01	
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	< 0.1	< 0.1	< 0.1	< 0.1	< 0.1	<0.1	<0.1	<0.1	
Zinc	6.6	6.6	7.4	7.9	7.9	6.5	6.1	5.2	5.4	5.6	5.7	5.9	5.7	5.3	5.3	4.8	9.6	10	9.2	
Physical Properties																				
Moisture (%)	86.12	86.14	86.17	83.54	82.53	82.76	85.32	84.42	84.34	84.54	84.55	85	84.77	85.04	85.53	85.1	82.5	82.3	82.3	
Radionuclides																				
Lead-210 (Bq/g)	0.003	0.004	0.004	0.002	<0.001	<0.001	<0.001	<0.001	0.001	0.001	<0.001	0.003	0.004	0.01	0.004	< 0.001	<0.001	<0.001	0.001	
Polonium-210 (Bq/g)	0.001	0.0021	0.0032	0.0012	0.0007	0.0005	0.0018	0.0011	0.0011	0.0012	0.0017	0.0008	0.001	0.0008	0.0009	0.0008	<0.0002	<0.0002	0.0002	
Radium-226 (Bq/g)	0.0022	0.0031	0.0038	0.003	0.002	0.004	0.0046	0.0034	0.0032	0.0026	0.0052	0.0044	0.0051	0.0041	0.0026	0.0066	0.0081	0.0069	0.0063	
Thorium-230 (Bq/g)	0.002	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	< 0.0005	< 0.0005	< 0.0005	< 0.0005	< 0.0005	<0.002	<0.002	<0.002	

APPENDIX C, TABLE 8

Detailed blueberry chemistry results from the EARMP community program, 2011 to 2022.

Chemical ¹	Stony Rapids														
	2011					2012					2013				
	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5
Metals															
Aluminum	21	8	27	37	10	9.6	8.9	7	11	7.6	300	180	250	240	250
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	15	15	16	8.9	13	14	12	12	10	13	10	9	13	14	13
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	12	5	4	3	4	5	4	11	14	6	4	4	4	5	5
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	0.01	0.07	0.01	0.02	0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Copper	2.9	3.2	3	2.4	2.9	1.9	2	2.3	2.1	2	2.4	2.8	2.1	2.5	2.4
Iron	16	12	23	32	11	12	12	11	10	9.9	9.9	10	10	11	12
Lead	0.01	<0.01	0.02	0.04	<0.01	0.1	<0.01	0.03	0.03	<0.01	<0.01	0.02	<0.01	<0.01	0.01
Manganese	140	100	130	70	180	290	250	230	240	260	210	200	270	340	300
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	0.1	0.2	<0.1	<0.1	<0.1	0.1	<0.1	0.4	0.3	0.3	0.2	0.1	<0.1	<0.1	0.1
Nickel	0.75	0.68	0.84	0.82	0.74	0.39	0.48	0.47	0.37	0.4	0.38	0.42	0.24	0.3	0.29
Selenium	<0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	2.6	1.7	2.9	2.5	2	1.7	1.5	2.9	2.6	2.4	3.4	3	3.5	4.5	3.8
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Titanium	0.26	0.12	1.6	1.4	0.19	0.2	0.23	0.09	0.26	0.11	0.08	0.14	0.07	0.06	0.06
Uranium	<0.01	<0.01	0.02	0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	5.8	6.4	5.1	4.9	5.3	3.3	3.7	4.9	3.4	4	5.9	5.8	5.9	7.6	6.4
Physical Properties															
Moisture (%)	85.84	85.47	84.14	85.08	86.57	85.35	85.14	84.42	85.08	84.82	85.92	85.78	86.59	86.18	86.45
Radionuclides															
Lead-210 (Bq/g)	<0.004	0.005	0.012	0.006	<0.004	<0.01	<0.01	<0.01	<0.01	<0.01	0.007	<0.004	<0.004	<0.004	<0.004
Polonium-210 (Bq/g)	0.002	0.002	0.002	0.003	0.002	0.001	<0.001	0.001	0.001	<0.001	<0.001	<0.001	0.001	<0.001	0.001
Radium-226 (Bq/g)	0.003	0.006	0.001	<0.0009	0.001	0.003	<0.001	0.003	0.003	0.004	0.015	0.014	0.016	0.012	0.015
Thorium-230 (Bq/g)	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002

APPENDIX C, TABLE 8

Detailed blueberry chemistry results from the EARMP community program, 2011 to 2022.

Chemical ¹	Stony Rapids														
	2014					2015			2016			2019	2022		
	1	2	3	4	5	1	2	3	1	2	3	1	1	2	3
Metals															
Aluminum	7.8	9.3	10	8.3	8.9	22	18	9.5	13	16	18	6.8	1	1.6	2.1
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	< 0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	< 0.05	<0.05	<0.05	<0.05
Barium	22	21	21	18	21	13	15	15	14	15	15	17	<0.05	<0.05	<0.05
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	< 0.01	<0.01	<0.01	<0.01
Boron	4	5	5	5	16	5	5	7	12	5	5	6	<1	<1	<1
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	< 0.01	<0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	< 0.5	<0.5	<0.5	<0.5
Cobalt	0.01	0.02	0.1	<0.01	0.02	<0.01	<0.01	0.01	0.01	0.01	0.01	< 0.01	<0.01	<0.01	<0.01
Copper	4.5	4.2	4.2	4	4.4	3.6	3.3	3.2	3	3.4	3.4	2.9	0.61	0.98	1.2
Iron	14	15	14	13	15	19	19	13	22	17	18	9.1	<0.5	<0.5	<0.5
Lead	<0.01	0.01	<0.01	0.02	0.01	0.26	0.02	0.02	0.06	0.01	0.03	< 0.01	<0.01	<0.01	<0.01
Manganese	130	150	140	270	140	130	150	220	229	337	357	226	0.1	<0.1	<0.1
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	<0.005	<0.005	<0.005
Molybdenum	0.2	0.2	0.2	0.2	0.2	<0.1	<0.1	0.1	0.1	0.1	0.1	0.2	<0.1	<0.1	<0.1
Nickel	1.1	1.1	1.4	0.54	1	0.68	0.65	0.8	0.68	0.57	0.57	0.58	0.17	0.3	0.35
Selenium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	< 0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	< 0.01	<0.01	<0.01	<0.01
Strontium	2.5	2.5	2.2	5.3	2.6	1.6	1.7	3.1	3	1.7	1.8	1.6	0.41	0.66	0.84
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	< 0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.07	<0.05	<0.05	<0.05	< 0.05	<0.05	<0.05	<0.05
Titanium	0.12	0.3	0.17	0.08	0.26	0.7	0.81	0.28	0.29	0.37	0.47	0.07	<0.05	<0.05	0.06
Uranium	0.03	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	< 0.01	<0.01	<0.01	<0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	< 0.1	<0.1	<0.1	<0.1
Zinc	5.2	5.2	5.5	6.1	5.3	5.2	5.4	5.6	5.5	6.7	6.6	6.4	<0.5	<0.5	<0.5
Physical Properties															
Moisture (%)	86.37	86.04	86.10	86.52	86.16	86.67	86.62	86.11	85.76	83.59	83.88	84.52	84.00	84.20	84.00
Radionuclides															
Lead-210 (Bq/g)	0.001	0.001	<0.001	<0.001	<0.001	0.003	0.002	0.002	0.002	<0.001	0.002	0.004	0.002	<0.001	0.006
Polonium-210 (Bq/g)	<0.0002	0.0008	0.0007	0.0008	0.0006	0.0012	0.0014	0.0012	0.0011	0.0009	0.001	0.0012	0.0016	<0.0003	<0.0003
Radium-226 (Bq/g)	0.003	0.002	0.002	0.013	0.002	0.004	0.0039	0.0018	0.002	0.002	0.001	0.0016	0.0016	0.0015	0.0022
Thorium-230 (Bq/g)	<0.0009	<0.001	<0.001	<0.001	<0.001	<0.0005	0.0007	<0.0005	<0.0009	<0.0009	<0.001	< 0.0007	-	-	-

APPENDIX C, TABLE 8

Detailed blueberry chemistry results from the EARMP community program, 2011 to 2022.

Chemical ¹	Wollaston Lake/Hatchet Lake														
	2011					2012					2013				
	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5
Metals															
Aluminum	6.1	3.9	8.7	6.2	5.9	14	20	12	26	22	7.4	6.8	6.8	6.7	7.3
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	16	17	15	14	15	10	9.9	7.7	16	16	13	13	11	12	10
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	7	4	7	13	6	5	7	17	7	8	4	5	4	5	5
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.02	0.01	<0.01	0.01	<0.01	<0.01	0.01	<0.01
Copper	2.9	1.7	3	3	2.6	3.4	2.9	2.5	2.6	3.5	1.8	1.7	2.1	1.6	1.6
Iron	6.8	5.4	12	9.5	9	17	17	15	21	20	10	9	10	9	9
Lead	0.04	<0.01	0.01	<0.01	<0.01	<0.01	0.01	0.03	0.02	0.02	0.03	<0.01	0.02	<0.01	<0.01
Manganese	270	290	300	290	260	150	160	110	180	190	150	140	150	140	150
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	<0.1	<0.1	<0.1	0.1	0.1	0.3	0.1	0.1	0.2	0.2	0.1	<0.1	0.2	<0.1	<0.1
Nickel	0.66	0.28	0.59	0.5	0.59	0.66	0.44	0.68	0.5	0.68	0.23	0.19	0.24	0.19	0.24
Selenium	<0.05	<0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	3.4	1.2	3.1	3.8	3.6	1.3	1.2	1.1	1.4	2.8	1.8	2.3	1.6	1.8	1.5
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Titanium	<0.05	0.07	0.13	0.09	0.09	0.38	1.3	0.4	0.91	0.51	0.1	0.05	0.05	0.11	0.09
Uranium	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	5.7	3	5.5	5.1	4.4	6.6	7.7	4.7	6.7	8	6.4	6	6.2	5.6	5.3
Physical Properties															
Moisture (%)	85.31	84.46	84.79	84.44	85.11	84.44	84.81	84.13	85.40	84.17	85.61	85.47	85.66	85.56	85.51
Radionuclides															
Lead-210 (Bq/g)	0.005	0.009	0.008	0.01	0.004	<0.001	0.001	0.001	<0.001	<0.01	0.008	0.002	<0.002	0.012	<0.004
Polonium-210 (Bq/g)	0.002	0.002	0.004	0.004	0.004	0.0012	0.0012	0.0008	0.0017	<0.001	<0.001	<0.001	<0.001	<0.001	0.002
Radium-226 (Bq/g)	<0.001	0.001	<0.001	0.006	<0.001	0.0024	0.0032	0.0032	0.0057	0.004	0.008	0.005	0.006	0.009	0.004
Thorium-230 (Bq/g)	<0.002	<0.002	<0.002	<0.002	<0.002	<0.001	<0.001	<0.0009	<0.001	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002

APPENDIX C, TABLE 8

Detailed blueberry chemistry results from the EARMP community program, 2011 to 2022.

Chemical ¹	Wollaston Lake/Hatchet Lake													
	2014					2015			2016			2022		
	1	2	3	4	5	1	2	3	1	2	3	1	2	3
Metals														
Aluminum	11	11	10	12	12	28	13	16	13	10	15	7.9	7	7.5
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	21	19	15	22	18	17	13	14	20	13	22	19	17	16
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	5	5	8	6	5	6	7	6	5	4	6	12	5	6
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	0.02	0.01	0.2	0.03	0.14	0.03	0.01	0.01	0.01	0.02	0.01	0.01	0.01	<0.01
Copper	4.5	4.4	4.5	4.8	4.5	3.5	3.3	3.6	3.4	3.9	3.2	3.6	3.4	3.3
Iron	17	18	18	17	17	29	15	17	12	14	12	11	9.9	12
Lead	<0.01	0.02	0.02	<0.01	0.02	0.02	0.02	0.03	0.02	0.01	0.05	0.04	<0.01	0.01
Manganese	100	81	90	84	59	160	170	180	88	317	118	69	67	66
Mercury	-	-	-	-	-	-	-	-	-	-	-	<0.005	<0.005	<0.005
Molybdenum	0.3	0.4	0.3	0.4	0.4	0.2	0.1	0.1	0.2	0.3	0.2	0.4	0.4	0.4
Nickel	1.1	0.92	1.2	1.3	1.5	1.6	0.82	0.94	0.69	0.59	0.56	0.73	0.72	0.72
Selenium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	2.6	3.7	1.5	2.6	5.4	3.1	1.4	1.6	5.4	2.6	4.2	3.4	3.4	3.3
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.07	<0.05	<0.05
Titanium	0.16	0.17	0.14	0.17	0.25	1.1	0.34	0.88	0.1	0.19	0.14	0.14	0.12	0.11
Uranium	<0.01	0.01	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	7.3	8.1	7.3	7.5	7.4	6	6.8	7	5.8	5.3	5.8	5.4	5.5	4.2
Physical Properties														
Moisture (%)	86.34	86.99	86.93	87.01	86.51	88.00	84.22	84.43	85.72	86.66	86.27	84.10	84.00	84.00
Radionuclides														
Lead-210 (Bq/g)	0.001	<0.001	<0.001	<0.001	<0.001	0.004	0.002	<0.001	0.004	0.004	0.003	<0.002	<0.001	<0.001
Polonium-210 (Bq/g)	0.0006	0.001	0.0005	0.0008	0.0007	0.0016	0.001	0.0014	0.0018	0.0011	0.0015	<0.0004	<0.0003	<0.0003
Radium-226 (Bq/g)	0.004	0.002	0.004	0.005	0.004	0.006	0.0046	0.0045	0.002	<0.0005	0.003	0.0028	0.0033	0.0034
Thorium-230 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.0009	<0.0006	<0.0005	<0.0005	<0.0009	<0.001	<0.001	-	-	-

APPENDIX C, TABLE 8

Detailed blueberry chemistry results from the EARMP community program, 2011 to 2022.

Chemical ¹	Uranium City												
	2012					2014			2018			2019	
	1	2	3	4	5	1	2	3	1	2	3	1	2
Metals													
Aluminum	5.3	5.6	8.7	4.4	5.4	9.2	7.7	11	4.6	4.2	4.8	7.7	6.3
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	12	11	12	12	9.9	14	14	14	11	11	11	12	11
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	8	8	9	6	7	3	4	3	6	5	5	5	6
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	0.01	<0.01	0.01	<0.01	0.02	<0.01	<0.01	0.06	0.01	0.01	0.02	0.02	0.02
Copper	3.9	3.4	3.7	3.5	2.9	4.1	4.1	4.1	3.3	3.4	3.3	3.5	3.1
Iron	11	9.7	10	12	8.7	14	14	14	9.4	9.2	9	12	9.7
Lead	0.01	0.01	0.02	0.01	<0.01	<0.01	0.06	0.01	<0.01	0.01	0.07	<0.01	<0.01
Manganese	280	330	280	200	140	430	440	450	530	460	550	680	640
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	0.2	0.2	0.3	0.4	<0.1	0.2	0.2	0.2	0.3	0.4	0.3	0.2	0.3
Nickel	0.54	0.47	0.58	0.44	0.51	0.37	0.41	0.5	0.32	0.3	0.32	0.46	0.34
Selenium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	1.3	1.1	1.4	1.3	1.6	1.3	1.3	1.4	1.5	1.5	1.5	1.6	1.6
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Titanium	<0.05	<0.05	<0.05	0.05	0.05	0.17	0.13	0.21	<0.05	<0.05	<0.05	0.16	0.08
Uranium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	6.3	5.9	6.2	6.3	4.2	6.7	6.5	6.4	5.1	4.9	4.7	4.9	4.3
Physical Properties													
Moisture (%)	84.40	83.99	84.04	85.06	84.43	89.62	89.29	89.56	81.80	81.73	81.57	84.16	84.46
Radionuclides													
Lead-210 (Bq/g)	0.002	0.004	0.003	0.002	0.02	0.001	0.005	0.002	<0.001	<0.001	<0.001	0.002	0.002
Polonium-210 (Bq/g)	0.0021	0.005	0.0032	0.0015	0.002	0.0031	0.003	0.0028	0.001	0.0009	0.0008	0.0014	0.0016
Radium-226 (Bq/g)	0.0014	0.006	0.0016	0.1	0.001	0.0007	0.003	0.001	<0.0003	<0.0003	<0.0003	0.0005	<0.0002
Thorium-230 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.002	<0.001	<0.001	<0.001	<0.0007	<0.0007	<0.0007	<0.0005	<0.0005

¹All concentrations are in µg/g dry weight, unless specified otherwise.

APPENDIX C, TABLE 9

Detailed bog cranberry chemistry results from the EARMP community program, 2011 to 2022.

Chemical ¹	Black Lake		Camsell Portage																		
	2019		2011					2014		2015			2016			2018			2022		
	1	2	1	2	3	4	5	1	2	1	2	3	1	2	3	1	2	3	1	2	3
Metals																					
Aluminum	110	33	17	17	19	19	16	17	16	16	19	21	22	21	22	20	25	22	17	18	17
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	11	14	14	13	14	15	9.1	15	15	18	19	19	7.6	8.5	8.6	8.1	9	8.2	8.8	10	8.7
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	8	8	9	8	8	10	9	6	5	10	6	6	6	7	6	9	8	9	7	8	6
Cadmium	<0.01	0.03	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	0.01	0.02	<0.01	<0.01	<0.01	<0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.01	0.02	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	0.02	0.01
Copper	3.5	3.6	4.5	4.2	4.8	4.9	3.6	4	4.3	4.3	3.8	4.8	3.6	3.6	3.7	3.3	3.5	3.2	4	4	4.1
Iron	68	15	9.7	9.7	10	10	11	15	14	16	12	13	9.3	8.8	9	9	9.6	8.7	11	11	11
Lead	0.04	0.03	<0.01	<0.01	<0.01	0.01	0.02	0.02	<0.01	0.03	<0.01	<0.01	<0.01	0.02	0.01	0.04	0.01	0.01	<0.01	<0.01	<0.01
Manganese	192	148	110	120	100	100	80	170	170	140	200	220	171	124	155	116	126	127	69	81	66
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.005	<0.005	<0.005
Molybdenum	0.5	<0.1	0.1	0.1	0.2	0.2	<0.1	<0.1	<0.1	0.2	0.1	0.2	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Nickel	0.47	0.36	0.46	0.46	0.49	0.65	0.37	0.54	0.52	0.36	0.36	0.41	0.23	0.32	0.27	0.36	0.34	0.31	0.41	0.47	0.42
Selenium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	1.5	2.7	2.3	2	2.1	2.5	1.8	2.3	2.3	3.1	3.8	4.5	1	1.2	1.1	1.5	1.7	1.5	1.7	2	1.8
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.9	<0.05	1.3	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.1	<0.05
Titanium	4.4	0.49	0.06	0.06	<0.05	0.08	0.17	0.08	0.08	0.1	0.11	0.12	0.07	0.22	<0.05	0.07	0.11	0.08	0.08	0.13	0.1
Uranium	<0.01	<0.01	0.01	<0.01	0.01	<0.01	0.02	<0.01	0.01	0.04	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.04	<0.01
Vanadium	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	6.7	5.8	6.6	6.4	6.5	6.7	5.3	6.2	6.2	7.8	7.8	8	7.2	7	6.9	6.5	7.2	6.5	7.5	7.5	8.4
Physical Properties																					
Moisture (%)	87.22	84.62	87.53	87.36	87.13	86.87	86.78	86.06	86.2	87.73	87.24	87.37	85.66	85.54	85.58	84.77	84.84	84.79	83.90	83.10	84.10
Radionuclides																					
Lead-210 (Bq/g)	0.007	0.004	0.007	0.006	0.02	0.013	0.018	0.001	<0.001	0.002	0.002	0.002	0.002	0.004	0.003	0.001	0.001	0.002	0.001	0.002	0.002
Polonium-210 (Bq/g)	0.002	0.0039	0.003	0.002	0.001	0.002	0.003	0.0011	0.0011	0.0015	0.0014	0.0015	0.0009	0.0011	0.001	0.0024	0.0021	0.0019	<0.0002	0.0007	0.0005
Radium-226 (Bq/g)	0.0078	0.0046	0.004	0.002	0.006	0.004	0.002	0.0008	<0.0005	0.0016	0.0017	0.0007	0.002	0.002	0.002	0.0014	0.0016	0.0009	0.001	0.0024	0.0009
Thorium-230 (Bq/g)	<0.0005	<0.0005	<0.002	<0.002	<0.002	<0.002	<0.002	<0.001	<0.001	<0.0006	<0.0005	<0.0005	<0.001	<0.001	<0.001	<0.0007	<0.0007	<0.0007	<0.0007	<0.0008	<0.0006

APPENDIX C, TABLE 9

Detailed bog cranberry chemistry results from the EARMP community program, 2011 to 2022.

Chemical ¹	Fond du Lac					Stony Rapids								Wollaston Lake				
	2018			2022		2018			2019				2018		2019			
	1	2	3	1	2	1	2	3	1	2	3	4	1	2	1	2	3	4
Metals																		
Aluminum	25	25	25	43	58	87	90	97	110	51	49	56	84	28	35	36	32	33
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	9.7	10	9.7	11	15	16	16	16	10	10	8.7	12	16	10	12	11	12	11
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	10	11	5	6	5	16	14	9	7	5	6	7	8	9	6	5	6	6
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	0.03	0.04	0.03	<0.01	<0.01	<0.01	<0.01	0.06	0.03	0.02	0.02	0.04	0.03
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.02	0.01	0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01
Copper	2.9	2.9	2.9	2.8	3.2	3	3.2	3.2	3.2	2.9	2.9	2.8	3.9	2.8	3.8	3.1	4	3.9
Iron	12	13	13	25	35	45	45	47	67	29	31	32	44	10	14	15	14	16
Lead	<0.01	0.01	0.03	0.08	0.1	0.09	0.13	0.13	0.04	0.03	0.02	0.02	0.06	0.02	<0.01	0.02	0.04	0.01
Manganese	157	164	157	85	100	133	129	127	164	192	163	174	139	114	83	138	132	101
Mercury	-	-	-	<0.005	<0.005	-	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	0.1	<0.1	<0.1	0.3	0.3	<0.1	<0.1	0.1	0.4	0.1	0.2	0.2	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Nickel	0.23	0.22	0.23	0.56	0.59	0.46	0.48	0.65	0.49	0.38	0.28	0.31	0.68	0.32	0.7	0.4	0.72	0.9
Selenium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	1.8	1.8	1.9	2.6	3.2	3.9	3.7	3.2	1.6	2	1.2	1.4	2.6	2.1	2.4	1.9	2	2.4
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.06	<0.05
Titanium	0.38	0.36	0.37	1.5	2.4	2.2	2.4	2.9	4.1	1.5	1.7	1.9	2.6	0.41	0.52	0.71	0.55	0.56
Uranium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	6.7	6.9	7.2	5.8	7	7.2	7	6.8	6.6	7.4	6.3	6.1	11	5.9	6	5.1	6.4	5.8
Physical Properties																		
Moisture (%)	84.40	84.42	84.37	85.50	85.20	86.12	86.09	85.23	85.39	86.37	85.83	86.01	85.36	84.56	84.84	85.00	84.51	85.14
Radionuclides																		
Lead-210 (Bq/g)	0.001	0.001	0.001	<0.002	0.003	<0.001	0.004	0.005	0.004	0.003	0.003	0.004	0.004	0.003	0.003	0.004	0.002	0.002
Polonium-210 (Bq/g)	0.0015	0.0008	0.0013	0.0007	0.001	0.0015	0.0035	0.0049	0.0022	0.0018	0.0028	0.0028	0.0034	0.0023	0.002	0.0039	0.0012	0.0022
Radium-226 (Bq/g)	0.0013	0.0009	0.001	0.0045	0.0054	0.0019	0.0017	0.0014	0.01	0.0031	0.0064	0.0067	0.0021	0.0031	0.0013	0.0014	0.0017	0.0026
Thorium-230 (Bq/g)	<0.0007	<0.0007	<0.0007	-	-	<0.0007	<0.0007	<0.0007	<0.0005	<0.0007	<0.0005	<0.0005	<0.0007	<0.0007	<0.0005	<0.0005	<0.0005	<0.0007

APPENDIX C, TABLE 9

Detailed bog cranberry chemistry results from the EARMF community program, 2011 to 2022.

Chemical ¹	Uranium City																
	2011					2013					2014		2015	2016			2019
	1	2	3	4	5	1	2	3	4	5	1	2	1	1	2	3	1
Metals																	
Aluminum	20	29	15	19	27	21	56	50	45	28	22	23	20	18	25	17	9.9
Antimony	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Arsenic	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Barium	13	9.1	11	9.4	13	10	12	14	12	10	13	12	15	11	10	10	11
Beryllium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Boron	10	9	8	14	10	18	16	15	7	5	6	6	9	6	4	7	6
Cadmium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	0.02	0.02	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01
Chromium	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Cobalt	0.02	0.14	0.02	0.02	0.02	0.01	0.02	0.02	0.02	0.02	0.05	0.04	<0.01	0.02	0.03	0.02	<0.01
Copper	5.9	3.6	2.6	2.6	3.2	2.6	2.1	2.3	2.4	3.2	5.6	6.4	3.4	4.2	5.4	4.2	2.7
Iron	16	20	9.5	13	14	13	12	26	26	14	12	14	12	11	14	10	7.3
Lead	0.01	0.01	0.01	0.01	0.02	0.02	0.2	0.03	0.02	0.03	0.04	0.03	0.02	0.11	0.04	0.01	<0.01
Manganese	150	110	300	210	220	210	150	100	81	100	160	160	90	158	103	120	200
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.7	0.1	0.7	<0.1
Nickel	1.1	0.8	0.28	0.5	0.42	0.2	0.28	0.42	0.46	0.36	0.59	0.59	0.74	0.34	0.72	0.38	0.21
Selenium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Silver	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Strontium	3.4	2.5	2.5	2.4	1.8	2.1	2.2	2.2	2.1	1.5	1.6	1.5	3.7	1.9	1.3	2	2.1
Thallium	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Tin	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
Titanium	0.07	0.47	0.06	0.18	0.14	0.11	0.56	0.6	0.7	0.33	0.16	0.11	0.19	0.1	0.14	<0.05	0.06
Uranium	0.01	0.02	<0.01	0.01	<0.01	<0.01	0.03	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Vanadium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Zinc	8.9	7.3	5.7	5.2	6.8	7.2	8.9	7.4	7	7	6.2	7.1	5.3	6.7	7.6	6.6	4.5
Physical Properties																	
Moisture (%)	88.39	87.69	87.22	86.90	87.44	84.89	85.40	85.63	85.57	85.84	86.38	86.63	85.92	85.20	86.48	84.88	84.02
Radionuclides																	
Lead-210 (Bq/g)	0.005	0.005	0.016	0.01	0.016	0.016	0.009	<0.004	<0.004	<0.004	0.005	0.002	0.003	0.005	0.002	0.003	0.004
Polonium-210 (Bq/g)	0.003	0.003	0.013	0.002	0.005	0.002	0.001	0.001	<0.001	0.001	0.0039	0.0036	0.0027	0.0024	0.0015	0.0013	0.0012
Radium-226 (Bq/g)	0.002	0.007	<0.0009	<0.0009	<0.0009	<0.001	0.002	0.003	0.002	0.003	0.003	0.002	0.0034	0.0008	0.0008	0.0009	0.0013
Thorium-230 (Bq/g)	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.001	<0.001	<0.0005	<0.001	<0.001	<0.001	<0.0007

¹All concentrations are in µg/g dry weight, unless specified otherwise.

APPENDIX C, TABLE 10

Detailed barren-ground caribou flesh chemistry results from the EARMP community program, 2012 to 2023.

Chemical ¹	Black Lake																								
	2012					2013					2014					2015					2017		2023		
	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5	1	2	1	2	3
Metals																									
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	0.6	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.04	<0.02	<0.02	<0.02	<0.02	0.06	0.04	0.38	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.02	0.01	0.02	0.02	0.02	0.04	0.02	0.03	0.02	0.02	0.01	0.01	0.01	<0.01	<0.01	0.02	0.03	0.02	0.04	0.02	0.03	0.02	0.01	0.02	0.01
Barium	0.2	0.03	0.04	0.03	0.25	0.04	0.02	0.02	0.01	<0.01	0.02	0.05	0.11	0.33	0.02	0.04	0.03	0.02	0.03	0.02	0.21	0.17	0.1	0.14	0.04
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	0.7	0.2	0.6	<0.2	0.9	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.002	0.004	0.002	<0.002	<0.002	0.004	0.003	0.002	0.006	0.005	0.002	<0.002	0.003	0.005	0.004	0.002	<0.002	<0.002	<0.002	<0.002	0.003	0.005	0.014	0.014	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.005	0.004	0.003	0.003	0.003	0.008	0.005	0.004	0.004	0.005	<0.002	0.002	0.002	<0.002	0.002	0.009	0.006	0.009	0.008	0.016	0.004	0.006	0.005	0.007	0.005
Copper	4.3	2.6	3	3	3.3	3.3	4.2	3.4	3	3.1	4.6	3.3	3.2	2.4	4.6	4.9	3.5	4.6	4.8	2.5	2.5	2.6	1.7	2.2	4.3
Iron	43	29	40	38	45	33	49	44	50	43	49	38	58	37	52	46	32	53	48	37	35	33	28	26	48
Lead	0.013	<0.002	0.008	<0.002	0.005	0.003	0.31	0.003	0.48	0.013	<0.002	0.008	0.56	0.028	0.004	0.015	0.009	0.007	0.005	0.006	0.043	0.006	0.013	0.01	0.015
Manganese	0.45	0.29	0.35	0.38	0.42	0.28	0.53	0.34	0.3	0.26	0.48	0.56	0.48	0.34	0.42	0.49	0.34	0.54	0.48	0.3	0.24	0.32	0.17	0.24	0.47
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.011	0.01	0.01
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.01	<0.01	<0.01	0.02	0.02	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.01	<0.01	0.04	0.04	0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.15	0.2	0.21	0.19	0.2	0.15	0.27	0.18	0.2	0.18	0.24	0.15	0.21	0.17	0.21	0.22	0.18	0.24	0.22	0.18	0.17	0.18	0.11	0.2	0.24
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.03	0.03	0.02	0.02	0.03	0.05	0.04	0.03	0.03	0.03	0.03	0.06	0.12	0.27	0.05	0.04	0.03	0.02	0.02	0.03	0.07	0.04	0.05	0.08	0.03
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	-	-	-	-	-	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.08	0.08	0.07	0.07	0.08	0.09	0.11	0.08	0.08	0.08	0.06	0.1	0.07	0.1	0.09	0.07	0.07	0.07	0.07	0.06	<0.01	<0.01	0.01	0.03	0.02
Uranium	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	17	31	21	16	29	26	29	33	30	32	19	21	23	30	20	14	23	15	15	46	35	46	26	43	19
Physical Properties																									
Moisture (%)	74.06	74.11	74.21	73.58	72.53	76.52	73.84	75.07	75.50	74.1	70.87	67.93	65.21	69.85	71.08	73.58	73.63	72.12	72.03	73.79	75.45	72.45	60.6	74.4	71.2
Radionuclides																									
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	0.002	<0.001	<0.001
Polonium-210 (Bq/g)	0.011	0.0095	0.0083	0.01	0.011	0.0007	0.0052	0.0065	0.0085	0.0094	0.023	0.014	0.013	0.015	0.012	0.019	0.014	0.015	0.016	0.013	0.0081	0.0063	0.0019	0.002	0.018
Radium-226 (Bq/g)	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	0.008	<0.005	<0.005	<0.005	<0.005	<0.00006	0.0003	<0.00006	0.0003	0.0001	0.0002	0.0002	<0.00008	0.0001	<0.00006	<0.00007	<0.00005	<0.00005	<0.00007	<0.00008
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002

APPENDIX C, TABLE 10

Detailed barren-ground caribou flesh chemistry results from the EARMP community program, 2012 to 2023.

Chemical ¹	Camsell Portage		Fond du Lac																						
	2013		2012					2013						2014					2015			2017		2023	
	1	2	1	2	3	4	5	1	2	3	4	5	6	1	2	3	4	5	1	2	3	1	2	1	2
Metals																									
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.5	<0.5	<0.5	0.6	<0.5	<0.5	0.6	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	0.02	0.01	0.01	0.02	0.02	0.02	0.01	<0.01	<0.01	0.03	<0.01	<0.01	0.01	<0.01	0.01	0.03	<0.01	0.02	0.03
Barium	0.02	<0.01	0.08	0.02	0.03	0.04	0.02	0.05	0.14	0.11	0.08	0.12	0.32	0.01	<0.01	0.02	0.02	0.04	<0.01	<0.01	0.18	0.04	0.17	0.05	0.19
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	0.4	0.5	0.3	0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.004	0.003	0.004	0.002	0.003	0.002	<0.002	0.004	0.002	0.005	<0.002	0.003	0.14	0.004	0.004	<0.002	0.003	0.002	0.004	0.004	0.008	0.004	0.004	<0.002	0.003
Chromium	<0.1	<0.1	0.3	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.002	<0.002	0.004	0.006	0.006	0.003	0.003	0.003	<0.002	0.003	0.002	0.006	0.013	0.005	0.004	0.005	0.004	<0.002	0.004	0.004	0.006	0.005	0.003	0.006	0.004
Copper	3.7	3.7	3.9	2.3	2.2	4.1	3.1	1.8	2.6	3.2	3.3	3.9	4.3	4.2	4.3	2.6	4	4.2	3.5	2.6	1.9	2.4	3.4	4.6	3.5
Iron	50	46	48	31	29	48	32	30	36	43	50	39	45	46	47	27	48	49	47	36	36	34	61	48	38
Lead	<0.002	<0.002	0.008	<0.002	<0.002	<0.002	<0.002	0.006	0.006	0.008	<0.002	0.014	0.004	0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	0.004	0.004	0.005	0.004	0.009
Manganese	0.35	0.26	0.39	0.26	0.25	0.43	0.32	0.24	0.26	0.33	0.37	0.53	0.8	0.38	0.35	0.32	0.39	0.44	0.41	0.33	0.29	0.21	0.31	0.56	0.36
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.012	0.011
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	0.08	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.23	0.22	0.15	0.15	0.15	0.18	0.15	0.12	0.13	0.16	0.2	0.14	0.34	0.19	0.17	0.17	0.18	0.22	0.19	0.17	0.16	0.15	0.2	0.2	0.19
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.04	0.04	0.07	0.05	0.06	0.05	0.03	0.06	0.07	0.07	0.05	0.08	0.14	0.04	0.04	0.03	0.05	0.05	0.03	0.04	0.07	0.04	0.09	0.06	0.04
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01						0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.08	0.07	0.08	0.08	0.07	0.08	0.09	0.08	0.05	0.09	0.08	0.08	0.08	0.06	0.13	0.12	0.05	0.13	0.07	0.07	0.08	<0.01	0.02	0.02	0.03
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	0.005
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	26	25	22	56	59	16	49	40	15	23	12	16	18	28	22	30	26	24	22	28	59	39	14	24	38
Physical Properties																									
Moisture (%)	72.15	72.11	71.24	76.19	74.05	73.91	73.77	71.94	71.95	72.90	73.46	71.99	68.45	62.73	71.46	75.61	72.28	70.81	73.17	73.00	71.99	76.17	73.17	72.8	73
Radionuclides																									
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.003	0.002	0.002	<0.001	<0.001	0.008	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.017	0.015	0.0042	0.0084	0.0098	0.0096	0.0021	0.015	0.015	0.015	0.016	0.016	0.021	0.012	0.012	0.011	0.01	0.014	0.0071	0.008	0.0075	0.0071	0.012	0.0037	0.0028
Radium-226 (Bq/g)	<0.00008	<0.0001	<0.00005	0.0002	0.0001	<0.00004	0.00008	<0.00006	<0.00006	<0.00006	<0.00007	<0.00007	0.00009	<0.00006	<0.00006	<0.00006	0.00007	0.00008	<0.00006	0.00008	<0.00006	<0.00008	<0.00009	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0002	<0.0002	<0.0001	0.0003	<0.0002	<0.00008	<0.0001	<0.0001	<0.0001	0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	-	<0.0001

APPENDIX C, TABLE 10

Detailed barren-ground caribou flesh chemistry results from the EARMP community program, 2012 to 2023.

Chemical ¹	Stony Rapids													Uranium City		
	2013					2014			2015					2019		
	1	2	3	4	5	1	2	3	1	2	3	4	5	1	2	3
Metals																
Aluminum	<0.5	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.01	0.01	0.01	0.02	0.01	0.03	0.02	0.01	0.02	0.02	0.03	0.02	0.01	<0.01	<0.01	0.01
Barium	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	0.04	0.12	0.03	0.01	0.02	0.02	0.01	0.05	0.1	0.03
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	0.8	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.003	0.004	0.002	0.003	0.002	<0.002	0.002	0.008	0.007	<0.002	<0.002	0.006	0.003	0.003	0.008	0.003
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.2	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	0.1	<0.1
Cobalt	0.006	0.003	0.004	0.004	0.003	0.004	0.002	0.003	0.005	0.004	0.002	0.005	0.004	0.004	0.004	0.005
Copper	4	4.6	4.7	3.3	4.1	2.4	3.4	1.8	2.4	4.3	3.6	3.8	3.5	1.7	1.3	2.4
Iron	52	55	46	51	55	38	38	40	34	43	46	47	50	37	32	36
Lead	0.002	0.065	0.009	0.003	0.004	0.005	0.052	0.032	0.004	0.002	<0.002	0.009	<0.002	<0.002	0.004	<0.002
Manganese	0.46	0.55	0.42	0.44	0.44	0.3	0.28	0.36	0.21	0.47	0.41	0.42	0.51	0.21	0.17	0.32
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	0.01	<0.01	<0.01	0.18	<0.01	0.06	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.21	0.26	0.21	0.21	0.21	0.16	0.14	0.11	0.17	0.18	0.22	0.2	0.19	0.13	0.11	0.16
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.02	0.03	0.02	<0.02	<0.02	0.05	0.04	0.17	0.03	0.02	0.03	0.04	0.03	0.04	0.06	0.04
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.03	0.12	0.2	0.09	0.11	0.13	0.04	0.08	0.07	0.07	0.06	0.08	0.07	<0.01	<0.01	0.01
Uranium	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	22	13	16	29	15	40	17	48	41	15	15	18	20	53	29	59
Physical Properties																
Moisture (%)	70.86	70.20	70.00	70.40	71.00	74.41	74.78	67.52	73.27	73.71	72.62	72.05	71.78	75.66	66.73	75.99
Radionuclides																
Lead-210 (Bq/g)	<0.001	0.001	<0.002	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.026	0.001	<0.001	0.012	0.025	0.0083	0.01	0.0059	0.013	0.017	0.025	0.033	0.02	0.0055	0.0059	0.0048
Radium-226 (Bq/g)	0.002	<0.001	<0.001	0.002	0.001	<0.00006	<0.00006	<0.00005	<0.00007	0.0001	0.00008	<0.00007	0.0001	<0.0002	<0.0002	<0.0002
Thorium-230 (Bq/g)	<0.002	<0.002	<0.002	<0.002	<0.002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0002	<0.0005	<0.0005	<0.0005

APPENDIX C, TABLE 10

Detailed barren-ground caribou flesh chemistry results from the EARMF community program, 2012 to 2023.

Chemical ¹	Wollaston Lake/Hatchet Lake																		
	2012					2013					2014					2015			
	1	2	3	4	5	1	2	3	4	5	1	2	3	4	5	1	2	3	4
Metals																			
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.03	<0.02	<0.02
Arsenic	<0.01	<0.01	0.01	0.02	0.02	0.02	0.02	0.01	0.01	<0.01	0.02	<0.01	0.01	0.02	<0.01	<0.01	0.01	0.02	<0.01
Barium	0.04	0.09	0.03	0.04	0.09	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	0.4	<0.2	0.4	0.3	0.4	0.3	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.005	0.008	0.002	0.004	0.002	0.008	0.003	<0.002	0.004	0.003	0.002	0.002	<0.002	<0.002	0.003	0.003	0.003	0.005	0.027
Chromium	0.2	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.003	0.003	0.007	0.005	0.004	0.008	0.006	0.006	0.004	0.006	0.003	0.006	<0.002	0.003	0.004	0.017	0.006	0.003	0.008
Copper	3.1	3.2	2.5	3.9	3.1	4.4	2.3	2.4	3.6	3.5	3.6	3.3	2.3	3.8	3.5	3.1	3	2.8	3.9
Iron	37	35	26	45	29	63	36	43	52	43	42	43	23	44	45	42	36	27	52
Lead	0.013	0.002	<0.002	0.046	0.051	0.006	0.003	0.013	0.014	<0.002	<0.002	<0.002	0.003	0.005	<0.002	<0.002	1.1	<0.002	<0.002
Manganese	0.35	0.29	0.25	0.53	0.33	0.46	0.27	0.29	0.5	0.44	0.31	0.37	0.21	0.37	0.41	0.39	0.29	0.29	0.4
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.15	0.17	0.17	0.19	0.13	0.18	0.13	0.12	0.19	0.17	0.21	0.13	0.16	0.2	0.18	0.14	0.16	0.16	0.19
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.04	0.03	0.03	0.02	0.03	0.05	0.03	0.03	0.02	<0.02	0.02	0.04	0.05	0.03	0.04	0.02	0.03	0.02	0.03
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	-	-	-	-	-	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.07	0.07	0.07	0.07	0.07	0.11	0.09	0.11	0.08	0.09	0.03	0.06	0.06	0.07	0.11	0.06	0.06	0.06	0.06
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	33	30	30	20	29	16	52	42	20	16	16	20	18	13	23	33	29	23	19
Physical Properties																			
Moisture (%)	74.50	73.60	75.20	74.14	75.20	72.82	78.45	77.45	73.98	72.58	75.58	74.52	75.00	74.43	73.43	76.77	73.74	74.44	68.86
Radionuclides																			
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.016	0.013	0.011	0.015	0.011	0.011	0.012	0.0095	0.019	0.014	0.0082	0.0083	0.012	0.016	0.01	0.0079	0.0072	0.0047	0.0053
Radium-226 (Bq/g)	<0.00006	<0.00007	<0.00006	<0.00006	<0.00005	<0.00008	<0.00006	<0.00006	0.0001	<0.00007	<0.00008	<0.00009	0.0002	<0.00006	0.00007	<0.00006	<0.00005	<0.00006	0.0001
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

APPENDIX C, TABLE 10

Detailed barren-ground caribou flesh chemistry results from the EARMF community program, 2012 to 2023.

Chemical ¹	Wollaston Lake/Hatchet Lake						
	2017		2020				2023
	1	2	1	2	3	4	1
Metals							
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5
Antimony	0.02	<0.02	<0.02	<0.02	<0.02	25	<0.02
Arsenic	0.03	0.03	0.02	0.01	<0.01	0.34	0.02
Barium	0.04	0.05	0.09	0.05	0.11	0.16	0.09
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.004	0.004	0.003	0.005	0.004	0.005	0.006
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.003	0.004	<0.002	0.005	0.006	0.005	0.002
Copper	3	3.6	1.7	3.3	1.8	3	2.3
Iron	45	38	24	46	33	64	37
Lead	0.52	0.014	0.15	0.003	2.1	910	0.007
Manganese	0.33	0.39	0.24	0.42	0.21	0.37	0.12
Mercury	-	-	0.008	0.012	0.006	0.006	0.009
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.2	0.22	0.12	0.26	0.13	0.17	0.19
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	0.048	<0.002
Strontium	0.04	<0.02	0.07	0.03	0.06	0.05	0.1
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	0.36	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.01	<0.01	0.04	0.03	0.03	0.04	0.02
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	43	38	56	42	64	45	36
Physical Properties							
Moisture (%)	74.15	74.87	76.29	71.75	74.47	73.57	70
Radionuclides							
Lead-210 (Bq/g)	<0.001	<0.001	0.002	<0.001	<0.001	0.002	<0.001
Polonium-210 (Bq/g)	0.0075	0.0082	0.0084	0.0093	0.0094	0.012	0.0032
Radium-226 (Bq/g)	<0.00007	<0.00007	<0.00007	<0.00007	<0.0001	<0.00007	<0.00005
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0001

¹All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.
- = data not available.

APPENDIX C, TABLE 11

Detailed moose flesh chemistry results from the EARMF community program, 2011 to 2023.

Chemical ¹	Camsell Portage											Fond du Lac		Stony Rapids					
	2011				2013		2014		2015		2023	2016	2023	2016	2018	2020			2023
	1	2	3	4	1	2	1	2	1	2	1	1	1	1	1	1	2	3	1
Metals																			
Aluminum	1.5	3	<0.5	3.8	<0.5	<0.5	0.6	4.4	5.1	0.5	1.4	0.6	1.9	0.5	<0.5	0.6	1	0.6	1.6
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.26	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.02	0.01	<0.01	<0.01	0.01	<0.01	0.02
Barium	0.04	0.15	0.03	0.02	0.05	0.02	0.07	0.04	0.05	0.02	<0.01	0.05	0.16	0.06	0.02	0.04	0.04	0.03	0.08
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	0.3	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	0.3	0.3	0.3	<0.2	<0.2
Cadmium	<0.002	0.006	0.002	<0.002	0.002	0.003	0.003	0.05	0.005	0.004	0.004	0.002	0.003	0.002	<0.002	0.011	0.012	<0.002	<0.002
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.014	0.011	0.022	0.01	0.012	0.015	0.02	0.016	0.015	0.006	0.018	0.011	0.017	0.019	0.012	0.03	0.014	0.01	0.005
Copper	2	1.2	1.8	1.6	1.5	1.8	0.56	1.4	0.93	1.4	0.99	1.5	0.86	1.7	0.82	0.99	1.4	0.73	1.3
Iron	21	25	25	29	29	34	22	32	29	29	26	38	28	29	12	45	46	20	24
Lead	0.018	0.019	<0.002	0.002	0.004	<0.002	0.029	0.011	0.004	<0.002	0.004	0.01	18	0.01	<0.002	0.027	0.009	0.009	0.002
Manganese	0.2	0.18	0.21	0.13	0.13	0.16	0.38	0.27	0.2	0.18	0.26	0.22	0.19	0.24	0.15	0.26	0.3	0.18	0.25
Mercury	-	-	-	-	-	-	-	-	-	-	0.002	-	0.002	-	-	0.002	0.003	0.003	0.006
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.02	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.2	0.06	0.1	0.12	0.06	0.06	0.08	0.08	0.17	0.13	0.14	0.1	0.1	0.09	0.16	0.15	0.17	0.13	0.31
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002
Strontium	0.1	0.06	0.03	0.02	0.06	0.04	0.06	0.09	0.06	0.02	0.08	0.06	0.16	0.03	0.03	0.16	0.15	0.08	0.07
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.09	0.25	0.09	0.08	0.07	0.07	0.1	0.22	0.14	<0.01	0.04	0.05	0.2	0.06	0.02	0.06	0.07	0.07	0.06
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	0.002	<0.001	<0.001	<0.001	0.003	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	24	38	47	45	59	45	63	58	61	48	58	53	68	49	32	50	62	50	41
Physical Properties																			
Moisture (%)	75.01	73.92	75.02	75.12	73.27	72.65	73.14	70.99	73.20	74.63	66.2	75.66	72.9	73.90	74.12	70.99	67.02	73.25	74.8
Radionuclides																			
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.0003	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0019	0.0004	0.0003	-	0.0004	0.0002	0.0004	<0.0002	0.0011	0.0005	<0.0002	0.0003	0.0002	0.0006	0.0006	0.001	0.0008	0.001	0.0013
Radium-226 (Bq/g)	<0.00008	<0.00007	0.0002	<0.00006	0.00006	0.00007	<0.00006	<0.00006	0.00005	0.00008	<0.00007	<0.00005	<0.00006	<0.00007	<0.00007	<0.00005	0.0001	<0.00006	<0.00006
Thorium-230 (Bq/g)	<0.0002	<0.0001	<0.0001	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.00009	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0004	-	<0.0002	<0.0001

APPENDIX C, TABLE 11

Detailed moose flesh chemistry results from the EARMP community program, 2011 to 2023.

Chemical ¹	Uranium City																				Wollaston Lake/Hatchet Lake		
	2011				2012			2013			2014	2015	2016	2018		2020		2023			2020		2023
	Mackintosh Bay	Deadman Channel	Melville Lake	Orbit Bay	Ace Creek	Gunnar	Milliken Lake	1	2	3	1	1	1	1	2	1	2	1	2	3	1	2	1
Metals																							
Aluminum	2.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	0.6	<0.5	0.5	<0.5	<0.5	<0.5	0.9	<0.5	<0.5	0.6	<0.5	<0.5	0.6
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.66
Arsenic	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.02	0.01	<0.01	0.01	0.03
Barium	0.03	0.02	<0.01	0.02	0.04	0.22	0.08	0.02	0.09	0.02	<0.01	0.04	0.1	0.03	0.04	0.02	0.1	0.04	0.04	0.05	0.07	0.07	0.27
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	0.2	<0.2	0.3	0.3	<0.2	<0.2	<0.2	<0.2
Cadmium	0.003	<0.002	0.002	0.004	0.011	0.006	0.003	0.004	0.005	0.003	0.056	0.018	0.011	0.004	0.004	0.011	0.01	0.002	0.003	0.006	0.006	0.004	0.005
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.2	0.2	<0.1
Cobalt	0.013	0.014	0.003	0.017	0.016	0.01	0.012	0.01	0.011	0.008	0.009	0.044	0.009	0.01	0.011	0.027	0.005	0.016	0.012	0.008	0.006	<0.002	0.007
Copper	1.3	1.8	3.8	1.7	1.2	1.4	1.3	1.6	2	1.5	1.9	1.5	1.8	1.4	0.95	1.6	1.2	1.3	1.2	1.3	1.9	2	1.9
Iron	30	25	42	42	35	34	26	34	37	26	36	33	25	37	22	35	35	24	31	29	40	35	35
Lead	<0.002	<0.002	<0.002	<0.002	0.005	0.004	0.003	0.003	0.025	0.003	0.003	0.002	0.01	<0.002	0.006	<0.002	0.006	0.004	<0.002	0.005	0.29	0.02	20
Manganese	0.16	0.16	0.33	0.14	0.17	0.18	0.15	0.14	0.24	0.14	0.22	0.23	0.16	0.19	0.2	0.19	0.16	0.16	0.15	0.16	0.2	0.26	0.35
Mercury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.003	0.002	0.002	0.004	0.001	0.034	0.016	0.009
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.01	0.02	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.03	<0.01	<0.01	<0.01
Selenium	0.11	0.16	0.18	0.09	0.1	0.11	0.1	0.09	0.12	0.08	0.14	0.08	0.13	0.14	0.13	0.13	0.09	0.12	0.15	0.12	0.18	0.15	0.15
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	<0.02	<0.02	0.04	0.03	0.08	0.05	0.05	0.02	0.03	0.03	0.04	0.03	0.06	0.04	0.02	0.02	0.06	0.03	0.04	0.03	0.05	0.05	0.17
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.14	0.08	0.1	0.13	0.08	0.08	0.06	0.06	0.06	0.06	0.09	0.01	0.11	0.02	0.03	0.04	0.11	0.02	0.01	0.03	0.05	0.04	0.04
Uranium	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	0.003	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	0.002	<0.001	<0.001	0.002
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	50	49	31	49	75	56	55	44	48	56	52	52	35	48	42	59	42	45	60	64	50	49	76
Physical Properties																							
Moisture (%)	74.42	72.36	72.74	73.84	69.87	74.09	74.28	74.01	71.23	74.71	75.54	76.93	76.46	75.89	76.73	74.72	78.09	76.1	74.8	73.7	74.93	73.61	72.6
Radionuclides																							
Lead-210 (Bq/g)	0.002	<0.001	<0.001	<0.001	<0.00002	<0.00001	<0.00002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001
Polonium-210 (Bq/g)	<0.0002	0.0005	0.0023	0.0003	0.0002	0.0004	<0.0002	0.0004	0.0005	0.0003	0.0016	0.001	0.0008	0.0004	0.0002	0.0003	0.0005	0.0005	0.0004	0.0004	0.003	0.0034	0.0019
Radium-226 (Bq/g)	<0.00006	<0.0001	<0.00006	<0.00007	<0.00009	<0.00006	<0.00008	0.00008	0.0001	<0.00005	<0.00005	0.00006	<0.00009	<0.00006	<0.00007	<0.00006	<0.00006	<0.00006	<0.00006	<0.00006	<0.0001	<0.0001	<0.00009
Thorium-230 (Bq/g)	<0.0001	<0.0002	<0.0001	<0.0001	<0.0002	0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	<0.0005	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0002

¹All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.
- = data not available.

APPENDIX C, TABLE 12

Detailed barren-ground caribou and moose organ chemistry results from the EARMP community program, 2014 to 2023.

Chemical ¹	Black Lake			Camsell Portage									Fond du Lac						
	Barren-ground Caribou			Moose									Barren-ground Caribou						
	Kidney		Heart	Liver			Kidney						Kidney					Heart	Liver
	2016	2018	2018	2014		2015	2023	2014		2015		2023	2014			2015		2018	2018
	1	1	1	1	2	1	1	1	2	1	2	1	1	2	3	1	2	1	1
Metals																			
Aluminum	<0.5	0.6	<0.5	<0.5	1.1	0.6	0.6	<0.5	1.2	<0.5	<0.5	0.8	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.01	0.02	0.01	<0.01	<0.01	<0.01	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.01	0.01	<0.01	0.01	<0.01
Barium	0.2	1	0.11	0.1	0.12	0.11	0.15	0.23	0.44	0.12	0.13	<0.01	0.58	0.45	0.41	0.43	0.43	0.06	0.12
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	6.9	4.7	0.004	1.7	1.1	0.66	2	8.6	6.5	6.8	4.9	0.005	6.2	9.6	6.8	10	7.3	0.002	0.004
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.5	<0.5	<0.1	<0.1	<0.1	<0.5	<0.5	<0.5	<0.1	<0.1	<0.1	<0.1
Cobalt	0.035	0.062	0.014	0.25	0.2	0.18	0.072	0.12	0.2	0.18	0.058	0.07	0.029	0.044	0.046	0.036	0.025	0.02	0.013
Copper	5	3.5	4.5	38	47	15	15.5	2.1	3.8	3.8	2.6	4.1	3.6	4.9	4.3	4.4	3.6	4.5	3.3
Iron	37	24	55	100	150	160	180	70	90	52	30	62	40	60	60	28	40	59	37
Lead	0.07	0.041	0.005	<0.002	0.003	0.003	0.093	<0.002	0.002	<0.002	0.004	0.002	0.073	0.068	0.078	0.12	0.089	0.01	0.003
Manganese	1.8	1.4	0.55	1.3	2.2	2.1	2.8	1.2	2	2.7	1.5	0.44	1.8	2	1.8	1.7	1.5	0.52	0.33
Mercury	-	-	-	-	-	-	0.28	-	-	-	-	0.001	-	-	-	-	-	-	-
Molybdenum	0.15	0.21	<0.02	0.9	1	1.1	0.95	0.21	0.42	0.45	0.25	<0.02	0.12	0.11	0.14	0.16	0.12	<0.02	<0.02
Nickel	<0.01	0.03	<0.01	<0.01	<0.01	<0.01	<0.01	0.05	0.06	0.03	0.04	<0.01	<0.01	0.01	0.01	<0.01	<0.01	0.01	0.02
Selenium	1	0.94	0.27	0.22	0.21	0.92	0.36	0.71	0.78	1.2	0.78	0.19	1.3	1.6	1.4	1.2	1.1	0.26	0.18
Silver	<0.002	<0.002	<0.002	0.009	0.014	0.033	0.21	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	0.003	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.1	0.11	0.05	0.06	0.07	0.05	0.05	0.17	0.13	0.11	0.09	0.03	0.18	0.18	0.16	0.11	0.12	0.04	0.06
Thallium	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	0.03	0.01	0.02	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.02	0.08	<0.01	<0.5	<0.5	0.03	0.04	0.03	0.08	<0.01	<0.01	0.02	0.06	0.08	0.07	0.05	0.04	<0.01	0.01
Uranium	<0.001	<0.001	<0.001	<0.01	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.003	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	24	24	19	15	20	20	33	16	23	26	20	24	23	28	27	26	25	20	37
Physical Properties																			
Moisture (%)	69.25	76.39	75.00	74.05	70.38	68.14	70.5	76.94	78.33	78.43	82.17	77.8	48.56	66.49	42.82	54.43	54.00	74.89	71.08
Radionuclides																			
Lead-210 (Bq/g)	0.049	0.023	<0.001	<0.001	<0.001	0.001	0.08	<0.001	<0.001	0.002	0.002	<0.006	0.072	0.054	0.042	0.077	0.073	<0.001	<0.001
Polonium-210 (Bq/g)	0.064	0.076	0.012	0.0036	0.0024	0.026	0.094	0.0018	0.0023	0.027	0.0076	<0.002	0.088	0.081	0.086	0.083	0.066	0.0092	0.0088
Radium-226 (Bq/g)	0.0005	<0.0001	<0.00006	0.0001	<0.0001	0.0002	<0.00009	<0.00006	0.0005	0.0001	0.0003	<0.00006	0.0003	0.0009	0.0005	0.0003	0.0003	<0.00007	<0.00006
Thorium-230 (Bq/g)	<0.0003	<0.0002	<0.0001	<0.0001	<0.0002	<0.0002	<0.0002	<0.0001	<0.0004	<0.0001	<0.0001	<0.0001	<0.0003	<0.0006	<0.0005	0.0005	<0.0003	<0.0001	<0.0001

APPENDIX C, TABLE 12

Detailed barren-ground caribou and moose organ chemistry results from the EARMP community program, 2014 to 2023.

Chemical ¹	Stony Rapids							Uranium City								
	Moose							Moose								
	Kidney			Heart		Liver		Kidney				Heart	Liver			
	2017	2020	2023	2020		2023	2023	2014	2015	2017	2023	2023	2014	2015	2017	2023
	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1
Metals																
Aluminum	<0.5	<0.5	0.6	<0.5	<0.5	1	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	1.3	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.01	<0.01	0.02	<0.01	<0.01	0.02	0.02	<0.01	<0.01	0.01	0.02	0.02	<0.01	<0.01	0.01	0.01
Barium	0.14	0.08	0.27	0.07	0.04	0.09	0.32	0.27	0.16	0.26	0.26	0.19	0.1	0.48	0.14	0.12
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	0.2	0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.73	1.1	1.7	0.009	0.003	0.003	0.33	8	20	8.6	12	0.006	0.48	0.054	1.4	1.5
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.29	0.19	0.046	0.13	0.1	0.037	0.14	0.097	0.25	0.11	0.093	0.009	0.054	0.068	0.078	0.085
Copper	13.2	3.7	3.4	3.6	4	4	28.1	3	2.2	2.9	2.4	0.94	28	0.55	28.1	61
Iron	200	42	90	50	63	48	380	41	33	31	32	21	120	680	140	98
Lead	0.004	<0.002	0.008	0.016	<0.002	0.002	0.007	0.002	<0.002	0.012	0.016	0.004	0.008	<0.002	0.018	0.006
Manganese	4.1	3.6	2.9	0.45	0.52	0.52	3.5	1	0.8	1.2	0.93	0.27	1.4	0.09	2.4	1.1
Mercury	-	0.08	0.1	0.002	0.002	0.004	0.023	-	-	-	0.021	0.001	-	-	-	0.003
Molybdenum	1.1	0.44	0.4	0.02	0.02	<0.02	1.2	0.24	0.17	0.2	0.15	<0.02	0.65	<0.02	0.81	0.65
Nickel	0.02	0.04	0.04	<0.01	<0.01	<0.01	<0.01	0.04	0.02	0.08	0.03	<0.01	<0.01	<0.01	<0.01	0.02
Selenium	0.24	0.93	1.3	0.17	0.24	0.44	2.3	0.67	0.53	0.88	0.71	0.12	0.2	0.18	0.53	0.58
Silver	0.014	<0.002	<0.002	<0.002	<0.002	<0.002	0.18	<0.002	<0.002	<0.002	<0.002	<0.002	0.01	<0.002	0.01	0.007
Strontium	0.08	0.15	0.23	0.14	0.06	0.09	0.08	0.11	0.1	0.08	0.1	0.04	0.1	0.06	0.04	0.03
Thallium	<0.01	0.09	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01
Titanium	0.02	0.04	0.04	0.04	0.05	0.06	0.02	0.04	<0.01	0.02	0.04	0.02	<0.5	<0.01	0.02	0.01
Uranium	<0.001	<0.001	0.003	0.004	<0.001	<0.001	0.002	<0.001	<0.001	0.001	0.002	0.006	<0.01	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	27	21	25	22	24	25	24	25	24	23	24	89	14	15	23	19
Physical Properties																
Moisture (%)	68.77	78.39	78.6	75.94	77.01	77.4	70.6	78.25	83.14	82.38	79.8	73.3	58.58	72.88	61.03	58.3
Radionuclides																
Lead-210 (Bq/g)	0.001	<0.007	<0.006	<0.001	<0.001	<0.001	<0.004	0.001	0.002	<0.001	<0.006	<0.001	0.001	0.002	<0.001	<0.004
Polonium-210 (Bq/g)	0.0042	0.018	0.02	0.0008	0.0015	0.0018	0.02	0.0032	0.0037	0.0063	0.006	0.0004	0.0021	0.0018	0.0057	0.004
Radium-226 (Bq/g)	<0.00008	<0.00008	<0.00006	<0.00006	<0.00005	<0.00006	<0.00008	<0.00006	0.00007	0.0003	<0.00006	<0.00006	0.00007	0.0003	0.0001	<0.00008
Thorium-230 (Bq/g)	<0.0002	<0.0005	-	<0.0004	-	<0.0001	<0.0002	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002

APPENDIX C, TABLE 12

Detailed barren-ground caribou and moose organ chemistry results from the EARMP community program, 2014 to 2023.

Chemical ¹	Uranium City						Wollaston Lake/Hatchet Lake					
	Barren-ground Caribou						Barren-ground Caribou					
	Heart			Liver			Liver					Heart
	2019			2019			2015	2018		2020		2020
	1	2	3	1	2	3	1	1	2	1	2	1
Metals												
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	0.5	<0.5	0.6	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	0.02	0.02	0.01	0.01	<0.01	<0.01
Barium	0.08	0.1	0.04	0.18	0.24	0.17	0.02	0.36	0.27	0.2	0.15	0.11
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	0.7	<0.2	<0.2	<0.2	<0.2
Cadmium	0.004	<0.002	0.002	1.3	0.96	1.3	0.65	1.8	1.6	1.9	2.2	0.005
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.008	0.012	0.012	0.06	0.07	0.052	0.075	0.1	0.071	0.06	0.069	0.017
Copper	4.4	4.5	4.7	38.8	24	26.6	26	54.6	31.7	27	33.6	4.1
Iron	56	79	52	380	200	150	140	190	170	300	170	69
Lead	<0.002	0.003	<0.002	0.074	0.067	0.072	0.097	0.076	0.055	0.15	0.11	0.31
Manganese	0.53	0.64	0.57	2.5	2.9	3.3	3.6	3.3	3.8	2.7	3.6	0.59
Mercury	-	-	-	-	-	-	-	-	-	0.25	0.26	0.004
Molybdenum	<0.02	<0.02	<0.02	0.31	0.38	0.43	1	0.74	0.57	0.77	0.7	<0.02
Nickel	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	0.01	<0.01	<0.01
Selenium	0.23	0.26	0.26	0.34	0.26	0.31	0.4	0.4	0.4	0.41	0.33	0.27
Silver	<0.002	<0.002	<0.002	0.34	0.18	0.17	0.12	0.19	0.097	0.16	0.21	<0.002
Strontium	0.05	0.05	0.04	0.07	0.07	0.06	0.04	0.07	0.05	0.07	0.05	0.05
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.02	<0.01	<0.01	0.03	0.03	0.03	<0.5	0.08	0.03	0.11	0.06	0.04
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.01	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	18	19	18	31	18	24	24	36	41	29	33	20
Physical Properties												
Moisture (%)	76.88	77.14	76.74	70.63	72.87	72.64	71.23	70.73	71.4	66.6	67.42	73.60
Radionuclides												
Lead-210 (Bq/g)	<0.002	<0.002	<0.002	0.082	0.086	0.085	<0.001	0.056	0.04	0.12	0.10	<0.001
Polonium-210 (Bq/g)	0.012	0.014	0.011	0.22	0.16	0.15	0.0093	0.24	0.18	0.34	0.33	0.015
Radium-226 (Bq/g)	<0.0005	<0.0005	<0.0005	<0.001	<0.001	<0.001	0.0002	<0.00007	<0.00007	0.00006	0.00006	<0.0001
Thorium-230 (Bq/g)	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.0001	<0.0005	<0.0001	<0.0001	<0.0001	<0.0002

¹All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.

- = data not available.

APPENDIX C, TABLE 13

Detailed snowshoe hare flesh chemistry results from the EARMF community program, 2011 to 2024.

Chemical ¹	Black Lake					Camsell Portage										
	2017				2021	2011					2014			2024		
	1	2	3	4	1	1	2	3	4	5	1	2	3	1	2	3
Metals																
Aluminum	0.9	<0.5	<0.5	1.4	<0.5	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	0.02	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Barium	<0.01	<0.01	<0.01	<0.01	0.02	0.09	0.04	0.08	0.03	0.08	0.18	0.1	0.12	0.03	0.04	0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.038	0.004	0.002	0.005	0.015	0.003	0.004	0.01	<0.002	0.002	<0.002	0.004	0.006	0.002	0.002	0.003
Chromium	0.2	<0.1	0.1	0.2	<0.1	0.003	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.011	0.011	0.013	0.007	0.005	0.003	0.006	0.007	0.003	0.004	<0.002	0.005	0.032	0.006	0.008	0.006
Copper	2.2	4	1.8	1.9	2.1	0.003	2.4	1.5	1.8	1.5	1.9	2.1	1.8	3.2	2.3	2.6
Iron	44	38	30	31	30	0.003	28	24	22	24	19	25	20	33	28	36
Lead	0.005	0.003	0.003	0.004	2.4	0.003	<0.002	0.006	<0.002	<0.002	0.003	0.002	0.002	<0.002	<0.002	0.003
Manganese	1.7	0.91	0.21	0.54	0.38	0.003	0.46	0.32	0.22	0.22	0.36	0.28	0.39	0.53	0.66	0.31
Mercury	0.007	0.002	0.002	0.002	0.002	-	-	-	-	-	-	-	-	0.001	<0.001	<0.001
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	0.003	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.06	<0.01	0.06	0.06	<0.01	0.003	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	0.07	0.01	<0.01	<0.01
Selenium	0.44	0.28	0.23	0.34	0.17	0.003	0.03	0.13	0.02	0.06	0.03	0.08	0.14	0.15	0.1	0.14
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	0.003	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.08	0.07	0.07	0.1	0.03	0.003	0.07	0.22	0.05	0.09	0.2	0.1	0.29	0.04	0.04	0.02
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	0.003	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	0.003	<0.01	0.04	0.02	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.08	0.1	0.08	0.08	<0.01	0.003	0.07	0.05	0.08	0.04	0.09	0.06	0.09	0.02	0.02	0.02
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	0.003	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	0.003	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	19	13	22	17	15	0.003	11	23	13	13	13	11	16	19	15	21
Physical Properties																
Moisture (%)	75.64	76.72	77.46	78.30	75.64	77.61	76.53	75.79	77.60	78.45	71.24	75.39	73.89	76.2	73.7	74.8
Radionuclides																
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.001	0.0009	0.0011	0.0007	0.0009	0.0011	0.0018	0.0021	0.0013	0.0012	0.0017	0.002	0.0018	0.0004	0.0007	0.0006
Radium-226 (Bq/g)	<0.0002	<0.0002	0.0003	<0.0002	<0.00005	0.0001	<0.00007	0.0001	0.0001	0.0002	0.0001	<0.00006	0.0001	<0.0001	<0.0001	<0.00007
Thorium-230 (Bq/g)	<0.0005	<0.0005	<0.0005	<0.0005	-	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0003	<0.0002	<0.0001

APPENDIX C, TABLE 13

Detailed snowshoe hare flesh chemistry results from the EARMP community program, 2011 to 2024.

Chemical ¹	Fond du Lac									Stony Rapids					
	2017			2021 ²			2024			2017			2021 ²		
	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
Metals															
Aluminum	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.6	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	<0.01	<0.01	<0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	0.01	<0.01	0.01
Barium	0.01	<0.01	<0.01	0.02	0.03	0.08	0.02	0.02	0.02	<0.01	<0.01	<0.01	0.02	0.02	0.02
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	0.2	0.2	<0.2	0.4	<0.2	0.2	0.2	0.3	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.008	0.009	0.003	<0.002	<0.002	<0.002	0.002	0.004	0.015	0.14	0.014	0.008	0.005	0.004	0.005
Chromium	0.6	0.2	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.021	0.014	0.019	0.013	0.01	0.007	0.008	0.009	0.004	0.013	0.005	0.022	0.004	0.003	0.004
Copper	1.4	2	2.6	2.4	2.8	1.8	1.9	1.7	2.3	1.8	1.8	1.1	2.5	1.8	1.8
Iron	36	35	38	26	33	29	30	20	30	57	36	25	32	30	21
Lead	0.004	0.003	0.002	<0.002	<0.002	<0.002	0.002	0.1	<0.002	0.008	0.005	<0.002	<0.002	<0.002	<0.002
Manganese	0.46	0.64	0.44	0.19	0.51	1.2	0.23	0.35	0.33	0.42	0.25	0.21	0.31	0.19	0.18
Mercury	0.002	<0.001	0.001	<0.001	0.001	0.002	0.001	0.002	0.001	0.004	0.001	0.002	0.001	<0.001	<0.001
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.07	0.08	0.05	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.04	<0.01	0.03	<0.01	<0.01	<0.01
Selenium	0.3	0.19	0.16	0.07	0.11	0.03	0.16	0.14	0.12	0.14	0.21	0.22	0.2	0.13	0.1
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.11	0.06	0.08	0.06	0.13	0.18	0.07	0.05	0.07	0.07	0.06	0.06	0.05	0.08	0.07
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.07	0.05	0.01	0.01	<0.01	<0.01	0.03	0.03	0.02	0.08	0.05	0.03	<0.01	<0.01	<0.01
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	23	16	21	13	19	16	21	19	15	21	32	19	17	21	12
Physical Properties															
Moisture (%)	74.03	75.58	77.68	74.73	74.00	75.14	74.8	76.1	75.6	76.38	75.35	75.67	75.17	79.70	76.20
Radionuclides															
Lead-210 (Bq/g)	0.003	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0006	0.0012	0.0008	0.0006	0.0007	0.0013	0.001	0.0004	0.0015	0.0026	0.0012	0.001	0.0023	0.0019	0.0012
Radium-226 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.00005	<0.00007	<0.00006	<0.00007	<0.0001	<0.00008	<0.0002	<0.0002	<0.0002	<0.00005	<0.00005	<0.00005
Thorium-230 (Bq/g)	<0.0005	<0.0005	<0.0005	-	<0.0001	<0.0001	<0.0001	<0.0002	<0.0002	<0.0005	<0.0005	<0.0005	-	-	-

APPENDIX C, TABLE 13

Detailed snowshoe hare flesh chemistry results from the EARMP community program, 2011 to 2024.

Chemical ¹	Uranium City												Wollaston Lake								
	2011					2014		2021 ²			2024 ³			2017			2021 ²			2024	
	1	2	3	4	5	1	2	1	2	3	1	2	3	1	2	3	1	2	3	1	2
Metals																					
Aluminum	0.6	<0.5	<0.5	0.5	<0.5	<0.5	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	<0.01	<0.01	<0.01	<0.01	<0.01	0.02	<0.01	0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.01	0.01	<0.01	<0.01
Barium	0.27	0.05	0.09	0.04	0.05	0.13	0.28	0.05	0.1	0.08	0.02	0.01	0.02	<0.01	<0.01	<0.01	0.04	0.03	0.02	0.03	0.02
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	0.2	<0.2	<0.2	0.2	<0.2	0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.004	<0.002	0.003	0.003	<0.002	<0.002	0.005	0.003	<0.002	0.016	0.003	0.004	0.006	0.009	0.014	0.012	0.013	<0.002	0.009	0.002	0.003
Chromium	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.007	0.005	0.004	0.004	0.006	0.005	0.004	0.006	0.004	0.005	0.006	0.006	0.004	0.006	0.009	0.01	0.003	0.004	0.003	0.004	0.004
Copper	1.5	1.5	1	1.4	1.1	2.4	2.1	1.2	1.6	3	2.3	2.2	2.6	1.8	2.1	2.5	2.2	3	2.5	1.7	2.9
Iron	27	22	22	14	20	21	31	18	29	31	28	29	36	24	36	31	30	25	30	32	36
Lead	<0.002	0.003	<0.002	<0.002	0.003	0.002	<0.002	<0.002	<0.002	0.002	0.005	<0.002	0.004	0.007	0.009	<0.002	0.002	0.003	0.035	<0.002	<0.002
Manganese	0.27	0.2	0.37	0.29	0.18	0.24	1.1	0.15	0.13	0.57	0.25	0.25	0.38	0.26	0.57	0.33	0.4	0.6	0.49	0.27	0.35
Mercury	-	-	-	-	-	-	-	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	0.002	<0.001	0.002	0.002	0.002	0.001
Molybdenum	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Nickel	0.01	0.02	<0.01	<0.01	<0.01	0.02	0.05	0.01	<0.01	<0.01	<0.01	0.01	<0.01	0.03	<0.01	0.04	<0.01	<0.01	<0.01	0.01	<0.01
Selenium	0.13	0.05	0.1	0.12	0.06	0.15	0.07	0.2	0.16	0.11	0.24	0.22	0.27	0.15	0.14	0.13	0.06	0.04	0.07	0.4	0.29
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.39	0.1	0.28	0.1	0.19	0.14	0.19	0.06	0.14	0.07	0.04	0.03	0.04	0.03	0.04	0.04	0.12	0.1	0.11	0.05	0.03
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	0.02	<0.01	0.02	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.07	0.04	0.07	0.08	0.15	0.05	0.1	0.02	<0.01	<0.01	0.01	0.02	0.02	0.06	0.01	0.02	<0.01	<0.01	<0.01	0.01	0.02
Uranium	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.002	<0.002
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	25	24	17	10	19	10	16	12	18	18	15	18	16	16	17	16	14	19	15	23	12
Physical Properties																					
Moisture (%)	77.55	77.14	77.49	78.65	78.51	70.07	65.80	76.15	76.05	75.76	75.3	74.6	74.5	73.26	75.80	73.05	76.67	74.65	73.75	74.8	73.7
Radionuclides																					
Lead-210 (Bq/g)	<0.001	<0.001	<0.001	<0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0014	0.0013	0.0015	0.00003	0.0016	0.0022	0.0015	0.0006	0.0007	0.0032	0.0024	0.0028	0.002	0.0008	0.0008	0.0016	0.0021	0.0033	0.0021	0.0017	0.0013
Radium-226 (Bq/g)	<0.00006	0.00009	0.0001	0.0001	0.00009	0.0001	0.00007	<0.00005	<0.00005	<0.00007	<0.00008	<0.00007	<0.00006	<0.0002	<0.0002	<0.0002	<0.00006	<0.00006	<0.00006	<0.00007	<0.00008
Thorium-230 (Bq/g)	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001	<0.0002	<0.0001	-	-	<0.0001	<0.0002	<0.0001	<0.0001	<0.0005	<0.0005	<0.0005	<0.0001	<0.0001	<0.0001	<0.0001	<0.0001

¹All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.

²Select samples collected early 2022.

³Select samples collected early 2025.

- = data not available.

Note: Black Lake/Stony Rapids snowshoe hare samples were not obtained in 2024.

APPENDIX C, TABLE 14

Detailed spruce grouse and willow ptarmigan flesh chemistry results from the EARMP community program, 2017 to 2024.

Chemical ¹	Black Lake						Camsell Portage					
	Spruce Grouse						Spruce Grouse					
	2017			2021 ²			2021 ²			2024		
	1	2	3	1	2	3	1	2	3	1	2	3
Metals												
Aluminum	3.6	1.8	<0.5	0.6	<0.5	<0.5	<0.5	0.7	3.2	<0.5	0.5	<0.5
Antimony	0.03	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01
Barium	0.04	0.02	<0.01	<0.01	0.03	0.02	0.04	0.03	0.06	0.01	0.01	<0.01
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.006	0.009	0.005	<0.002	0.002	<0.002	0.002	0.003	0.035	<0.002	<0.002	0.003
Chromium	0.2	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.005	0.036	0.019	0.003	<0.002	0.002	0.002	<0.002	<0.002	0.003	0.004	0.002
Copper	2.5	3.6	3.3	2.7	3.4	2.8	2.2	2.8	2.5	2.3	2.6	2.3
Iron	50	99	49	34	33	34	26	37	35	34	28	26
Lead	4.2	0.36	0.9	<0.002	0.008	0.032	<0.002	<0.002	0.002	<0.002	0.002	<0.002
Manganese	0.51	0.74	0.4	0.45	0.4	0.58	0.59	0.46	0.66	0.4	0.38	0.38
Mercury	0.001	0.001	0.002	0.001	<0.001	0.001	<0.001	0.001	0.001	0.001	<0.001	0.001
Molybdenum	<0.02	0.06	0.03	0.02	0.02	<0.02	0.02	0.05	0.1	0.03	0.02	0.02
Nickel	0.07	0.03	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Selenium	0.28	0.27	0.24	0.26	0.32	0.41	0.23	0.2	0.23	0.21	0.18	0.19
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.09	0.06	0.03	0.04	0.04	0.07	0.07	0.04	0.05	0.02	0.06	0.02
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.11	0.11	0.02	0.02	<0.01	<0.01	<0.01	0.01	0.03	0.02	0.02	<0.01
Uranium	<0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	<0.002	0.002	<0.002
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	13	18	7.5	8.9	7.1	7	6.4	6.8	7.3	7.7	6.5	7.2
Physical Properties												
% Moisture	76.49	74.28	77.38	69.75	70.94	71.14	74.00	72.63	71.58	73.60	74.2	73.6
Radionuclides												
Lead-210 (Bq/g)	-	-	-	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0004	0.0003	0.0003	<0.0002	<0.0002	0.0002	<0.0002	0.0007	0.0009	<0.0002	0.0004	<0.0002
Radium-226 (Bq/g)	<0.0002	<0.0002	0.0002	<0.00005	<0.00005	<0.00007	<0.00005	<0.00005	<0.00005	<0.00009	<0.0001	<0.00009
Thorium-230 (Bq/g)	<0.0005	<0.0005	<0.0005	-	-	-	-	-	-	<0.0002	<0.0004	<0.0002

APPENDIX C, TABLE 14

Detailed spruce grouse and willow ptarmigan flesh chemistry results from the EARMP community program, 2017 to 2024.

Chemical ¹	Fond du Lac									Stony Rapids						
	Spruce Grouse									Spruce Grouse						
	2017			2021 ²			2024			2017				2021 ²		
	1	2	3	1	2	3	1	2	3	1	2	3	4	1	2	3
Metals																
Aluminum	1.3	0.5	0.6	<0.5	<0.5	<0.5	0.6	<0.5	0.8	4.9	2.8	1.4	1.5	2.4	<0.5	0.8
Antimony	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Arsenic	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	<0.01	<0.01
Barium	0.04	<0.01	0.03	0.02	0.01	0.02	<0.01	<0.01	0.02	0.06	0.08	0.02	0.02	0.03	0.01	0.02
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	0.2	<0.2	<0.2	0.2	0.4	0.4	<0.2	<0.2	<0.2
Cadmium	0.013	0.006	0.028	0.011	0.011	0.004	0.002	<0.002	<0.002	0.005	0.009	0.004	0.026	<0.002	0.01	0.005
Chromium	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.1	<0.1	0.3	<0.1	<0.1	<0.1	<0.1
Cobalt	0.006	0.004	0.009	<0.002	<0.002	<0.002	0.004	0.002	<0.002	0.004	0.002	0.005	0.004	<0.002	<0.002	<0.002
Copper	2.5	4.1	2.9	2.9	3.1	1.8	2.9	3.8	2.4	2	1	2.2	2.3	2.1	3	3.1
Iron	54	64	46	40	55	24	37	39	36	34	41	43	46	27	54	44
Lead	0.34	0.027	0.004	0.009	0.014	<0.002	<0.002	0.025	0.025	4	0.046	0.22	0.084	<0.002	0.024	0.004
Manganese	1.2	1.2	3.4	0.78	0.81	0.42	0.39	0.46	0.55	1.6	1.1	2.8	10	0.33	0.38	0.43
Mercury	<0.001	0.002	0.002	<0.001	0.001	<0.001	<0.001	<0.001	0.001	0.001	<0.001	<0.001	<0.001	0.003	<0.001	<0.001
Molybdenum	0.03	0.07	0.02	0.04	0.04	0.02	0.02	<0.02	0.03	0.04	0.08	<0.02	0.03	0.05	<0.02	<0.02
Nickel	0.04	<0.01	0.01	<0.01	<0.01	<0.01	0.02	<0.01	<0.01	0.03	0.04	0.02	<0.01	<0.01	<0.01	<0.01
Selenium	0.24	0.36	0.29	0.25	0.28	0.22	0.26	0.29	0.16	0.2	0.18	0.16	0.18	0.13	0.22	0.26
Silver	0.004	<0.002	0.004	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.08	0.05	0.13	0.03	0.04	0.09	0.03	0.04	0.06	0.14	0.15	0.14	0.09	0.15	0.04	0.04
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.06	0.03	0.04	0.07	0.01	0.03	0.13	0.03	0.08	0.23	0.13	0.05	0.04	0.11	0.01	0.03
Uranium	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	13	18	23	8.8	8.9	15	6.7	6.9	7.2	10	22	14	27	7.2	8.3	8.2
Physical Properties																
% Moisture	72.20	73.87	73.88	72.32	71.96	71.84	72.6	73.2	72.6	77.87	74.13	73.90	72.95	71.70	71.54	71.46
Radionuclides																
Lead-210 (Bq/g)	-	-	-	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	-	-	-	-	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0007	0.001	0.0007	0.0005	0.0007	<0.0002	0.001	0.0006	0.0004	0.0003	<0.0002	0.0002	0.0004	0.0002	0.0004	0.0005
Radium-226 (Bq/g)	<0.0002	0.0002	<0.0002	<0.00005	<0.00005	<0.00005	<0.00008	<0.0001	<0.0001	<0.0002	<0.0002	<0.0002	<0.0002	<0.00005	<0.00005	<0.00005
Thorium-230 (Bq/g)	<0.0005	<0.0005	<0.0005	-	-	-	<0.0002	<0.0003	<0.0002	<0.0005	<0.0005	<0.0005	<0.0005	-	-	-

APPENDIX C, TABLE 14

Detailed spruce grouse and willow ptarmigan flesh chemistry results from the EARMP community program, 2017 to 2024.

Chemical ¹	Uranium City									Wollaston Lake								
	Spruce Grouse						Willow Ptarmigan			Spruce Grouse								
	2017			2021 ²			2024 ³			2017			2021 ²			2024		
	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3	1	2	3
Metals																		
Aluminum	1.7	0.6	0.8	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.7	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
Antimony	0.23	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.03	<0.02	<0.02	<0.02	<0.02	<0.02	0.04	0.11
Arsenic	<0.01	<0.01	<0.01	<0.01	0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.01	0.04
Barium	0.18	<0.01	<0.01	0.02	0.02	0.02	0.02	0.01	0.01	0.05	0.03	<0.01	0.01	0.02	0.01	0.01	<0.01	0.03
Beryllium	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Boron	0.2	<0.2	<0.2	0.2	<0.2	<0.2	<0.2	<0.2	<0.2	0.3	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
Cadmium	0.004	0.014	0.003	0.004	<0.002	<0.002	0.025	0.04	0.034	0.006	0.002	<0.002	0.003	0.003	0.003	<0.002	0.006	0.004
Chromium	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	0.1	<0.1	<0.1	<0.1	<0.1	<0.1
Cobalt	0.003	0.004	<0.002	<0.002	<0.002	<0.002	0.004	0.003	0.004	0.006	0.002	0.004	<0.002	<0.002	<0.002	<0.002	0.002	<0.002
Copper	2.2	2.8	0.98	2	3.1	2.9	3.3	3.7	2.3	1.7	2.9	1.7	2.4	2.9	3	2.8	2.3	2.8
Iron	59	52	33	29	37	34	39	45	30	33	41	26	37	39	38	35	45	43
Lead	2.4	0.19	0.1	0.075	0.12	<0.002	0.003	0.003	0.005	0.006	0.35	0.08	<0.002	<0.002	<0.002	0.045	0.69	2.3
Manganese	0.87	0.42	0.34	0.25	0.43	0.3	0.37	0.36	0.37	0.71	0.42	0.4	0.47	0.71	0.54	0.44	0.41	0.59
Mercury	0.002	0.001	<0.001	<0.001	<0.001	0.002	<0.001	<0.001	<0.001	<0.001	0.001	<0.001	<0.001	<0.001	<0.001	<0.001	0.001	<0.001
Molybdenum	0.05	0.02	0.03	0.03	<0.02	<0.02	0.03	0.02	<0.02	<0.02	<0.02	<0.02	<0.02	0.02	<0.02	<0.02	<0.02	0.03
Nickel	0.02	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.03	<0.01	0.01	<0.01	<0.01	<0.01	<0.01	<0.01	0.02
Selenium	0.32	0.16	0.1	0.44	0.26	0.37	0.32	0.13	0.15	0.29	0.22	0.26	0.22	0.33	0.24	0.23	0.22	0.22
Silver	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002	<0.002
Strontium	0.52	0.03	0.03	0.05	0.03	0.04	0.16	0.1	0.08	0.05	0.08	0.12	0.05	0.12	0.04	0.02	<0.02	0.04
Thallium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Tin	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Titanium	0.08	0.03	0.04	<0.01	0.01	<0.01	0.02	<0.01	0.02	0.05	0.04	0.02	<0.01	<0.01	<0.01	0.02	<0.01	<0.01
Uranium	0.003	0.002	0.001	<0.001	0.001	<0.001	<0.002	<0.002	<0.002	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.002	<0.002	<0.002
Vanadium	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	19	7	13	6.9	8.2	5.3	9.5	11	6.5	7.2	7.3	7	6.5	7	7.7	9.2	8.2	8.6
Physical Properties																		
% Moisture	73.35	72.07	74.90	72.87	71.66	72.48	73.1	73.4	73.3	72.63	72.86	74.13	72.04	71.87	71.4	72.4	72.4	71.8
Radionuclides																		
Lead-210 (Bq/g)	-	-	-	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	-	-	-	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
Polonium-210 (Bq/g)	0.0003	0.0006	<0.0002	0.0002	0.0002	<0.0002	0.0005	0.0005	0.0007	<0.0002	0.0006	<0.0002	0.0006	0.0005	0.0007	0.0005	0.0006	0.0007
Radium-226 (Bq/g)	<0.0002	<0.0002	<0.0002	<0.00005	<0.00005	<0.00005	<0.00008	<0.0001	<0.00008	<0.0002	<0.0002	<0.0002	<0.00005	<0.00005	<0.00005	<0.00009	<0.0001	<0.00009
Thorium-230 (Bq/g)	<0.0005	<0.0005	<0.0005	-	-	-	<0.0002	<0.0003	<0.0002	<0.0005	<0.0005	<0.0005	-	-	-	<0.0002	<0.0002	<0.0002

¹All concentrations are presented on a µg/g wet weight basis, unless specified otherwise.

²Select samples collected early 2022.

³Samples collected early 2025.

- = data not available.

Note: Black Lake/Stony Rapids avian samples were not obtained in 2024.